

Fibrocystic Breast Disease

REFERENCES

- Abrams, A. Use of vitamin E in chronic cystic mastitis. *N. Engl. J. Med.* 1965; 272: 2388.
- Allen, S.S., Froberg, D.C. The effect of decreased caffeine consumption on benign proliferative breast disease: a randomized clinical trial. *Surgery* 1985; 91: 263.
- Allen, S.S., Froberg, D.G. The effect of decreased caffeine consumption on benign proliferative breast disease: a randomized clinical trial. *Surgery* 1987 Jun; 101(6): 720-30.
- American Cancer Society. *Benign Breast Conditions* 1991, 1997. Atlanta, GA: American Cancer Society.
- AMA. American Medical Association's Council on Scientific Affairs. Caffeine labeling, a report on the safety of dietary caffeine. *JAMA* 1984; 252: 803-6.
- AMA. *The American Medical Association Encyclopedia of Medicine* 1989. New York: Random House.
- Anderson, J.W., Bridges, S.R. Dietary fiber content of selected foods. *Am. J. Clin. Nutr.* 1988; 47: 440-7.
- Anon. Benign breast conditions. *Reinsurance Notes* 1998; 1: 12.
- Anon. *Professional Guide to Signs & Symptoms, Third Edition* 2000. Springhouse, PA: Springhouse.
- Arnao, M.B., Sanchez-Bravo, J., Acosta, M. Indole-3-carbinol as a scavenger of free radicals. *Biochem. Mol. Biol. Int.* 1996 Aug; 39(6): 1125-34.
- Augustin, L.S., Dal Maso, L., La Vecchia, C., Parpinel, M., Negri, E., Vaccarella, S., Kendall, C.W., Jenkins, D.J., Francesch, S. Dietary glycemic index and glycemic load, and breast cancer risk: a case-control study. *Ann. Oncol.* 2001 Nov; 12(11): 1533-8.
- Ayres, J., Gidwani, G. The "luteal breast:" hormonal and sonographic investigations of benign breast disease in patients with cyclic mastalgia. *Fertil. Steril.* 1983; 40: 779.
- Band, P.R., Deschamps, M., Falardeau, M., Ladouceur, J., Cote, J. Treatment of benign breast disease with vitamin A. *Prev. Med.* 1984; 13(5): 549-54.
- Banni, S., Angioni, E., Casu, V., Melis, M.P., Carta, G., Corongiu, F.P., Thompson, H., Ip, C. Decrease in linoleic acid metabolites as a potential mechanism in cancer risk reduction by conjugated linoleic acid. *Carcinogenesis* 1999 Jun; 20(6): 1019-24.
- Barrett-Connor, E., Goodman-Gruen, D. The epidemiology of DHEAs and cardiovascular disease. *Ann. N.Y. Acad. Sci.* 1995; 774: 259-70.
- Bassett, L.W., Kimme-Smith, C. Breast sonography. *Am. J. Roentgenol.* 1991; 156: 449-55.
- Bates, G.W., Whitworth, N.S. Effects of obesity on sex steroid metabolism. *J. Chron. Dis.* 1982; 35(12): 893-6.
- BCERF. *Fruits and Vegetables and the Risk of Breast Cancer* 1998 Dec. Program on Breast Cancer and Environmental Risk Factors in New York State. Ithaca, NY: Cornell University.
- Belch, J.J., Hill, A. Evening primrose oil and borage oil in rheumatologic conditions. *Am. J. Clin. Nutr.* 2000 Jan; 71(1, Suppl.): 352S-356S.
- BeLieu, R.M. Mastodynia. *Obstet. Gynecol. Clin. North Am.* 1994 Sep; 21(3): 461-77.

Blum, I., Marilus, R., Barasch, E., Szttern, M., Bruhis, S., Kaufman, H. Severe sexual impairment produced by morbid obesity. Report of a case. *Int. J. Obes.* 1988; 12(3): 185-9.

Bodian, C.A. Benign breast diseases, carcinoma in situ, and breast cancer risk. *Epidemiol. Rev.* 1993a; 15: 177-87.

Bodian, C.A., Perzin, K.H., Lattes, R., Hoffmann, P., Abernathy, T.G. Prognostic significance of benign proliferative breast disease. *Cancer* 1993b Jun 15; 71(12): 3896-3907.

Bodian, C.A., Perzin, K.H., Lattes, R., Hoffmann, P. Reproducibility and validity of pathologic classifications of benign breast disease and implications for clinical applications. *Cancer* 1993c Jun 15; 71(12): 3908-13.

Boyd, N.F., McGuire, V., Shannon, P., Cousins, M., Kriukov, V., Mahoney, L., Fish, E., Lickley, L., Lockwood, G., Trichter, D. Effect of a low-fat high-carbohydrate diet on symptoms of cyclical mastopathy. *Lancet* 1988; 16; 2(8603): 128-32.

Boyd, N.F., Greenberg, C., Lockwood, G. et al. Effects at two years of a low-fat, high-carbohydrate diet on radiologic features of the breast: results from a randomized trial. Canadian Diet and Breast Cancer Prevention Study Group. *J. Natl. Cancer. Inst.* 1997 Apr 2; 89(7): 488-96.

Boyle, C.A., Berkowitz, G.S., LiVolsi, V.A., Ort, S., Merino, M.J., White, C., Kelsey, J.L. Caffeine consumption and fibrocystic breast disease: a case-control epidemiologic study. *J. Natl. Cancer Inst.* 1984; 72(5): 1015-9.

Bradlow, H.L., Michnovicz, J.J., Halper, M., Miller, D.G., Wong, G.Y., Osborne, M.P. Long-term responses of women to indole-3-carbinol or a high fiber diet. *Cancer Epidemiol. Biomarkers Prev.* 1994 Oct-Nov; 3(7): 591-5.

Bradlow, H.L., Sepkovic, D.W., Telang, N.T., Osborne, M.P. Multifunctional aspects of the action of indole-3-carbinol as an antitumor agent. *Ann. N.Y. Acad. Sci.* 1999a; 889: 204-13.

Bradlow, H.L., Telang, N.T., Sepkovic, D.W., Osborne, M.P. Phytochemicals as modulators of cancer risk. *Adv. Exp. Med. Biol.* 1999b; 472: 207-21.

Bundred, N.J., West, R.R., O'Dowd, J., Mansel, R.E. Is there an increased risk of breast cancer in women who have had a breast cyst aspirated? *Br. J. Cancer* 1991; 64: 953-5.

Chatterji, U. Identifying the Breast Cancer Target for Indole-3-Carbinol (unpublished). Postdoctorate Fellowship 2001-2002. Berkeley, CA: University of California.

Cheung, K.L. Management of cyclical mastalgia in oriental women: pioneer experience of using gamolenic acid (Efamast) in Asia. *Aust. N.Z. J. Surg.* 1999 Jul; 69(7): 492-4.

Cho, S.Y., Park, J.Y., Park, E.M., Choi, M.S., Lee, M.K., Jeon, S.M., Jang, M.K., Kim, M.J., Park, Y.B. Alternation of hepatic antioxidant enzyme activities and lipid profile in streptozotocin-induced diabetic rats by supplementation of dandelion water extract. *Clin. Chim. Acta* 2002 Mar; 317(1-2): 109-17.

Clarke, R.P., Schlenker, E.D., Merrow, S.B. Nutrient intake, adiposity, plasma total cholesterol, and blood pressure of rural participants in the (Vermont) Nutrition Program for Older Americans (Title III). *Am. J. Clin. Nutr.* 1981 Sep; 34(9): 1743-51.

Corsini, E., Lucchi, L., Meroni, M., Racchi, M., Solerte, B., Fioravanti, M., Viviani, B., Marinovich, M., Govoni, S., Galli, C.L. In vivo dehydroepiandrosterone restores age-associated defects in the protein kinase C signal transduction pathway and related functional responses. *J. Immunol.* 2002 Feb 15; 168(4): 1753-8.

Cover, C.M., Hsieh, S.J., Cram, E.J., Hong, C., Riby, J.E., Bjeldanes, L.F., Firestone, G.L. Indole-3-carbinol and tamoxifen cooperate to arrest the cell cycle of MCF-7 human breast cancer cells. *Cancer Res.* 1999 Mar 15; 59(6): 1244-51.

Despres, J.P., Pascot, A., Lemieux, I. Risk factors associated with obesity: a metabolic perspective. *Ann. Endocrinol.* 2000 Dec; 61(Suppl. 6): 31-8 (in French).

Ditmar, F.W., Luh, W. Treatment of fibrocystic mastopathy with hydrolytic enzymes. *Int. J. Exp. Clin. Chemother.* 1993; 6(1): 9-20.

Ernster V.L. The epidemiology of benign breast disease. *Epidemiol. Rev.* 1981; 3: 184-202.

Estes, N. Mastodynia due to fibrocystic disease of the breast controlled with thyroid hormone. *Am. J. Surg.* 1981; Dec; 142(6): 764-76.

Fentiman, I.S., Caleffi, M., Brame, K. et al. Double-blind controlled trial of tamoxifen therapy for mastalgia. *Lancet* 1986; 1: 287.

Fine, R.E., Israel, P.Z., Walker, L.C., Corgan, K.R., Greenwald, L.V., Berenson, J.E., Boyd, B.A., Oliver, M.K., McClure, T., Elberfeld, J. A prospective study of the removal rate of imaged breast lesions by an 11-gauge vacuum-assisted biopsy probe system. *Am. J. Surg.* 2001 Oct; 182(4): 335-40.

Fontana, J.A., Nervi, C., Shao, Z.M., Jetten, A.M. Retinoid antagonism of estrogen-responsive transforming growth factor alpha and pS2 gene expression in breast carcinoma cells. *Cancer Res.* 1992 Jul 15; 52(14): 3938-45.

Franceschi, S., Favero, A., Decarli, A., Negri, E., La Vecchia, C., Ferraroni, M., Russo, A., Salvini, S., Amadori, D., Conti, E. et al. Intake of macronutrients and risk of breast cancer. *Lancet* 1996 May 18; 347(9012): 1351-6; comments, *Lancet* 1996 May 18; 347(9012): 1346 and *Lancet* 1996 Jul 13; 348(9020): 137-8; discussion, *Lancet* 1996 Jul 13; 348(9020): 138.

Gateley, C.A., Maddox, P.R., Pritchard, G.A., Sheridan, W., Harrison, B.J., Pye, J.K., Webster, D.J., Hughes, L.E., Mansel, R.E. Plasma fatty acid profiles in benign breast disorders. *Br. J. Surg.* 1992 May; 79(5): 407-9.

Gateley, C.A., Mansel, R.E. Management of cyclical breast pain. *Br. J. Hosp. Med.* 1990 May; 43(5): 330-2.

Gateley, C.A., Mansel, R.E. Management of the painful and nodular breast. *Br. Med. Bull.* 1991 Apr; 47(2): 284-94.

Ghent, W.R., Eskin, B.A., Low, D.A., Hill, L.P. Iodine replacement in fibrocystic disease of the breast. *Can. J. Surg.* 1993; 36(5): 453-60.

Goldin, B.R., Adlercreutz, H., Dwyer, J.T., Swenson, L., Warram, J.H., Gorbach, S.L. Effect of diet on excretion of estrogens in pre- and postmenopausal women. *Cancer Res.* 1981 Sep; 41(9, Pt. 2): 3771-3.

Goldin, B.R., Adlercreutz, H., Gorbach, S.L., Warram, J.H., Dwyer, J.T., Swenson, L., Woods, M.N. Estrogen excretion patterns and plasma levels in vegetarian and omnivorous women. *N. Engl. J. Med.* 1982 Dec 16; 307(25): 1542-7.

Greenblatt, R.B., Vasquez, J., Samaras, C. Fibrocystic breast disease: current status of diagnosis and treatment. *Postgrad. Med.* 1982 Mar; 71(3): 159-63, 166-8.

Hagymasi, K., Kocsis, I., Lugasi, A., Feher, J., Blazovics, A. Extrahepatic biliary obstruction: can silymarin protect liver function? *Phytother. Res.* 2002 Mar; 16(Suppl. 1): S78-S80.

Henderson, M., Pike, M.C., Bernstein, L., Ross, R.K. Breast cancer. In *Cancer Epidemiology and Prevention*, Second Edition 1996. Schottenfeld, D., Fraumeni, J.F., Eds. New York: Oxford University Press.

Horner, N.K., Lampe, J.W. Potential mechanisms of diet therapy for fibrocystic breast conditions show inadequate evidence of effectiveness. *J. Am. Diet. Assoc.* 2000 Nov; 100(11): 1368-80.

Huang, Z., Willett, W.C., Colditz, G.A., Hunter, D.J., Manson, J.E., Rosner, B., Speizer, F.E., Hankinson, S.E. Waist circumference, waist:hip ratio, and risk of breast cancer in the Nurses' Health Study. *Am. J. Epidemiol.* 1999 Dec 15; 150(12): 1316-24.

Hudgins, L.C., Hellerstein, M.K., Seidman, C.E., Neese, R.A., Tremaroli, J.D., Hirsch, J. Relationship between carbohydrate-induced hypertriglyceridemia and fatty acid synthesis in lean and obese subjects. *J. Lipid Res.* 2000 Apr; 41(4): 595-604.

Hunt, S.C., Williams, R.R., Adams, T.D. Biochemical and anthropometric characterization of morbid obesity in a large Utah pedigree. *Obes. Res.* 1995 Sep; 3(Suppl. 2): 165S-172S.

Hurley, S.F., Hart, S., Susil, B. Prevalence, Screening and Management of Atypical Hyperplasia and Lobular Carcinoma In Situ 1997. Canberra: National Health and Medical Research Council/National Breast Cancer Centre.

Imaginis. Breast health (non-cancerous breast issues). *Imaginis Newsletter* 2000 Nov 13. Durham, NC: Imaginis Corporation.

Imaginis. Soy and breast cancer. *Imaginis Newsletter* 2001 Jan 20. Durham, NC: Imaginis Corporation.

- Inukai, T., Matsutomo, R., Tayama, K., Aso, Y., Takemura, Y. Relation between the serum level of C-peptide and risk factors for coronary heart disease and diabetic microangiopathy in patients with type-2 diabetes mellitus. *Exp. Clin. Endocrinol. Diabetes* 1999; 107(1): 40-5.
- Ip, M.M., Masso-Welch, P.A., Shoemaker, S.F., Shea-Eaton, W.K., Ip, C. Conjugated linoleic acid inhibits proliferation and induces apoptosis of normal rat mammary epithelial cells in primary culture. *Exp. Cell Res.* 1999a Jul 10; 250(1): 22-34.
- Ip, C., Banni, S., Angioni, E., Carta, G., McGinley, J., Thompson, H.J., Barbano, D., Bauman, D. Conjugated linoleic acid-enriched butter fat alters mammary gland morphogenesis and reduces cancer risk in rats. *J. Nutr.* 1999b Dec; 129(12): 2135-42.
- Jackman, R.J., Lamm, R.L. Stereotactic histologic biopsy in breasts with implants. *Radiology* 2002 Jan; 222(1): 157-64.
- Kaizer, L., Boyd, N.F., Kriukov, V., Tritchler, D. Fish consumption and breast cancer risk: an ecological study. *Nutr. Cancer* 1989; 12(1): 61-8.
- Kaplan, N.M. The deadly quartet. Upper-body obesity, glucose intolerance, hypertriglyceridemia, and hypertension. *Arch. Intern. Med.* 1989 Jul; 149(7): 1514-20.
- Kimura, M., Tanaka, S., Yamada, Y., Kiuchi, Y., Yamakawa, T., Sekihara, H. Dehydroepiandrosterone decreases serum tumor necrosis factor-alpha and restores insulin sensitivity: independent effect from secondary weight reduction in genetically obese Zucker fatty rats. *Endocrinology* 1998 Jul; 139(7): 3249-53.
- Kosina, P., Kren, V., Gebhardt, R., Grambal, F., Ulrichova, J., Walterova, D. Antioxidant properties of silybin glycosides. *Phytother. Res.* 2002 Mar; 16(Suppl. 1): S33-S39.
- Kumar, S., Mansel, R.E., Hughes, L.E. et al. Prolactin response to thyrotropin-releasing hormone stimulation and dopaminergic inhibition in benign breast disease. *Cancer* 1984 Mar 15; 53(6): 1311-5.
- Kumar, S., Mansel, R.E., Hughes, L.E., Edwards, C.A., Scanlon, M.F. Prediction of response to endocrine therapy in pronounced cyclical mastalgia using dynamic tests of prolactin release. *Clin. Endocrinol.* 1985 Dec; 23(6): 699-704.
- Kurzman, I.D., Panciera, D.L., Miller, J.B., MacEwen, E.G. The effect of dehydroepiandrosterone combined with a low-fat diet in spontaneously obese dogs: a clinical trial. *Obes. Res.* 1998 Jan; 6(1): 20-8. Lark, S.M. *The Woman's Health Companion* 1996. Berkeley, CA: Celestial Arts.
- La Vecchia, C., Franceschi, S., Parazzini, F., Regallo, M., Decarli, A., Gallus, G., Di Pietro, S., Tognoni, G. Benign breast disease and consumption of beverages containing methylxanthines. *J. Natl. Cancer Inst.* 1985; 74(5): 995-1000.
- Leijd, B. Cholesterol and bile acid metabolism in obesity. *Clin. Sci.* 1980 Sep; 59(3): 203-6.
- Leonardi, M. Hormonal contraception and benign breast disease: evaluation of a treatment protocol for fibrocystic disease with mastalgia. *Min. Ginecol.* 1997; 49(6): 271-6.
- Leowattana, W. DHEA(S): the fountain of youth. *J. Med. Assoc. Thai* 2001 Oct; 84(Suppl. 2): S605-S612.
- London, R.S., Sundaram, G.S., Murphy, L. et al. The effect of vitamin E on mammary dysplasia: a double-blind study. *Obstet. Gynecol.* 1985; 65: 104.
- London, R.S., Sundaram, G.S., Schultz, M., Nair, P.P., Goldstein, P.J. Endocrine parameters and alpha-tocopherol therapy of patients with mammary dysplasia. *Cancer Res.* 1981; 41(9, Pt. 2): 3811-3.
- Lopez, S.P., Martinez, E.J., Reillo, M. Treatment of breast fibrocystic disease with tanazol. *Acta Ginecol.* 1996; 53(10): 304-9.
- Lopez-Rosales, C., Romero Espinosa, R.E., Vazquez, J. Treatment of fibrocystic breast disease with lisuride. *Ginecol. Obstet. Mex.* 1991; 59: 358-61.
- Lundstrom, E., Wilczek, B., von Palffy, A., Soderqvist, G., von Schoultz, B. Mammographic breast density during hormone replacement therapy: effects of continuous combination, unopposed transdermal, and low-potency estrogen regimens. *Climacteric* 2001 Mar; 4(1): 42-8.

Maganini, R.O., Klem, D.A., Huston, B.J., Bruner, E.S., Jacobs, H.K. Upgrade rate of core biopsy-determined atypical ductal hyperplasia by open excisional biopsy. *Am. J. Surg.* 2001 Oct; 182(4): 355-8.

Maillard, V., Bougnoux, P., Ferrari, P., Jourdan, M.L., Pinault, M., Lavillonniere, F., Body, G., Le Floch, O., Chajes, V. N-3 and N-6 fatty acids in breast adipose tissue and relative risk of breast cancer in a case-control study in Tours, France. *Int. J. Cancer* 2002 Mar 1; 98(1): 78-83.

Maliakal, P.P., Wanwimolruk, S. Effect of herbal teas on hepatic drug metabolizing enzymes in rats. *J. Pharm. Pharmacol.* 2001 Oct; 53(10): 1323-9.

Mancuso, P., Whelan, J., DeMichele, S.J., Snider, C.C., Guszczka, J.A., Claycombe, K.J., Smith, G.T., Gregory, T.J., Karlstad, M.D. Effects of eicosapentaenoic and gamma-linolenic acid on lung permeability and alveolar macrophage eicosanoid synthesis in endotoxic rats. *Crit. Care Med.* 1997 Mar; 25(3): 523-32.

Mansel, R.E., Gateley, C.A., Harrison, B.J. et al. Effects and tolerability of n-6 essential fatty acid supplementation in patients with recurrent breast cysts. *J. Nutr. Med.* 1990a; 1: 195-200.

Mansel, R.E., Harrison, B.J., Melhuish, J., Sheridan, W., Pye, J.K., Pritchard, G., Maddox, P.R., Webster, D.J., Hughes, L.E. A randomized trial of dietary intervention with essential fatty acids in patients with categorized cysts. *Ann. N.Y. Acad. Sci.* 1990b; 586: 288-94.

Mansel, R.E., Pye, J.K., Hughes, L.E. Effects of essential fatty acids on cyclical mastalgia and noncyclical breast disorders. In *Omega-6 Essential Fatty Acids* 1990c, pp. 557-67. Horrobon, D., Ed. New York: Wiley-Liss.

Mansel, R.E., Wisbey, J.R., Hughes, L.E. Controlled trial of the antigonadotropin danazol in painful nodular benign breast disease. *Lancet* 1982 Apr 24; 1(8278): 928-30.

Martinez, L., Castilla, J.A., Gil, T., Molina, J., Alarcon, J.L., Marcos, C., Herruzo, A. Thyroid hormones in fibrocystic breast disease. *Eur. J. Endocrinol.* 1995 Jun; 132(6): 673-6.

Mayo Clinic. Menopause: women's sex hormones: a refresher course. Mayo Clinic Women's HealthSource 2001. Rochester, MN: Mayo Foundation for Medical Education and Research.

Mazy, S., Hustin, J. Van Reepinghen, P. Phyllodes tumor of the breast. *J. Belge Radiol. (JBR-BTR)* 1999 Jun; 82(3): 118.

McBean, L.D. Emerging health benefits of CLA (conjugated linoleic acid). *Dairy Council Digest* 1999. Rosemont, IL: National Dairy Council.

McFayden, I.J., Forrest, A.P., Chetty, U., Raab, G. Cyclical breast pain? some observations and the difficulties in treatment. *Br. J. Clin. Pract.* 1992 Autumn; 46(3): 161-4.

Meeks, M.L., Mahaffey, K.W., Katz, M.D. Danazol increases with anticoagulant effect of warfarin. *Ann. Pharmacother.* 1992; 26(5): 641-2.

Meng, Q., Yuan, F., Goldberg, I.D., Rosen, E.M., Auborn, K., Fan, S. Indole-3-carbinol is a negative regulator of estrogen receptor-alpha signaling in human tumor cells. *J. Nutr.* 2000 Dec; 130(12): 2927-31.

Meyer, E.C., Sommers, D.K., Reitz, C.J., Mentis, H. Vitamin E and benign breast disease. *Surgery* 1990; 107(5): 549-51.

Michnovicz, J.J., Adlercreutz, H., Bradlow, H.L. Changes in levels of urinary estrogen metabolites after oral indole-3-carbinol treatment in humans. *J. Natl. Cancer Inst.* 1997 May 21; 89(10): 718-23.

Minton, J.P., Abou-Issa, H. Nonendocrine theories of the etiology of benign breast disease. *World J. Surg.* 1989 Nov-Dec; 13(6): 680-4.

Minton, J.P., Abou-Issa, H., Reiches, N., Roseman, J.M. Clinical and biochemical studies on methylxanthine-related fibrocystic breast disease. *Surgery* 1981; 90(2): 299-304.

Minton, J.P., Foeking, M.K., Webster, D.J., Matthews, R.H. Caffeine, cyclic nucleotides, and breast disease. *Surgery* 1979; 86(1): 105-9.

Mishell, D.R. Noncontraceptive benefits of oral contraceptives. *J. Reprod. Med.* 1993; 38: 1021-9.

Mishra, S.K., Sharma, A.K., Salila, M., Srivastava, A., Bal, S., Ramesh, V. Efficacy of low fat diet in the treatment of benign breast disease. *Natl. Med. J. India* 1994 Mar-Apr; 7(2): 60-2.

Molteni, A., Brizio-Molteni, L., Persky, V. In vitro hormonal effects of soybean isoflavones. *J. Nutr.* 1995 Mar; 125(3, Suppl.): 751S-756S.

Mowatt, T. Gourmet treats to keep you healthy. *Life Extension Magazine* 1998 Jun; 4(6): 22-6. Ft. Lauderdale, FL: Life Extension Foundation.

Murialdo, G., Nobili, F., Rollero, A., Gianelli, M.V., Copello, F., Rodriguez, G., Polleri, A. Hippocampal perfusion and pituitary-adrenal axis in Alzheimer's disease. *Neuropsychobiology* 2000; 42(2): 51-7.

National Cancer Institute. Benign Breast Lumps and Other Benign Breast Changes 2001a. Bethesda, MD (<http://rex.nci.nih.gov>).

National Cancer Institute. Understanding Breast Changes. About Breast Lumps and Other Changes 2001b. Bethesda, MD (<http://cancernet.nci.nih.gov>).

NBCC. Benign Breast Disease: Summary of Risk Factors for Breast Cancer 1999 Jul 15. Campersdown, NSW, Australia: National Breast Cancer Centre.

Nestler, J.E., Arlasini, C.O., Clore, J.N. et al. Dehydroepiandrosterone reduces serum low density lipoprotein levels and body fat but not insulin sensitivity in men. *J. Clin. Endocrinol. Metabol.* 1988; 66(1): 57-61.

NIEHS. Background Information. Indole-3-Carbinol (I3C), 700-06-1 June 2000. Research Triangle Park, NC: National Institute of Environmental Health Sciences (http://ntp-server.nih.gov/htdocs/Chem_Background/ExecSumm/Indolecarbinol.html).

Nimrod, A.C., Benson, W.H. Environmental estrogenic effects of alkylphenol thoxylates. *Crit. Rev. Toxicol.* 1996; 26: 335-64.

Norlock, F.E. Benign breast pain in women: a practical approach to evaluation and treatment. *J. Am. Med. Womens Assoc.* 2002 Spring; 57(2): 85-90.

Ohsumi, S., Takashima, S., Aogi, K., Ishizaki, M., Mandai, K. Breast biopsy for mammographically detected non-palpable lesions using a vacuum-assisted biopsy device (Mammotome) and an upright-type stereotactic mammography unit. *Jpn. J. Clin. Oncol.* 2001 Nov; 31(11): 527-31.

Oza, A.M., Boyd, N.F. Mammographic parenchymal patterns: a marker of breast cancer risk. *Epidemiol. Rev.* 1993; 15: 196-208.

Ozdemir, A., Konus, O., Nas, T., Erbas, G., Cosar, S., Isik, S. Mamographic and ultrasonic study of changes in the breast related to HRT. *Int. J. Gynecol. Obstet.* 1999; 67(1): 23-32.

Pain, J.A., Cahill, C.J. Management of cyclical mastalgia. *Br. J. Clin. Pract.* 1990; 44: 454-6.

Pastides, H., Najjar, M.A., Kelsey, J.L. Estrogen replacement therapy and fibrocystic breast disease. *Am. J. Prev. Med.* 1987; 3(5): 282-6.

Peress, M.R., Kreutner, A.K., Mathur, R.S., Williamson, H.O. Female pseudohermaphroditism with somatic chromosomal anomaly in association with in utero exposure to danazol. *Am. J. Obstet. Gynecol.* 1982; 142(61): 708-9.

Perlet, C., Schneider, P., Amaya, B., Grosse, A., Sittek, H., Reiser, M.F., Heywang-Kobrunner, S.H. MR-guided vacuum biopsy of 206 contrast-enhancing breast lesions. *Rofo Fortschr. Geb. Rontgenstr. Neuen Bildgeb. Verfahr.* 2002 Jan; 174(1): 88-95.

Polleri, A., Gianelli, M.V., Murialdo, G. Dementia: a neuroendocrine perspective. *J. Endocrinol. Invest.* 2002 Jan; 25(1): 73-83.

Pye, J.K., Mansel, R.E., Hughes, L.E. Clinical experience of drug treatments for mastalgia. *Lancet* 1985 Aug 17; 2(8451): 373-7.

Quagliani, D. Complex carbohydrates: they're the best thing since sliced bread. *Better Homes & Gardens* 1997 May.

Rohan, T.E., Miller, A.B. A cohort study of oral contraceptive use and risk of benign breast disease. *Int. J. Cancer* 1999; 82(2): 191-6.

Roloff, J. Why grass makes for better milk. *Science News* 1997 Oct 11.

Rose, D.P., Boyar, A.P., Cohen, C., Strong, L.E. Effect of a low-fat diet on hormone levels in women with cystic breast disease. I. Serum steroids and gonadotropins. *J. Natl. Cancer Inst.* 1987; 78(4): 623-6.

Rose, D.P., Cohen, L.A., Berke, B., Boyar, A.P. Effect of a low-fat diet on hormone levels in women with cystic breast disease. II. Serum radioimmunoassayable prolactin and growth hormone and bioactive lactogenic hormones. *J. Natl. Cancer Inst.* 1987 Apr; 78(4): 627-31.

Rosenberg, L., Miller, D.R., Helmrich, S.P., Kaufman, D.W., Schottenfeld, D., Stolley, P.D., Shapiro, S. Breast cancer and the consumption of coffee. *Am. J. Epidemiol.* 1985; 122(3): 391-9.

Russell, L.C. Caffeine restriction as initial treatment for breast pain. *Nurse Practitioner* 1989; 14(2): 36-7, 40.

Saller, R., Meier, R., Brignoli, R. The use of silymarin in the treatment of liver diseases. *Drugs* 2001; 61(14): 2035-63.

Santamaria, L., Dell'Orti, M., Bianchi Santamaria, A. Beta-carotene supplementation associated with intermittent retinal administration in the treatment of premenopausal mastodynia. *Boll. Chim. Farm.* 1989; 128(9): 284-7.

Schairer, C., Brinton, L.A., Hoover, R.N. Methylxanthines and benign breast disease. *Am. J. Epidemiol.* 1986; 124(4): 603-11.

Scott, P.M. Oral contraceptives in the 90s. *Physician Assist.* 1993; 17(12): 19-28.

Siiteri, P.K. Adipose tissue as a source of hormones. *Am. J. Clin. Nutr.* 1987 Jan; 45(1, Suppl.): 277-82.

Simpson, E.R. Aromatization of androgens in women: current concepts and findings. *Fertil. Steril.* 2002 Apr; 77(Suppl. 4): 6-10.

Singh, R.B., Niaz, M.A., Agarwal, P., Beegum, R., Rastogi, S.S., Singh, N.K. Epidemiologic study of central obesity, insulin resistance and associated disturbances in the urban population of North India. *Acta Cardiol.* 1995; 50(3): 215-25.

Sitruk-Ware, R., Sterkers, N., Mauvais-Jarvis, P. Benign breast disease. I. Hormonal investigation. *Obstet. Gynecol.* 1979; 53: 457.

Takayanagi, R., Goto, K., Suzuki, S., Tanaka, S., Shimoda, S., Nawata, H. Dehydroepiandrosterone (DHEA) as a possible source for estrogen formation in bone cells: correlation between bone mineral density and serum DHEA-sulfate concentration in postmenopausal women, and the presence of aromatase to be enhanced by 1,25-dihydroxyvitamin D3 in human osteoblasts. *Mech. Ageing Dev.* 2002 Apr; 123(8): 1107-14.

Terry, P., Wolk, A., Persson, I., Magnusson, C. Brassica vegetables and breast cancer risk. *JAMA* 2001 Jun 20; 285(23): 2975-7.

Vanhala, M.J., Pitkajarvi, T.K., Kumpusalo, E.A., Takala, J.K. Obesity type and clustering of insulin resistance-associated cardiovascular risk factors in middle-aged men and women. *Int. J. Obes. Relat. Metab. Disord.* 1998 Apr; 22(4): 369-74.

Van Horn, L. Fiber, lipids, and coronary heart disease. A statement for healthcare professionals from the Nutrition Committee, American Heart Association. *Circulation* 1997 Jun 17; 95(12): 2701-4.

Widschwendter, M., Berger, J., Muller, H.M., Zeimet, A.G., Marth, C. Epigenetic downregulation of the retinoic acid receptor-beta2 gene in breast cancer. *J. Mammary Gland Biol. Neoplasia* 2001 Apr; 6(2): 193-201.

Wong, G.Y., Bradlow, L., Sepkovic, D., Mehl, S., Mailman, J., Osborne, M.P. Dose-ranging study of indole-3-carbinol for breast cancer prevention. *J. Cell. Biochem. Suppl.* 1997; 28-29: 111-6.

Wu, Q., Dawson, M.I., Zheng, Y., Hobbs, P.D., Agadir, A., Jong, L., Li, Y., Liu, R., Lin, B., Zhang, X.K. Inhibition of trans-retinoic acid-resistant human breast cancer cell growth by retinoid X receptor-selective retinoids. *Mol. Cell. Biol.* 1997 Nov; 17(11): 6598-6608.

Writing Group for the Women's Health Initiative Investigators. Risks and benefits of estrogen plus progestin in healthy postmenopausal women: principal results from the Women's Health Initiative randomized controlled trial. *JAMA* 2002 Jul 17; 288(3):

Yang, L.M., Tin, U.C., Wu, K., Brown, P. Role of retinoid receptors in the prevention and treatment of breast cancer. *J. Mammary Gland Biol. Neoplasia* 1999 Oct; 4(4): 377-88.

Yang, S., Fu, Z., Wang, F., Cao, Y., Han, R. Anti-mutagenicity activity of dehydroepiandrosterone. *Zhonghua Zhong Liu Za Zhi* 2002 Mar; 24(2): 137-140 (in Chinese).

Yen, S.S., Morales, A.J., Khorram, O. Replacement of DHEA in aging men and women. *Ann. N.Y. Acad. Sci.* 1995 Dec 29; 774: 128-42.

Zumoff, B. Hormonal abnormalities in obesity. *Acta Med. Scand. Suppl.* 1988; 723: 153-60.

Zych, F., Mizia-Stec, K., Mucha, Z., Zych-Twardowska, E. Fibrocystic disease of breast and pituitary-thyroid axis function. *Pol. Merkuriusz Lek.* 1996 Oct; 1(4): 227-8 (in Polish).

All Contents Copyright © 1995-2009 Life Extension Foundation All rights reserved.

LifeExtension®

These statements have not been evaluated by the FDA. These products are not intended to diagnose, treat, cure or prevent any disease. The information provided on this site is for informational purposes only and is not intended as a substitute for advice from your physician or other health care professional or any information contained on or in any product label or packaging. You should not use the information on this site for diagnosis or treatment of any health problem or for prescription of any medication or other treatment. You should consult with a healthcare professional before starting any diet, exercise or supplementation program, before taking any medication, or if you have or suspect you might have a health problem. You should not stop taking any medication without first consulting your physician.