

PT / PTT

Prothrombin time (PT) and partial thromboplastin time (PTT) tests are used to evaluate the extrinsic coagulation system. They may also aid in screening for congenital deficiencies of factors II, V, VII, X as well as deficiencies of prothrombin dysfibrinogenemia, and afibrinogenemia. Levels of PT and PTT can determine heparin effect, warfarin anticoagulant therapy, liver failure, disseminated intravascular coagulation (DIC), vitamin K deficiency.

- **Prothrombin time (PT)**

This test is used to evaluate the adequacy of the extrinsic system and common pathway in the clotting mechanism. Prothrombin time (PT) test provides a control for long-term anticoagulant therapy that usually involves the use of a coumarin derivative (eg, Coumadin®). This therapy attempts to impede thrombus formation without the threat of mortality from hemorrhage.

- **Partial Thromboplastin Time**

This test is used to evaluate the intrinsic coagulation system. It is also used to monitor heparin therapy, to aid in detecting classical hemophilia A, Christmas disease, and detection of congenital deficiencies of factors II, V, VIII, IX, X, XI, and XII. PTT is used to screen for the presence of dysfibrinogenemia, disseminated intravascular coagulation, liver failure, congenital hypofibrinogenemia, vitamin K deficiency, congenital deficiency of Fitzgerald factor, congenital deficiency of prekallikrein, high molecular weight kininogen, and circulatory anticoagulant.

The blood test services are for informational purposes only. It is not the intention of National Diagnostics, Inc and Life Extension to provide specific medical advice but rather to provide users with information to better understand their health. Specific medical advice including diagnosis and treatment will not be provided. Always seek the advice of a trained health professional for medical advice, diagnosis or treatment.

Both the physician and the testing laboratory are independent contractors with whom National Diagnostics, Inc makes arrangements for your blood tests. Neither National Diagnostics, Inc nor Life Extension will be liable for any acts or commissions of the physician, the testing laboratory, or their agents or employees.

These statements have not been evaluated by the FDA. These products are not intended to diagnose, treat, cure or prevent any disease. The information provided on this site is for informational purposes only and is not intended as a substitute for advice from your physician or other health care professional or any information contained on or in any product label or packaging. You should not use the information on this site for diagnosis or treatment of any health problem or for prescription of any medication or other treatment. You should consult with a healthcare professional before starting any diet, exercise or supplementation program, before taking any medication, or if you have or suspect you might have a health problem. You should not stop taking any medication without first consulting your physician.