

Female Hormone Restoration

REFERENCES

- Adlercreutz H, Mousavi Y, Clark J, et al. Dietary phytoestrogens and cancer: in vitro and in vivo studies. *J Steroid Biochem Mol Biol* . 1992; 41(3–8):331–337.
- Albert A, Altabre C, Baro F, et al. Efficacy and safety of a phytoestrogen preparation derived from *Glycine max* (L.) Merr in climacteric symptomatology: a multicentric, open, prospective and non-randomized trial. *Phytomedicine* . 2002;9(2):85–92.
- Andrade PM, Silva ID, Borra RC, et al. Estrogen regulation of uterine genes in vivo detected by complementary DNA array. *Horm Metab Res* . 2002;34(5):238–244.
- Ariyo AA, Villablanca AC. Estrogens and lipids. Can HRT designer estrogens, and phytoestrogens reduce cardiovascular risk markers after menopause? *Postgrad Med* . 2002;111(1):23–30.
- Armanini D, Fiore C, et al. History of the endocrine effects of licorice. *Exp Clin Endocrinol Diabetes* . 2002;110(6):257–261.
- Ashby J, Tinwell H, Plautz J, et al. Lack of binding to isolated estrogen or androgen receptors, and inactivity in the immature rat uterotrophic assay, of the ultraviolet sunscreen filters Tinosorb M-active and Tinosorb S. *Regul Toxicol Pharmacol* . 2001;34(3):287–291.
- Atkinson C, Compston JE, Day NE, et al. The effects of phytoestrogen isoflavones on bone density in women: a double-blind, randomized, placebo-controlled trial. *Am J Clin Nutr* . 2004;79(2):326–333.
- Azoulay C. [Menopause in 2004: "hormone replacement therapy" is not what it used to be anymore]. *Rev Med Interne* . 2004 Nov;25(11):806–815.
- Bachmann GA. Androgen therapy in menopause: evolving benefits and challenges. *Am J Obstet Gynecol* . 1999;180(3):308–311.
- Badowski P, Urbanek-Karłowska B. [Phytoestrogens in food--a review]. *Rocz Panstw Zakł Hig* . 2001;52(3):203–212.
- Bagur A, Wittich A, Ghiringhelli G, et al. Hormone replacement therapy increases trabecular and cortical bone density in osteoporotic women. *Medicina (B Aires)* . 1996;56(3):247–251.
- Baird DD, Umbach DM, Lansdell L, et al. Dietary intervention study to assess estrogenicity of dietary soy among postmenopausal women. *J Clin Endocrinol Metab* . 1995;80(5):1685–1690.
- Bang OY, Hong HS, Kim DH, et al. Neuroprotective effect of genistein against beta amyloid-induced neurotoxicity. *Neurobiol Dis* . 2004;16(1):21–28.
- Bentrem D, Fox JE, Pearce ST, et al. Distinct molecular conformations of the estrogen receptor alpha complex exploited by environmental estrogens. *Cancer Res* . 2003;63(21):7490–7496.
- Berkman LF, Seeman TE, Albert M, et al. High, usual and impaired functioning in community-dwelling older men and women: findings from the MacArthur Foundation Research Network on Successful Aging. *J Clin Epidemiol* . 1993;46(10):1129–1140.
- Bhavnani BR. Estrogens and menopause: pharmacology of conjugated equine estrogens and their potential role in the prevention of neurodegenerative diseases such as Alzheimer's. *J Steroid Biochem Mol Biol* . 2003; 85(2–5):473–482.
- Bodinet C, Freudenstein J. Influence of marketed herbal menopause preparations on MCF-7 cell proliferation. *Menopause* . 2004;11(3):281–289.
- Bradlow HL, Davis DL, Lin G, et al. Effects of pesticides on the ratio of 16 alpha/2-hydroxyestrone: a biologic marker of breast cancer risk. *Environ Health Perspect* . 1995;103(Suppl 7):147–150.

- Bradlow HL, Hershcopf R, Martucci C, et al. 16 alpha-hydroxylation of estradiol: a possible risk marker for breast cancer. *Ann NY Acad Sci* . 1986;464:138–151.
- Bradlow HL, Telang NT , et al. 2-hydroxyestosterone: the good estrogen. *J Endocrinol* . 1996;150:259-265.
- Braunstein GD. Androgen insufficiency in women: summary of critical issues. *Fertil Steril* . 2002;77(Suppl 4):S94–S99.
- Brochier ML, Arwidson P. Coronary heart disease risk factors in women. *Eur Heart J* . 1998;19(Suppl A):A45–A52.
- Burd ID, Bachmann GA. 2001, “Androgen replacement in menopause,” *Curr. Women's Health Rep*. 1;3:202-202.
- Burger HG. Physiological principles of endocrine replacement: estrogen. *Horm Res* . 2001;56(Suppl 1):82–85.
- Burke BE, Olson RD , Cusack BJ. Randomized, controlled trial of phytoestrogen in the prophylactic treatment of menstrual migraine. *Biomed Pharmacother* . 2002;56(6):283–288.
- Cameron DR , Braunstein GD. Androgen replacement therapy in women. *Fertil Steril*. 2004;82(2):273-289.
- Campagnoli C, Clavel-Chapelon F, et al. Progestins and progesterone in hormone replacement therapy and the risk of breast cancer. *J Steroid Biochem Mol Biol* . 2005 Jul;96(2):95–108.
- Carr BR, Bradshaw KD. Disorders of the Ovary and Female Reproductive Tract. In . *Harrison's Principles of Internal Medicine* . 5th ed. New York : McGraw-Hill; 2001.
- Casson PR, Faquin LC, Stentz FB, et al. Replacement of dehydroepiandrosterone enhances T-lymphocyte insulin binding in postmenopausal women. *Fertil Steril* . 1995;63(5):1027–1031.
- Chiechi LM, Putignano G, Guerra V, et al. The effect of a soy rich diet on the vaginal epithelium in postmenopause: a randomized double blind trial. *Maturitas* . 2003. 45(4):241–246.
- Chopin LB. *Vitex agnus castus* essential oil and menopausal balance: a research update. *Ther Nurs Midwifery* . 2003;9(3):157–160.
- Clifton-Bligh PB, Baber RJ, Fulcher GR, et al. The effect of isoflavones extracted from red clover (Rimostil) on lipid and bone metabolism. *Menopause* . 2001;8(4):259–265.
- Colson NJ , Lea RA, et al. Investigation of hormone receptor genes in migraine. *Neurogenetics* . 2005 Feb;6(1):17–23. Epub 2005 Jan 15.
- Coope J. Hormonal and non-hormonal interventions for menopausal symptoms. *Maturitas* . 1996;23(2):159–168.
- Cotter A, Cashman KD. Genistein appears to prevent early postmenopausal bone loss as effectively as hormone replacement therapy. *Nutr Rev* . 2003;61(10):346–351.
- Cowan LD, Gordis L, Tonascia JA, et al. Breast cancer incidence in women with a history of progesterone deficiency. *Am J Epidemiol* . 1981;114(2):209–217.
- Crisafulli A, Marini H, Bitto A, et al. Effects of genistein on hot flashes in early postmenopausal women: a randomized, double-blind EPT- and placebo-controlled study. *Menopause* . 2004;11(4):400–404.
- Cushman M. Hormone therapies and vascular outcomes: who is at risk? . *J Thromb Thrombolysis* . 2003;16(1–2):87–90.
- Damewood MD. Hormonal strategies of the menopause. *Md Med J*. 1997;46(8):415–418.
- Danilovich N, Maysinger D, Sairam MR. Perspectives on reproductive senescence and biological aging: studies in genetically altered follitropin receptor knockout [FORKO] mice. *Exp Gerontol* . 2004;39(11–12):1669–1678.
- Davis A, Gilbert K, Misiowiec P, et al. Perceived effects of testosterone replacement therapy in perimenopausal and postmenopausal women: an internet pilot study. *Health Care Women Int* . 2003;24(9):831–848.

Davis SR. Androgen treatment in women. *Med J Aust* . 1999;170(11):545–549.

Davison S and Davis SR. New markers for cardiovascular disease risk in women: impact of endogenous estrogen status and exogenous postmenopausal hormone therapy. *J Clin Endocrinol Metab* . 2003;88(6):2470–2478.

De Kleijn MJ, van der Schouw YT, Wilson PW, et al. Dietary intake of phytoestrogens is associated with a favorable metabolic cardiovascular risk profile in postmenopausal U.S. women: the Framingham study. *J Nutr* . 2002;132(2):276–282.

Dijsselbloem N, Vanden BW, De NA., et al. Soy isoflavone phyto-pharmaceuticals in interleukin-6 affections. Multi-purpose nutraceuticals at the crossroad of hormone replacement, anti-cancer and anti-inflammatory therapy. *Biochem Pharmacol* . 2004;68(6):1171–1185.

Dimitrakakis C, Jones RA, Liu A, et al. Breast cancer incidence in postmenopausal women using testosterone in addition to usual hormone therapy. *Menopause* . 2004;11(5):531–535.

Dimitrakakis C, Zhou J, Wang J, et al. A physiologic role for testosterone in limiting estrogenic stimulation of the breast. *Menopause* . 2003;10(4):292–298.

Duffy R, Wiseman H, File SE. Improved cognitive function in postmenopausal women after 12 weeks of consumption of a soya extract containing isoflavones. *Pharmacol Biochem Behav* . 2003;75(3):721–729.

Dzugan SA, Arnold Smith R. Hypercholesterolemia treatment: a new hypothesis or just an accident? *Med Hypotheses* . 2002 Dec;59(6):751–756.

Einbond LS, Shimizu M, Xiao D, et al. Growth inhibitory activity of extracts and purified components of black cohosh on human breast cancer cells. *Breast Cancer Res Treat* . 2004;83(3):221–231.

File SE, Jarrett N, Fluck E, et al. Eating soya improves human memory. *Psychopharmacology (Berl)* 2001;157(4):430–436.

Fletcher RJ. Food sources of phyto-oestrogens and their precursors in Europe . *Br J Nutr* . 2003;89(Suppl 1):S39–S43.

Formby B, Wiley TS. Progesterone inhibits growth and induces apoptosis in breast cancer cells: inverse effects on Bcl-2 and p53. *Ann Clin Lab Sci* . 1998;28(6):360–369.

Gao YH, Yamaguchi M. Inhibitory effect of genistein on osteoclast-like cell formation in mouse marrow cultures. *Biochem Pharmacol* . 1999;58(5):767–772.

Ghosh D, Taylor JA, Green JA, et al. Methoxychlor stimulates estrogen-responsive messenger ribonucleic acids in mouse uterus through a non-estrogen receptor (non-ER) alpha and non-ER beta mechanism. *Endocrinology* . 1999;140(8):3526–3533.

Goh SY and Loh KC. Gynaecomastia and the herbal tonic "Dong Quai". *Singapore Med J* . 2001;42(3, pp. 115–116.

Greendale GA , FitzGerald G, Huang MH, et al. Dietary soy isoflavones and bone mineral density: results from the study of women's health across the nation. *Am J Epidemiol* . 2002;155(8):746–754.

Griffith . Menopause. In, eds. *Griffith 's 5 Minute Clinical Consult 2004* . New York : Lippincott, Williams & Wilkins; 2004.

Hanna K, Wong J, Patterson C, et al. Phytoestrogen intake, excretion and markers of bone health in Australian women. *Asia Pac J Clin Nutr* . 2004;13(Suppl):S74.

Hardy ML. Herbs of special interest to women. *J Am Pharm Assoc (Wash)* . 2000;40(2):234–242.

Harkness LS, Fiedler K, Sehgal AR , et al. Decreased bone resorption with soy isoflavone supplementation in postmenopausal women. *J Womens Health (Larchmt)* . 2004;13(9):1000–1007.

Havlikova H, Hill M, Hampl R, et al. Sex- and age-related changes in epitestosterone in relation to pregnenolone sulfate and testosterone in normal subjects. *J Clin Endocrinol Metab* . 2002 May;87(5):2225-31.

Head KA. Estriol: safety and efficacy. *Altern Med Rev* . 1998;3(2):101–113.

- Hirata JD, Swiersz LM, Zell B, et al. Does dong quai have estrogenic effects in postmenopausal women? A double-blind, placebo-controlled trial. *Fertil Steril* . 1997;68(6):981–986.
- Hostanska K, Nisslein T, Freudenstein J, et al. Evaluation of cell death caused by triterpene glycosides and phenolic substances from *Cimicifuga racemosa* extract in human MCF-7 breast cancer cells. *Biol Pharm Bull* . 2004;27(12):1970–1975.
- Hulley S, Furberg C, Barrett-Connor E, et al. Noncardiovascular disease outcomes during 6.8 years of hormone therapy: Heart and Estrogen/progestin Replacement Study follow-up (HERS II). *JAMA* . 2002;288(1):58–66.
- Huntley A. The safety of black cohosh (*Actaea racemosa*, *Cimicifuga racemosa*). *Expert Opin Drug Saf* . 2004;3(6):615–623.
- Jia TL, Wang HZ, Xie LP, et al. Daidzein enhances osteoblast growth that may be mediated by increased bone morphogenetic protein (BMP) production. *Biochem Pharmacol* . 2003;65(5):709–715.
- Johnson BM and Van Breemen RB. In vitro formation of quinoid metabolites of the dietary supplement *Cimicifuga racemosa* (black cohosh). *Chem Res Toxicol* . 2003;16(7):838–846.
- Kanno S, Hirano S, Kayama F. Effects of phytoestrogens and environmental estrogens on osteoblastic differentiation in MC3T3-E1 cells. *Toxicology* . 2004;196(1-2):137–145.
- Kano H, Hayashi T, Sumi D, et al. Estriol retards and stabilizes atherosclerosis through an NO-mediated system. *Life Sci* . 2002;71(1):31–42.
- Kennelly EJ, Baggett S, Nuntanakorn P, et al. Analysis of thirteen populations of black cohosh for formononetin. *Phytomedicine* . 2002;9(5):461–467.
- Khorram O. DHEA: a hormone with multiple effects. *Curr Opin Obstet Gynecol* . 1996;8(5):351–354.
- Kim CD, Lee WK, Lee MH, et al. Inhibition of mast cell-dependent allergy reaction by extract of black cohosh (*Cimicifuga racemosa*). *Immunopharmacol Immunotoxicol* . 2004;26(2):299–308.
- Knight DC, Eden JA. A review of the clinical effects of phytoestrogens. *Obstet Gynecol* . 1996;87(5 Pt 2):897–904.
- Komesaroff PA, Black CV, Cable V, et al. Effects of wild yam extract on menopausal symptoms, lipids and sex hormones in healthy menopausal women. *Climacteric* . 2001;4(2):144–150.
- Kroboth PD, Salek FS, Pittenger AL, et al. DHEA and DHEA-S: a review. *J Clin Pharmacol* . 1999;39(4):327–348.
- Kronenberg F, Fugh-Berman A. Complementary and alternative medicine for menopausal symptoms: a review of randomized, controlled trials. *Ann Intern Med* . 2002;137(10):805–813.
- Kubista E. [Diagnosis and therapy of fibrocystic breast disease]. *Zentralbl Gynakol* . 1990;112(17):1091–1096.
- Kuiper GG, Shughrue PJ, Merchenthaler I, et al. The estrogen receptor beta subtype: a novel mediator of estrogen action in neuroendocrine systems. *Front Neuroendocrinol* . 1998;19(4):253–286.
- La Vecchia C, Brinton LA, McTiernan A. Menopause, hormone replacement therapy and cancer. *Maturitas* . 2001;39(2):97–115.
- Lephart ED, West TW, Weber KS, et al. Neurobehavioral effects of dietary soy phytoestrogens. *Neurotoxicol Teratol* . 2002;24(1):5–16.
- Lian Z, Niwa K, Tagami K, et al. Preventive effects of isoflavones, genistein and daidzein, on estradiol-17beta-related endometrial carcinogenesis in mice. *Jpn J Cancer Res* . 2001;92(7):726–734.
- Lieberman S. A review of the effectiveness of *Cimicifuga racemosa* (black cohosh) for the symptoms of menopause. *J Womens Health* . 1998;7(5):525–529.
- Linford NJ, Dorsa DM, et al. 17beta-estradiol and the phytoestrogen genistein attenuate neuronal apoptosis induced by the endoplasmic reticulum calcium ATPase inhibitor thapsigargin. *Steroids* . 2002;67(13-14):1029–1040.

Lock M. Menopause in cultural context. *Exp Gerontol* . 1994;29(3-4):307-317.

Lu LJ, Anderson KE, Grady JJ, et al. Effects of an isoflavone-free soy diet on ovarian hormones in premenopausal women. *J Clin Endocrinol Metab* . 2001;86(7):3045-3052.

Lu LJ, Cree M, Josyula S, et al. Increased urinary excretion of 2-hydroxyestrone but not 16alpha-hydroxyestrone in premenopausal women during a soya diet containing isoflavones. *Cancer Res* . 2000;60(5):1299-1305.

Lupu R, Mehmi I, Atlas E, et al. Black cohosh, a menopausal remedy, does not have estrogenic activity and does not promote breast cancer cell growth. *Int J Oncol* . 2003;23(5):1407-1412.

Magee PJ, McGlynn H, Rowland IR. Differential effects of isoflavones and lignans on invasiveness of MDA-MB-231 breast cancer cells in vitro. *Cancer Lett* . 2004;208(1):35-41.

Mahady GB, Fabricant D, Chadwick LR, et al. Black cohosh: an alternative therapy for menopause? *Nutr Clin Care* . 2002;5(6):283-289.

Maurice T, Phan VL, et al. Neuroactive neurosteroids as endogenous effectors for the sigma1 (sigma1) receptor: pharmacological evidence and therapeutic opportunities. *Jpn J Pharmacol* . 1999 Oct;81(2):125-155.

Mayes JS, Watson GH. Direct effects of sex steroid hormones on adipose tissues and obesity. *Obes Rev* . 2004 Nov;5(4):197-216. Review.

McAllister M. Menopause: providing comprehensive care for women in transition. *Lippincotts Prim Care Pract* . 1998;2(3):256-270.

McKenna DJ, Jones K, Humphrey S, Hughes K. Black cohosh: efficacy, safety, and use in clinical and preclinical applications. *Altern Ther Health Med* . 2001;7(3):93-100.

Mei J, Yeung SS, Kung AW. High dietary phytoestrogen intake is associated with higher bone mineral density in postmenopausal but not premenopausal women. *J Clin Endocrinol Metab* . 2001;86(11):5217-5221.

Morrison MF, Katz IR, Parmelee P, et al. Dehydroepiandrosterone sulfate (DHEA-S) and psychiatric and laboratory measures of frailty in a residential care population. *Am J Geriatr Psychiatry* . 1998;6(4):277-284.

Murkies AL, Lombard C, Strauss BJ, et al. Dietary flour supplementation decreases post-menopausal hot flushes: effect of soy and wheat. *Maturitas* . 1995;21(3):189-195.

Muti P, Bradlow HL, Micheli A, et al. Estrogen metabolism and risk of breast cancer: a prospective study of the 2:16alpha-hydroxyestrone ratio in premenopausal and postmenopausal women. *Epidemiology* . 2000;11(6):635-640.

Nisslein T and Freudenstein J. Effects of an isopropanolic extract of *Cimicifuga racemosa* on urinary crosslinks and other parameters of bone quality in an ovariectomized rat model of osteoporosis. *J Bone Miner Metab* . 2003;21(6):370-376.

Notelovitz M. Androgen effects on bone and muscle. *Fertil Steril* . 2002;77(Suppl 4):S34-S41.

Ofir R, Tamir S, et al. Inhibition of serotonin re-uptake by licorice constituents. *J Mol Neurosci* . 2003;20(2):135-140.

O'Suilleabhain PE, Sung V, Hernandez C, et al. Elevated plasma homocysteine level in patients with Parkinson disease: motor, affective, and cognitive associations. *Arch Neurol* . 2004;61(6):865-868.

Papaconstantinou AD, Umbreit TH, Fisher BR, et al. Bisphenol A-induced increase in uterine weight and alterations in uterine morphology in ovariectomized B6C3F1 mice: role of the estrogen receptor. *Toxicol Sci* . 2000;56(2):332-339.

Park D, Huang T, Frishman WH. Phytoestrogens as cardioprotective agents. *Cardiol Rev* . 2005;13(1):13-17.

Philosophe R, Seibel MM. Menopause and cardiovascular disease. *NAACOGS Clin Issu Perinat Womens Health Nurs* . 1991;2(4):441-451.

Philp HA. Hot flashes--a review of the literature on alternative and complementary treatment approaches. *Altern Med Rev* . 2003;8(3):284-302.

Pockaj BA, Loprinzi CL, Sloan JA, et al. Pilot evaluation of black cohosh for the treatment of hot flashes in women. *Cancer Invest* . 2004;22(4):515–521.

Proctor DN, Balagopal P, Nair KS . Age-related sarcopenia in humans is associated with reduced synthetic rates of specific muscle proteins. *J Nutr* . 1998;128(2 Suppl):351S–355S.

Rapp SR, Espeland MA, Shumaker SA, et al. Effect of estrogen plus progestin on global cognitive function in postmenopausal women: the Women's Health Initiative Memory Study: a randomized controlled trial. *JAMA* . 2003;289(20):2663–2672.

Rassi CM, Lieberherr M, Chaumaz G, et al. Down-regulation of osteoclast differentiation by daidzein via caspase 3. *J Bone Miner Res* . 2002;17(4):630–638.

Ruiz-Larrea MB , Martin C, et al. Antioxidant activities of estrogens against aqueous and lipophilic radicals; differences between phenol and catechol estrogens. *Chem Phys Lipids* . 2000;105(2):179-188.

Rupprecht R, Holsboer F. Neuropsychopharmacological properties of neuroactive steroids. *Steroids* . 1999;64(1–2):83–91.

Salek FS, Bigos KL, Kroboth PD. The influence of hormones and pharmaceutical agents on DHEA and DHEA-S concentrations: a review of clinical studies. *J Clin Pharmacol* . 2002;42(3):247–266.

Samsioe G. The menopause revisited. *Int J Gynaecol Obstet* . 1995;51(1):1–13.

Sarkar FH, Li Y. Soy isoflavones and cancer prevention. *Cancer Invest* . 2003;21(5):744–757.

Sarrel PM. Psychosexual effects of menopause: role of androgens. *Am J Obstet Gynecol* . 1999;180(3 Pt 2):S319–S324.

Schneider HP. Androgens and antiandrogens. *Ann NY Acad Sci* . 2003;997:292-306.

Slayden SM. Risks of menopausal androgen supplementation. *Semin Reprod Endocrinol* . 1998;16(2):145–152.

Soares CN, Poitras JR, and Prouty J. Effect of reproductive hormones and selective estrogen receptor modulators on mood during menopause. *Drugs Aging* . 2003;20(2):85–100.

Somjen D, Knoll E, Vaya J, et al. Estrogen-like activity of licorice root constituents: glabridin and glabrene, in vascular tissues in vitro and in vivo. *J Steroid Biochem Mol Biol* . 2004;91(3):147–155.

Stein DG. The case for progesterone. *Ann NY Acad Sci* . 2005 Jun;1053:152–169.

Suh KS, Koh G, Park CY, et al. Soybean isoflavones inhibit tumor necrosis factor-alpha-induced apoptosis and the production of interleukin-6 and prostaglandin E2 in osteoblastic cells. *Phytochemistry* . 2003;63(2):209–215.

Tapiero H, Ba GN et al. Estrogens and environmental estrogens. *Biomed Pharmacother* . 2002 Feb;56(1):36–44. Review.

Taylor M. Unconventional estrogens: estriol, biest, and triest. *Clin Obstet Gynecol* . 2001;44(4):864–879.

Teede HJ, Dalais FS, Kotsopoulos D, et al. Dietary soy has both beneficial and potentially adverse cardiovascular effects: a placebo-controlled study in men and postmenopausal women. *J Clin Endocrinol Metab* . 2001 Jul;86(7):3053-60.

Uchibayashi M. [Forgotten episodes of the birth of cortisone]. *Yakushigaku Zasshi* . 2001;36(1):70–75.

Valentin-Blasini L, Blount BC, Caudill SP, et al. Urinary and serum concentrations of seven phytoestrogens in a human reference population subset. *J Expo Anal Environ Epidemiol* . 2003;13(4):276–282.

van der Schouw YT, Pijpe A, Lebrun CE, et al. Higher usual dietary intake of phytoestrogens is associated with lower aortic stiffness in postmenopausal women. *Arterioscler Thromb Vasc Biol* . 2002;22(8):1316–1322.

Vij U, Kumar A. Phyto-oestrogens and prostatic growth. *Natl Med J India* . 2004;17(1):22–26.

Vincent A, Fitzpatrick LA. Soy isoflavones: are they useful in menopause? *Mayo Clin Proc* . 2000;75(11):1174–1184.

Walsh B and Schiff I. Menopause. In *Principles and Practice of Endocrinology and Metabolism* . New York : Lippincott, Williams and Williams; 2001.

Watt PJ, Hughes RB, et al. A holistic programmatic approach to natural hormone replacement. *Fam Community Health* . 2003;25(1):53-63.

Wilder RL. Adrenal and gonadal steroid hormone deficiency in the pathogenesis of rheumatoid arthritis. *J Rheumatol Suppl* . 1996;44):10–12.

Williams GH, Dluhy RG. Disorders of the adrenal cortex. In, eds. *Harrison's Principles of Internal Medicine* . 15th ed. New York : McGraw-Hill; 2001.

xon-Shanies D, Shaikh N. Growth inhibition of human breast cancer cells by herbs and phytoestrogens. *Oncol Rep* . 1999;6(6):1383–1387.

Yamaguchi M, Sugimoto E. Stimulatory effect of genistein and daidzein on protein synthesis in osteoblastic MC3T3-E1 cells: activation of aminoacyl-tRNA synthetase. *Mol Cell Biochem* . 2000;214(1–2):97–102.

Yao ZX, Brown RC, et al. 22R-Hydroxycholesterol protects neuronal cells from beta-amyloid-induced cytotoxicity by binding to beta-amyloid peptide. *J Neurochem* . 2002 Dec;83(5):1110–1119.

Yen SS, Morales AJ, Khorram O. Replacement of DHEA in aging men and women. Potential remedial effects. *Ann N Y Acad Sci* . 1995;774):128–142.

Zhang Y, Jin H, Xu Z, et al. [Effects of genistein on bone mineral density and biomechanical properties and morphometric parameters in ovariectomized rats]. *Wei Sheng Yan Jiu* . 2004;33(4):464–466.

Zhou J, Ng S, Sanya-Famuiya O, Anderson K, and Bondy CA. Testosterone inhibits estrogen-induced mammary epithelial proliferation and suppresses estrogen receptor expression. *FASEB J* . 2000;14(12):1725–1730.

Zierau O, Bodinet C, Kolba S, et al. Antiestrogenic activities of Cimicifuga racemosa extracts. *J Steroid Biochem Mol Biol* . 2002;80(1):125–130.

Zittermann A. [Phytoestrogens]. *Zentralbl Gynakol* . 2003;125(6):195–201.

All Contents Copyright © 1995-2009 Life Extension Foundation All rights reserved.

LifeExtension®

These statements have not been evaluated by the FDA. These products are not intended to diagnose, treat, cure or prevent any disease. The information provided on this site is for informational purposes only and is not intended as a substitute for advice from your physician or other health care professional or any information contained on or in any product label or packaging. You should not use the information on this site for diagnosis or treatment of any health problem or for prescription of any medication or other treatment. You should consult with a healthcare professional before starting any diet, exercise or supplementation program, before taking any medication, or if you have or suspect you might have a health problem. You should not stop taking any medication without first consulting your physician.