

## Amnesia and Memory Loss

### REFERENCES

- Ackerman PT, Dykman RA, et al. A trial of piracetam in two subgroups of students with dyslexia enrolled in summer tutoring. *J Learn Disabil.* 1991 Nov;24(9):542-9.
- Amenta F, Parnetti L, et al. Treatment of cognitive dysfunction associated with Alzheimer's disease with cholinergic precursors: Ineffective treatments or inappropriate approaches? *Mech Ageing Dev.* 2001 Nov;122(16):2025-40.
- Andallu B, Radhika B. Hypoglycemic, diuretic and hypocholesterolemic effect of winter cherry (*Withania somnifera*, Dunal) root. *Indian J Exp Biol.* 2000 Jun;38(6):607-9.
- Benton D, Fordy J, et al. The impact of long-term vitamin supplementation on cognitive functioning. *Psychopharmacol.* 1995;117:298-305.
- Bhattacharya SK, Bhattacharya A, et al. Anxiolytic-antidepressant activity of *Withania somnifera* glycowithanolides: An experimental study. *Phytomedicine.* 2000 Dec;7(6):463-9.
- Brna TG Jr, Wilson CC. Psychogenic amnesia. *Am Family Phys.* 1990 Jan;4(1):229-34.
- Buresova O, Bures J. Piracetam-induced facilitation of interhemispheric transfer of visual information in rats. *Psychopharmacologia.* 1976;46(1):93-102.
- Carmel R. Megoblastic anemias. *Curr Opin Hematol.* 1994;1(2):107-12.
- Chaudhary G, Sharma U, et al. Evaluation of *Withania somnifera* in a middle cerebral artery occlusion model of stroke in rats. *Clin Exp Pharmacol Physiol.* 2003 May;30(5-6):399-404.
- Cheng DH, Ren H, et al. Huperzine A, a novel promising acetylcholinesterase inhibitor. *Neuroreport.* 1996;8:97-101.
- Chiu PJ, Tetzloff G, et al. Comparative effects of vinpocetine and 8-Br cyclic GMP on the contraction and Ca fluxes in the rabbit aorta. *Am J Hypertens.* 1988 Jul;1(3 Pt.1):262-8.
- Choudhary MI, Yousuf S, et al. Cholinesterase inhibiting withanolides from *Withania somnifera*. *Chem Pharm Bull (Tokyo).* 2004 Nov;52(11):1358-61.
- Croisile B, Trillet M, et al. Long-term and high dose piracetam treatment of AD. *Neurology.* 1993 Feb;43(2):301-5.
- Crook TH, Tinklenberg J, et al. Effects of phosphatidylserine in age-associated memory impairment. *Neurology.* 1991 May;41(5):644-9.
- De Hoz L, Martin SJ, et al. Neural basis of memory loss. *Plos Biol.* 2004;2(8):e225.
- Delwaide PJ, Gyselynck-Mambourg AM, et al. Double-blind randomized controlled study of phosphatidylserine in senile demented patients. *Acta Neurol Scand.* 1986 Feb;73(2):136-40.
- Dhuley JN. Nootropic-like effect of ashwagandha (*Withania somnifera* L.) in mice. *Phytother Res.* 2001 Sep;15(6):524-8.
- Flicker L, Grimely Evans G. Piracetam for dementia or cognitive impairment. *Cochrane Database Syst Rev.* 2001;(2):CD001011.
- Funfgeld EW, Baggen M, et al. Double-blind study with phosphatidylserine (PS) in parkinsonian patients with senile dementia of Alzheimer's type (SDAT). *Prog Clin Biol Res.* 1989;317:1235-46.
- Goncharova ND, Lapin BA. Effects of aging on hypothalamic-pituitary-adrenal system function in non-human primates. *Mech*

Ageing Dev. 2002 Apr 30;123(8):1191–201.

Grodstein F, Chen J, et al. High-dose antioxidant supplements and cognitive function in community-dwelling elderly women. *Am J Clin Nutr.* 2003 Apr;77:975–84.

Gulyas B, Halldin C, et al. Brain uptake and plasma metabolism of [<sup>11</sup>C] vinpocetine: A preliminary PET study in a cynomolgus monkey. *J Neuroimaging.* 1999 Oct;9(4):217–22.

Halliwell B, Gutteridge JMC. Oxygen radicals in the nervous system. *Trends Neurosci.* 1985;8:22–6.

Hara H, Kato H, et al. Protective effect of alpha-tocopherol on ischemic neuronal damage in the gerbil hippocampus. *Brain Res.* 1990;510:335–8.

Hutto BR. Folate and cobalamin in psychiatric illness. *Compr Psychiatry.* 1997;38(6):305–14.

Karishma KK, Herbert J. Dehydroepiandrosterone (DHEA) stimulates neurogenesis in the hippocampus of the rat, promotes survival of newly formed neurons and prevents corticosterone-induced suppression. *Eur J Neurosci.* 2002 Aug;16(3):445–53.

Kasper DL, Braunwald DE, et al. *Harrison's Principles of Internal Medicine.* 16th ed. New York: McGraw-Hill Professional; 2005.

Kleijnen J, Knipschild P. Ginkgo biloba for cerebral insufficiency. *Br J Clin Pharmacol.* 1992 Oct 16;14(5):316–20.

Koistinaho M, Koistinaho J. Interactions between Alzheimer's disease and cerebral ischemia: Focus on inflammation. *Brain Res Brain Res Rev.* 2005 Apr;48(2):240–50.

Kuboyama T, Tohda C, et al. Neuritic regeneration and synaptic reconstruction induced by withanolide A. *Br J Pharmacol.* 2005 Apr;144(7):961–71.

Li MH, Jang JH, et al. Protective effects of oligomers of grape seed polyphenols against beta-amyloid-induced oxidative cell death. *Ann NY Acad Sci.* 2004 Dec;1030:317–29.

Liang YQ, Tang XC. Comparative effects of huperzine A, donepezil and rivastigmine on cortical acetylcholine level and acetylcholinesterase activity in rats. *Neurosci Lett.* 2004 May 6;361(1–3):56–9.

Mathis C, Meziane H, et al. Models for the study of memory and neurosteroids. *J Soc Biol.* 1999;193(3):299–306.

Meador K, Loring D, et al. Preliminary findings of high dose thiamine in dementia of Alzheimer's type. *J Geriatr Psychiatry Neurol.* 1993a;6:222–9.

Meador K, Nichols ME, et al. Evidence for a central cholinergic effect of high dose thiamine. *Ann Neurol.* 1993b;34:724–6.

Meieran SE, Reus VI, et al. Chronic pregnenolone effects in normal humans: attenuation of benzodiazepine-induced sedation. *Psychoneuroendocrinology.* 2004 May;29(4):486–500.

Mishra LC, Singh BB, et al. Scientific basis for the therapeutic use of *Withania somnifera* (ashwagandha): A review. *Altern Med Rev.* 2000 Aug;5(4):334–46.

Miyamoto M, Murphy TH, et al. Antioxidants protect against glutamate-induced cytotoxicity in a neuronal cell line. *J Pharmacol Exp Ther.* 1989 Sep;250(3):1132–40.

Mohan R, Hammers HJ, et al. Withaferin A is a potent inhibitor of angiogenesis. *Angiogenesis.* 2004;7(2):115–22.

Molnar P, Gaal L, et al. The impairment of long-term potentiation in rats with medial septal lesion and its restoration by cognition enhancers. *Neurobiology.* 1994;2(3):255–66.

Nagy Z, Vargha P, et al. Meta-analysis of Cavinton. *Praxis.* 1998;7:63–8.

Owais M, Sharad KS, et al. Antibacterial efficacy of *Withania somnifera* (ashwagandha) an indigenous medicinal plant against experimental murine salmonellosis. *Phytomedicine.* 2005 Mar;12(3):229–35.

Padmavathi B, Rath PC, et al. Roots of *Withania somnifera* inhibit forestomach and skin carcinogenesis in mice. *Evid Based Complement Alternat Med.* 2005 Mar;2(1):99–105.

Parnetti L, Amenta F, et al. Choline alphoscerate in cognitive decline and in acute cerebrovascular disease: An analysis of published clinical data. *Mech Ageing Dev.* 2001 Nov;122(16):2041–55.

Pilch H, Muller WE. Chronic treatment with piracetam elevates muscarinic cholinergic receptor density in frontal cortex of aged mice. *Pharmacopsychiatry.* 1998 Nov;21(6):324–5.

Prakash J, Gupta SK, et al. *Withania somnifera* root extract prevents DMBA-induced squamous cell carcinoma of skin in Swiss albino mice. *Nutr Cancer.* 2002;42(1):91–7.

Racchi M, Govoni S, et al. DHEA and the relationship with aging and memory: A possible link with protein kinase C functional machinery. *Brain Res Brain Res Rev.* 2001 Nov;37(1–3):287–93.

Rogers SL, Farlow MR, et al. A 24-week double-blind placebo-controlled trial of donepezil in patients with AD. *Neurology.* 1998 Jan;50(1):136–45.

Schreiber S, Kampf-Sherf O, et al. An open trial of plant-source derived phosphatidylserine for treatment of age-related cognitive decline. *Isr J Psychiatry Relat Sci.* 2000;37(4):302–7.

Smidt LJ, Cremin FM, et al. Influence of thiamin supplementation on the health and general well-being of an elderly Irish population with marginal thiamin deficiency. *J Gerontol.* 1991;46(1):M16–M22.

Stole S. Indole derivatives as neuroprotectants. *Life Sci.* 1999;1943–50.

Subhan Z, Hindmarch I. Psychopharmacological effects of vinpocetine in normal healthy volunteers. *Eur J Clin Pharmacol.* 1985;28(5):567–71.

Szatmari SZ, Whitehouse PJ. Vinpocetine for cognitive impairment and dementia. *Cochrane Database Syst Rev.* 2003; (1):CD003119.

Tan RS, Pu SJ. The andropause and memory loss: Is there a link between androgen decline and dementia in the aging male? *Asian J Androl.* 2001;3(3):169–74.

Taylor PJ, Kopelman MD. Amnesia for criminal offenses. *Psychol Med.* 1984 Aug;14(3):581–8.

Winblad B. Piracetam: A review of pharmacological properties and clinical uses. *CNS Drug Rev.* 2005 Summer;11(2):169–82.

Xu SS, Gao ZX. Efficacy of tablet huperzine A on memory, cognition and behavior in Alzheimer's disease. *Chung Kuo Yao Li Hsueh Pao.* 1995;16(5):391–5.

Zhang Z, Wang X, et al. Clinical efficacy and safety of huperzine alpha in treatment of mild to moderate Alzheimer disease—a placebo controlled, double-blind, randomized trial. *Zhonghua Yi Xue Za Zhi.* 2002 Jul 25;82(14):941–4.

Zietz B, Hrach S, et al. Differential age-related changes of hypothalamus-pituitary-adrenal axis hormones in healthy women and men: Role of interleukin 6. *Exp Clin Endocrinol Diabetes.* 2001;109(2):93–101.

All Contents Copyright © 1995-2009 Life Extension Foundation All rights reserved.

**LifeExtension®**

These statements have not been evaluated by the FDA. These products are not intended to diagnose, treat, cure or prevent any disease. The information provided on this site is for informational purposes only and is not intended as a substitute for advice from your physician or other health care professional or any information contained on or in any product label or packaging. You should not use the information on this site for diagnosis or treatment of any health problem or for prescription of any medication or other treatment. You should consult with a healthcare professional before starting any diet, exercise or supplementation program, before taking any medication, or if you have or suspect you might have a health problem. You should not stop taking any medication without first consulting your physician.