

## Chronic Pain

### REFERENCES

- Anisimova EI, Danilov AB. Bendotiamine efficacy in alcoholic polyneuropathy therapy. *Zh Nevrol Psikhiatr Im S S Korsakova*. 2001;101(12):32-6.
- Arendt J. Melatonin: characteristics, concerns, and prospects. *J Biol Rhythms*. 2005 Aug;20(4):291-303.
- Aronson MD. Nonsteroidal anti-inflammatory drugs, traditional opioids, and tramadol: contrasting therapies for the treatment of chronic pain. *Clin Ther*. 1997 May-Jun;19(3):420-32.
- Ashkenazi A, Levin M. Three common neuralgias: how to manage trigeminal, occipital, and postherpetic pain. *Postgrad Med*. 2004 Sep;116(3):16-8, 21-4, 31-2.
- Aufiero E, Stitik TP, et al. Pyridoxine hydrochloride treatment of carpal tunnel syndrome: a review. *Nutr Rev*. 2004 Mar;62(3):96-104. Review.
- Balagot, R.C., Ehrenpreis, S., Kubota, K. and Greenberg, J., *Advances in Pain Research and Therapy*, Vol. 5, Bonica, Liebeskind and Albe-Fessard, ed., pp 289-293, New York: Raven Press, 1983
- Banerjee B, Bagchi D. Beneficial effects of a novel IH636 grape seed proanthocyanidin extract in the treatment of chronic pancreatitis. *Digestion*. 2001;63(3):203-6.
- Bernard MA, Nakonezny PA, et al. The effect of vitamin B12 deficiency on older veterans and its relationship to health. *J Am Geriatr Soc*. 1998 Oct;46(10):1199-206.
- Berne RM, Levy MN, eds. *Physiology*. 4th ed. St. Louis, Mo: Mosby; 1988.
- Bernstein AL. Vitamin B6 in clinical neurology. *Ann N Y Acad Sci*. 1990;585:250-60.
- Bilici D, Akpınar E, et al. Protective effect of melatonin in carrageenan-induced acute local inflammation. *Pharmacol Res*. 2002 Aug;46(2):133-9.
- Blankenhorn G. Clinical effectiveness of Spondylvit (vitamin E) in activated arthroses: a multicenter placebo-controlled double-blind study. *Z Orthop Ihre Grenzgeb*. 1986 May-Jun;124(3):340-3.
- Blumenthal M. *Herbal Medicine. Expanded Commission E Monographs*. 2000.
- Brady LR. *Pharmacognosy*. 8th ed. Philadelphia, Pa: Lea & Febiger; 1981:480.
- Bubenik GA. Localization, physiological significance and possible clinical implication of gastrointestinal melatonin. *Biol Signals Recept*. 2001 Nov-Dec;10(6):350-66.
- Burris JE. Pharmacologic approaches to geriatric pain management. *Arch Phys Med Rehabil*. 2004 Jul;85(suppl 3):45-9.
- Caram-Salas NL, Medina-Santillan R, et al. Antinociceptive synergy between dexamethasone and the B vitamin complex in a neuropathic pain model in the rat. *Proc West Pharmacol Soc*. 2004;47:88-91.
- Carli F, Mayo N, et al. Epidural analgesia enhances functional exercise capacity and health-related quality of life after colonic surgery: results of a randomized trial. *Anesthesiology*. 2002 Sep;97(3):540-9.
- Cashman JN. The mechanisms of action of NSAIDs in analgesia. *Drugs*. 1996;52(suppl 5):13-23.
- Chantre P, Cappelaere A, et al. Efficacy and tolerance of *Harpagophytum procumbens* versus diacerhein in treatment of

osteoarthritis. *Phytomedicine*. 2000 Jun;7(3):177-83.

Citera G, Arias MA, et al. The effect of melatonin in patients with fibromyalgia: a pilot study. *Clin Rheumatol*. 2000;19(1):9-13.

Cuzzocrea S, Reiter RJ. Pharmacological actions of melatonin in acute and chronic inflammation. *Curr Top Med Chem*. 2002;2(2):153-65.

Deal CL, Schnitzer TJ, et al. Treatment of arthritis with topical capsaicin: a double-blind trial. *Clin Ther*. 1991;13(3):383-95.

Drovanti A, Bignamini AA, et al. Therapeutic activity of oral glucosamine sulfate in osteoarthrosis: a placebo-controlled double-blind investigation. *Clin Ther*. 1980;3(4):260-72.

Ehrenpreis S. Naloxone reversible analgesia in mice and man produced by D-phenylalanine and hydrocinnamic acid, inhibitors of carboxypeptidase A. *Advances in Pain Research and Therapy*. 1978;3:479-88.

Ellis J, Folkers K, et al. Therapy with vitamin B6 with and without surgery for treatment of patients having the idiopathic carpal tunnel syndrome. *Res Commun Chem Pathol Pharmacol*. 1981 Aug;33(2):331-44.

Fortin PR, Lew RA, et al. Validation of a meta-analysis: the effects of fish oil in rheumatoid arthritis. *J Clin Epidemiol*. 1995;48(11):1379-90.

Franca DS, Souza AL, et al. B vitamins induce an antinociceptive effect in the acetic acid and formaldehyde models of nociception in mice. *Eur J Pharmacol*. 2001 Jun 15;421(3):157-64.

Granados-Soto V, Sanchez-Ramirez G, et al. Effect of diclofenac on the antiallodynic activity of vitamin B12 in a neuropathic pain model in the rat. *Proc West Pharmacol Soc*. 2004;47:92-4.

Guyton AC, Hall JE. *Textbook of Medical Physiology*. 10th ed. Philadelphia, Pa: WB Saunders Co; 2001.

Harris L. National Pain Survey. 1999. <http://www2.edc.org/PainLink/plfctr.html>; <http://www.orthomcneil.com/healthinfo/painmanagement/related/survey.html>

Haupt E, Ledermann H, et al. Benfotiamine in the treatment of diabetic polyneuropathy: a three-week randomized, controlled pilot study (BEDIP study). *Int J Clin Pharmacol Ther*. 2005 Feb;43(2):71-7.

Huang MT, Lysz T, et al. Inhibitory effects of curcumin on in vitro lipoxygenase and cyclooxygenase activities in mouse epidermis. *Cancer Res*. 1991;51(3):813-9.

James MJ, Cleland LG. Dietary n-3 fatty acids and therapy for rheumatoid arthritis. *Semin Arthritis Rheum*. 1997;27(2):85-97.

Jensen NH. Reduced pain from osteoarthritis in hip joint or knee joint during treatment with calcium ascorbate: a randomized, placebo-controlled cross-over trial in general practice. *Ugeskr Laeger*. 2003 Jun 16;165(25):2563-6.

Joe B, Lokesh BR. Effect of curcumin and capsaicin on arachidonic acid metabolism and lysosomal enzyme secretion by rat peritoneal macrophages. *Lipids*. 1997;32(11):1173-80.

Jonas WB, Rapoza CP, et al. The effect of niacinamide on osteoarthritis: a pilot study. *Inflamm Res*. 1996 Jul;45(7):330-4.

Jurna I. Analgesic and analgesia-potentiating action of B vitamins. *Schmerz*. 1998 Apr 20;12(2):136-41.

Kaufman W. The use of vitamin therapy to reverse certain concomitants of aging. *J Am Geriatr Soc*. 1955;3(11):927-36.

Kita A, Imano K, et al. Antinociceptive and antidepressant-like profiles of BL-2401, a novel enkephalinase inhibitor, in mice and rats. *Jpn J Pharmacol*. 1997 Dec;75(4):337-46.

Kitade T, Odahara Y, et al. Studies on the enhanced effect of acupuncture analgesia and acupuncture anesthesia by D-phenylalanine (2nd report): schedule of administration and clinical effects in low back pain and tooth extraction. *Acupunct Electrother Res*. 1990;15(2):121-35.

Kiuchi F, Iwakami S, et al. Inhibition of prostaglandin and leukotriene biosynthesis by gingerols and diarylheptanoids. *Chem Pharm*

Bull (Tokyo). 1992 Feb;40(2):387-91.

Koch H. The Management of Chronic Pain in Office-Based Ambulatory Care: National Ambulatory Medical Care Survey. Washington, DC: National Center for Health Statistics; 1986.

Kremer JM, Bigauoette J, et al. Effects of manipulation of dietary fatty acids on clinical manifestations of rheumatoid arthritis. *Lancet*. 1985;1(8422):184-7.

Kryzhanovskii GN, Bakuleva LP, et al. Endogenous opioid system in the realization of the analgesic effect of alpha-tocopherol in reference to algomenorrhoea. *Biull Eksp Biol Med*. 1988;105(2):148-50.

Lander J. Clinical judgments in pain management. *Pain*. 1990 Jul;42(1):15-22. Review.

Lau CS, Morley KD, et al. Effects of fish oil supplementation on non-steroidal anti-inflammatory drug requirement in patients with mild rheumatoid arthritis: a double-blind placebo-controlled study. *Br J Rheumatol*. 1993;32(11):982-9.

Lawrence RM. Methylsulfonylmethane (MSM): a double-blind study of its use in degenerative arthritis. *Int J Anti-Aging Med*. 1998;1:50.

Lethbridge-Cejiku M, Schiller JS, et al. Summary of Health Statistics for US Adults: National Health Interview Survey, 2002. Washington, DC: National Center for Health Statistics; 2004.

Leventhal LJ, Boyce EG, et al. Treatment of rheumatoid arthritis with blackcurrant seed oil. *Br J Rheumatol*. 1994 Sep;33(9):847-52.

Li WG, Zhang XY, et al. Anti-inflammatory effect and mechanism of proanthocyanidins from grape seeds. *Acta Pharmacol Sin*. 2001;22(12):1117-20.

Linton SJ, Helsing AL, et al. A controlled study of the effects of an early intervention on acute musculoskeletal pain problems. *Pain*. 1993;54(3):353-9.

Lodha R, Bagga A. Traditional Indian systems of medicine. *Ann Acad Med Singapore*. 2000 Jan;29(1):37-41.

Machtey I, Ouaknine L. Tocopherol in osteoarthritis: a controlled pilot study. *J Am Geriatr Soc*. 1978;26(7):328-30.

Maestroni GJ. The immunotherapeutic potential of melatonin. *Expert Opin Investig Drugs*. 2001 Mar;10(3):467-76.

Mahan LK, Escott-Stump S, eds. *Krause's Food, Nutrition, & Diet Therapy*. 6th ed. Philadelphia, Pa: WB Saunders Co; 1996.

Martin R, Williams J, et al. A qualitative investigation of seniors' and caregivers' views on pain assessment and management. *Can J Nurs Res*. 2005 Jun;37(2):142-64.

Mauro GL, Martorana U, et al. Vitamin B12 in low back pain: a randomised, double-blind, placebo-controlled study. *Eur Rev Med Pharmacol Sci*. 2000;4(3):53-8.

McAlindon TE, Jacques P, et al. Do antioxidant micronutrients protect against the development and progression of knee osteoarthritis? *Arthritis Rheum*. 1996;39(4):648-56.

Medina-Santillan R, Reyes-Garcia G, et al. B vitamins increase the analgesic effect of ketorolac in the formalin test in the rat. *Proc West Pharmacol Soc*. 2004;47:95-9.

Miljanich GP. Ziconotide: neuronal calcium channel blocker for treating severe chronic pain. *Curr Med Chem*. 2004;11(23):3029-40.

Moskowitz R, Das A, et al. *Glucosamine and Chondroitin Sulfate*. Arthritis Foundation; 2004.

Murav'ev IuV, Venikova MS, et al. Effect of dimethyl sulfoxide and dimethyl sulfone on a destructive process in the joints of mice with spontaneous arthritis. *Patol Fziol Eksp Ter*. 1991 Mar-Apr;(2):37-9.

Nenonen MT, Helve TA, et al. Uncooked, lactobacilli-rich, vegan food and rheumatoid arthritis. *Br J Rheumatol*. 1998 Mar;37(3):274-81.

- Onogi T, Minami M, et al. Capsaicin-like effect of (6)-shogaol on substance P-containing primary afferents of rats: a possible mechanism of its analgesic action. *Neuropharmacology*. 1992;31(11):1165-9.
- Pavelka K, Gatterova J, et al. Glucosamine sulfate use and delay of progression of knee osteoarthritis: a 3-year, randomized, placebo-controlled, double-blind study. *Arch Intern Med*. 2002;162(18):2113-23.
- Peres MF, Rozen TD. Melatonin in the preventive treatment of chronic cluster headache. *Cephalalgia*. 2001 Dec;21(10):993-5.
- Pfeifer MA, Ross DR, et al. A highly successful and novel model for treatment of chronic painful diabetic peripheral neuropathy. *Diabetes Care*. 1993;16(8):1103-15.
- Pujalte JM, Llavore EP, et al. Double-blind clinical evaluation of oral glucosamine sulphate in the basic treatment of osteoarthritis. *Curr Med Res Opin*. 1980;7(2):110-14.
- Rains C, Bryson HM. Topical capsaicin: a review of its pharmacological properties and therapeutic potential in post-herpetic neuralgia, diabetic neuropathy and osteoarthritis. *Drugs Aging*. 1995;7(4):317-28.
- Reyes-Garcia G, Caram-Salas NL, et al. Oral administration of B vitamins increases the antiallodynic effect of gabapentin in the rat. *Proc West Pharmacol Soc*. 2004;47:76-9.
- Rizzo R, Grandolfo M, et al. Calcium, sulfur, and zinc distribution in normal and arthritic articular equine cartilage: a synchrotron radiation-induced X-ray emission (SRIXE) study. *J Exp Zool*. 1995 Sep;273(1): 82-6.
- Rocha-Gonzalez HI, Teran-Rosales F, et al. B vitamins increase the analgesic effect of diclofenac in the rat. *Proc West Pharmacol Soc*. 2004;47:84-7.
- Russell AL, McCarty MF. DL-phenylalanine markedly potentiates opiate analgesia: an example of nutrient/pharmaceutical up-regulation of the endogenous analgesia system. *Med Hypotheses*. 2000;55(4):283-8.
- Skoldstam L, Borjesson O, et al. Effect of six months of fish oil supplementation in stable rheumatoid arthritis: a double-blind, controlled study. *Scand J Rheumatol*. 1992;21(4):178-85.
- Srivastava KC, Mustafa T. Ginger (*Zingiber officinale*) in rheumatism and musculoskeletal disorders. *Med Hypotheses*. 1992;39(4):342-8.
- Subarnas A, Wagner H. Analgesic and anti-inflammatory activity of the proanthocyanidin shelleagueain A from *Polypodium feei* METT. *Phytomedicine*. 2000;7(5):401-5.
- Sun Y, Lai MS, et al. Effectiveness of vitamin B12 on diabetic neuropathy: systematic review of clinical controlled trials. *Acta Neurol Taiwan*. 2005 Jun;14(2):48-54.
- Tandan R, Lewis GA, et al. Topical capsaicin in painful diabetic neuropathy: controlled study with long-term follow-up. *Diabetes Care*. 1992;15(1):8-14.
- Vajaradul Y. Double-blind clinical evaluation of intra-articular glucosamine in outpatients with gonarthrosis. *Clin Ther*. 1981;3(5):336-43.
- Vergés J. Chondroitin Sulfate: Clinical Review in Osteoarthritis, 2004. 2005.
- Vetter G, Bruggemann G, et al. Shortening diclofenac therapy by B vitamins: results of a randomized double-blind study, diclofenac 50 mg versus diclofenac 50 mg plus B vitamins, in painful spinal diseases with degenerative changes. *Z Rheumatol*. 1988 Sep-Oct;47(5):351-62.
- Wang ZB, Gan Q, et al. Thiamine, pyridoxine, cyanocobalamin and their combination inhibit thermal, but not mechanical hyperalgesia in rats with primary sensory neuron injury. *Pain*. 2005 Mar;114(1-2):266-77.
- Winkler G, Pal B, et al. Effectiveness of different benfotiamine dosage regimens in the treatment of painful diabetic neuropathy. *Arzneimittelforschung*. 1999 Mar;49(3):220-4.

These statements have not been evaluated by the FDA. These products are not intended to diagnose, treat, cure or prevent any disease. The information provided on this site is for informational purposes only and is not intended as a substitute for advice from your physician or other health care professional or any information contained on or in any product label or packaging. You should not use the information on this site for diagnosis or treatment of any health problem or for prescription of any medication or other treatment. You should consult with a healthcare professional before starting any diet, exercise or supplementation program, before taking any medication, or if you have or suspect you might have a health problem. You should not stop taking any medication without first consulting your physician.