

Gastroesophageal Reflux Disease

REFERENCES

- Baker ME. Licorice and enzymes other than 11 beta-hydroxysteroid dehydrogenase: An evolutionary perspective. *Steroids*. 1994 Feb;59(2):136–41.
- Bateman DN, Colin-Jones D, et al. Mortality study of 18 000 patients treated with omeprazole. *Gut*. 2003 Jul;52(7):942–6.
- Blot WJ, Li JY, et al. Nutrition intervention trials in Linxian, China: Supplementation with specific vitamin/mineral combinations, cancer incidence, and disease-specific mortality in the general population. *J Natl Cancer Inst*. 1993 Sep 15;85(18):1483–92.
- Bollschweiler E, Wolfgarten E, et al. Vitamin intake and risk of subtypes of esophageal cancer in Germany. *J Cancer Res Clin Oncol*. 2002 Oct;128(10):575–80.
- Bushman JL. Green tea and cancer in humans: A review of the literature. *Nutr Cancer*. 1998;31(3):151–9.
- Chen H, Tucker KL, et al. Nutrient intakes and adenocarcinoma of the esophagus and distal stomach. *Nutr Cancer*. 2002b;42(1):33–40.
- Chen H, Ward MH, et al. Dietary patterns and adenocarcinoma of the esophagus and distal stomach. *Am J Clin Nutr*. 2002a Jan;75(1):137–44.
- Cheng KK, Day NE. Nutrition and esophageal cancer. *Cancer Causes Control*. 1996 Jan;7(1):33–40.
- Ciccaglione AF, Marzio L. Effect of acute and chronic administration of the GABA B agonist baclofen on 24 hour pH metry and symptoms in control subjects and in patients with gastro-oesophageal reflux disease. *Gut*. 2003 Apr;52(4):464–70.
- Collings KL, Rodriguez-Stanley S, et al. Clinical effectiveness of a new antacid chewing gum on heartburn and oesophageal pH control. *Aliment Pharmacol Ther*. 2002 Dec;16(12):2029–35.
- Colombo P, Mangano M, et al. Effect of calories and fat on postprandial gastro-oesophageal reflux. *Scand J Gastroenterol*. 2002 Jan;37(1):3–5.
- DeVault KR. Current management of gastroesophageal reflux disease. *Gastroenterologist*. 1996 Mar;4(1):24–32.
- El-Serag HB, Aguirre TV, et al. Proton pump inhibitors are associated with reduced incidence of dysplasia in Barrett's esophagus. *Am J Gastroenterol*. 2004 Oct;99(10):1877–83.
- Farrow DC, Vaughan TL, et al. Gastroesophageal reflux disease, use of H2 receptor antagonists, and risk of esophageal and gastric cancer. *Cancer Causes Control*. 2000 Mar;11(3):231–8.
- Farup PG, Juul-Hansen PH, et al. Does short-term treatment with proton pump inhibitors cause rebound aggravation of symptoms? *J Clin Gastroenterol*. 2001 Sep;33(3):206–9.
- Fossmark G, Johnsen G, et al. Rebound acid hypersecretion after long-term inhibition of gastric acid secretion. *Aliment Pharmacol Ther*. 2005 Jan 15;21(2):149–54.
- Franceschi S, Bidoli E, et al. Role of macronutrients, vitamins and minerals in the aetiology of squamous-cell carcinoma of the oesophagus. *Int J Cancer*. 2000 Jun 1;86(5):626–31.
- Gao YT, McLaughlin JK, et al. Reduced risk of esophageal cancer associated with green tea consumption. *J Natl Cancer Inst*. 1994 Jun 1;86(11):855–8.
- Gilani AH, Ghayur MN. Pharmacological basis for the gut stimulatory activity of *Raphanus sativus* leaves. *J Ethnopharmacol*. 2004

Dec;95(2-3):169-72.

Gillen D, McKoll KE. Problems associated with the clinical use of proton pump inhibitors. *Pharmacol Toxicol.* 2001 Dec;89(6):281-6.

Glenn TF. Esophageal cancer: Facts, figures, and screening. *Gastroenterol Nurs.* 2001 Nov;24(6):271-3.

Hillman LC, Chiragakis L, et al. Proton-pump inhibitor therapy and the development of dysplasia in patients with Barrett's oesophagus. *Med J Aust.* 2004 Apr 19;180(8):387-91.

Jeong SI, Lee S, et al. Methylisogermaullone isolated from radish roots stimulates small bowel motility via activation of acetylcholinergic receptors. *J Pharm Pharmacol.* 2005 Dec;57(12):1653-9.

Jung KY, Choo YK, et al. Radish extract stimulates motility of the intestine via the muscarinic receptors. *J Pharm Pharmacol.* 2000 Aug;52(8):1031-6.

Kasper DL, Braunwald E, et al. *Harrison's Principles of Internal Medicine.* 16th ed. New York: McGraw-Hill Medical Publishing Division; 2005.

Khoury RM, Camacho-Lobato L, et al. Influence of spontaneous sleep positions on nighttime recumbent reflux in patients with gastroesophageal reflux disease. *Am J Gastroenterol.* 1999 Aug;94(8):2069-73.

Lagergren J, Bergstrom R, et al. Symptomatic gastroesophageal reflux as a risk factor for esophageal adenocarcinoma. *N Engl J Med.* 1999 Mar 18;340(11):825-31.

Mark SD, Qiao YL, et al. Prospective study of serum selenium levels and incident esophageal and gastric cancers. *J Natl Cancer Inst.* 2000 Nov 1;92(21):1753-63.

Martin de Argila C. Safety of potent gastric acid inhibition. *Drugs.* 2005;65 Suppl 1:97-104.

Mayne ST, Navarro SA. Diet, obesity and reflux in the etiology of adenocarcinomas of the esophagus and gastric cardia in humans. *J Nutr.* 2002 Nov;132(11 Suppl):3467S-3470S. Review.

Mayne ST, Risch HA, et al. Nutrient intake and risk of subtypes of esophageal and gastric cancer. *Cancer Epidemiol Biomarkers Prev.* 2001 Oct;10(10):1055-62.

Nilsson M, Johnsen R, et al. Obesity and estrogen as risk factors for gastroesophageal reflux symptoms. *JAMA.* 2003 Jul 2;290(1):66-72.

Nilsson M, Lagergren J. The relation between body mass and gastro-oesophageal reflux. *Best Pract Res Clin Gastroenterol.* 2004 Dec;18(6):1117-23.

Oh TY, Lee JS, et al. Oxidative stress is more important than acid in the pathogenesis of reflux oesophagitis in rats. *Gut.* 2001 Sep;49(3):364-71.

Pandolfino JE, Kahrilas PJ. Smoking and gastro-oesophageal reflux disease. *Eur J Gastroenterol Hepatol.* 2000 Aug;12(8):837-42.

Pehl C, Pfeiffer A, et al. Effect of caloric density of a meal on lower oesophageal sphincter motility and gastro-oesophageal reflux in healthy subjects. *Aliment Pharmacol Ther.* 2001 Feb;15(2):233-9.

Penagini R, Mangano M, et al. Effect of increasing the fat content but not the energy load of a meal on gastro-oesophageal reflux and lower oesophageal sphincter motor function. *Gut.* 1998 Mar;42(3):330-3.

Qvistad G, Waldum H. Rebound hypersecretion after inhibition of gastric acid secretion. *Basic Clin Pharmacol Toxicol.* 2004 May;94(5):202-8.

Raj A, Jankowski J. Acid suppression and chemoprevention in Barrett's oesophagus. *Dig Dis.* 2004;22(2):171-80. Review.

Reinke CM, Breikreutz J, et al. Aluminium in over-the-counter drugs: Risks outweigh benefits? *Drug Saf.* 2003;26(14):1011-25.

Rudolph RE, Vaughan TL, et al. Serum selenium levels in relation to markers of neoplastic progression among persons with Barrett's esophagus. *J Natl Cancer Inst.* 2003 May 21;95(10):750–7.

Ruhl CE, Everhart JE. Overweight, but not high dietary fat intake, increases risk of gastroesophageal reflux disease hospitalization: The NHANES I Epidemiologic Followup Study. First National Health and Nutrition Examination Survey. *Ann Epidemiol.* 1999 Oct;9(7):424–35.

Ruscin JM, Page RL, et al. Vitamin B(12) deficiency associated with histamine(2)-receptor antagonists and a proton-pump inhibitor. *Ann Pharmacother.* 2002 May;36(5):812–6.

Scott ML. Essential inorganic elements. In: Scott, ML, ed. *Nutrition of Humans & Selected Animal Species.* New York: John Wiley & Sons; 1986:388–400.

Shklar G. Mechanisms of cancer inhibition by anti-oxidant nutrients. *Oral Oncol.* 1998 Jan;34(1):24–9.

Siassi F, Pouransari Z, et al. Nutrient intake and esophageal cancer in the Caspian littoral of Iran: A case-control study. *Cancer Detect Prev.* 2000;24(3):295–303.

Smit CF, Copper MP, et al. Effect of cigarette smoking on gastropharyngeal and gastroesophageal reflux. *Ann Otol Rhinol Laryngol.* 2001 Feb;110(2):190–3.

Steinmetz KA, Potter JD. Vegetables, fruit, and cancer. II. Mechanisms. *Cancer Causes Control.* 1991 Nov;2(6):427–42.

Suleiman UL, Harrison M, et al. H2-receptor antagonists may increase the risk of cardio-oesophageal adenocarcinoma: A case-control study. *Eur J Cancer Prev.* 2000 Jun;9(3):185–91.

Taylor PR, Li B, et al. Prevention of esophageal cancer: The nutrition intervention trials in Linxian, China. Linxian Nutrition Intervention Trials Study Group. *Cancer Res.* 1994 Apr 1;54(7 Suppl):2029s-31s.

ter HH, Hendriks HJ, et al. Are children with cystic fibrosis who are treated with a proton-pump inhibitor at risk for vitamin B(12) deficiency? *J Pediatr Gastroenterol Nutr.* 2001 Sep;33(3):342–5.

Terry P, Lagergren J, et al. Antioxidants and cancers of the esophagus and gastric cardia. *Int J Cancer.* 2000 Sep 1;87(5):750–4.

Topazian M. Gastrointestinal endoscopy. In: Braunwald E, Fauci AS, et al, eds. *Harrison's Principles of Internal Medicine.* New York: McGraw-Hill; 2005:1635–42.

Trudgill NJ, Smith LF, et al. Impact of smoking cessation on salivary function in healthy volunteers. *Scand J Gastroenterol.* 1998 Jun;33(6):568–71.

Vanderhoff BT, Tahboub RM. Proton pump inhibitors: An update. *Am Fam Physician.* 2002 Jul 15;66(2):273–80.

van Marle J, Aarsen PN, et al. Deglycyrrhizinised liquorice (DGL) and the renewal of rat stomach epithelium. *Eur J Pharmacol.* 1981 Jun 19;72(2–3):219–25.

Wise J, Conklin JL. Gastroesophageal reflux disease and baclofen: Is there a light at the end of the tunnel? *Curr Gastroenterol Rep.* 2004 Jun;6(3):213–9. Review.

Wolfgang E, Rosendahl U, et al. Coincidence of nutritional habits and esophageal cancer in Germany. *Onkologie.* 2001 Dec;24(6):546–51.

Yano S, Harada M, et al. Antiulcer activities of glycyrrhetic acid derivatives in experimental gastric lesion models. *Chem Pharm Bull (Tokyo).* 1989 Sep;37(9):2500–4.

Zhang Q, Lehmann A, et al. Control of transient lower oesophageal sphincter relaxations and reflux by the GABA(B) agonist baclofen in patients with gastro-oesophageal reflux disease. *Gut.* 2002 Jan;50(1):19–24.

Zheng W, Sellers TA, et al. Retinol, antioxidant vitamins, and cancers of the upper digestive tract in a prospective cohort study of postmenopausal women. *Am J Epidemiol.* 1995 Nov 1;142(9):955–60.

These statements have not been evaluated by the FDA. These products are not intended to diagnose, treat, cure or prevent any disease. The information provided on this site is for informational purposes only and is not intended as a substitute for advice from your physician or other health care professional or any information contained on or in any product label or packaging. You should not use the information on this site for diagnosis or treatment of any health problem or for prescription of any medication or other treatment. You should consult with a healthcare professional before starting any diet, exercise or supplementation program, before taking any medication, or if you have or suspect you might have a health problem. You should not stop taking any medication without first consulting your physician.