

Insomnia

REFERENCES

- American Academy of Family Physicians. Information from your family doctor: Insomnia: How to get a good night's sleep. *Am Fam Physician*. 2005 Oct 1;72(7):1309–10.
- Anderson GD, Elmer GW, et al. Pharmacokinetics of valerenic acid after administration of valerian in healthy subjects. *Phytother Res*. 2005 Sep;19(9):801–3.
- Atkinson G, Holder A, et al. Effects of melatonin on the thermoregulatory responses to intermittent exercise. *J Pineal Res*. 2005 Nov;39(4):353–9.
- Birdsall TC. 5-Hydroxytryptophan: A clinically-effective serotonin precursor. *Altern Med Rev*. 1998 Aug;3(4):271–80.
- Burgess HJ, Crowley SJ, et al. Preflight adjustment to eastward travel: 3 days of advancing sleep with and without morning bright light. *J Biol Rhythms*. 2003 Aug;18(4):318–28.
- Burgos I, Richter L, et al. Increased nocturnal interleukin-6 excretion in patients with primary insomnia: A pilot study. *Brain Behav Immun*. 2005 Aug 3.
- Canani SF, John AB, et al. Prevalence of sleepiness in a group of Brazilian lorry drivers. *Public Health*. 2005 Oct;119(10):925–9.
- Cavadas C, Araujo I, et al. In vitro study on the interaction of *Valeriana officinalis* L. extracts and their amino acids on GABAA receptor in rat brain. *Arzneimittelforschung*. 1995;45:753–5.
- Chen SW, Min L, et al. The effects of angelica essential oil in three murine tests of anxiety. *Pharmacol Biochem Behav*. 2004 Oct;79(2):377–82.
- Copinschi G. Metabolic and endocrine effects of sleep deprivation. *Essent Psychopharmacol*. 2005;6(6):341–7.
- Donovan JL, DeVane CL, et al. Multiple night-time doses of valerian (*Valeriana officinalis*) had minimal effects on CYP3A4 activity and no effect on CYP2D6 activity in healthy volunteers. *Drug Metab Dispos*. 2004 Dec;32(12):1333–6.
- Eastman CI, Gazda CJ, et al. Advancing circadian rhythms before eastward flight: A strategy to prevent or reduce jet lag. *Sleep*. 2005 Jan 1;28(1):33–44.
- Erren TC, Reiter RJ, et al. The chronosense: What light tells man about biological time. *Med Hypotheses*. 2004;63(6):1074–80.
- Graci G. Pathogenesis and management of cancer-related insomnia. *J Support Oncol*. 2005 Sep-Oct;3(5):349–59.
- Guilleminault C, Do Kim Y, et al. Sleep and daytime sleepiness in upper airway resistance syndrome compared to obstructive sleep apnoea syndrome. *Eur Respir J*. 2001 May;17(5):838–47.
- Gutierrez S, Ang-Lee MK, et al. Assessing subjective and psychomotor effects of the herbal medication valerian in healthy volunteers. *Pharmacol Biochem Behav*. 2004 May;78(1):57–64.
- Hadley S, Petry JJ. Valerian. *Am Fam Physician*. 2003 Apr 15;67(8):1755–8.
- Herrera-Arellano A, Luna-Villegas G, et al. Polysomnographic evaluation of the hypnotic effect of *Valeriana edulis* standardized extract in patients suffering from insomnia. *Planta Med*. 2001 Nov;67(8):695–9.
- Hudson C, Hudson SP, et al. Protein source tryptophan versus pharmaceutical grade tryptophan as an efficacious treatment for chronic insomnia. *Nutr Neurosci*. 2005 Apr;8(2):121–7.

Jefferson CD, Drake CL, et al. Sleep hygiene practices in a population-based sample of insomniacs. *Sleep*. 2005 May 1;28(5):611–5.

Kales A, Kales JD. Sleep disorders: Recent findings in the diagnosis and treatment of disturbed sleep. *N Engl J Med*. 1974;290:487–99.

Kennedy DO, Little W, et al. Attenuation of laboratory-induced stress in humans after acute administration of *Melissa officinalis* (Lemon Balm). *Psychosom Med*. 2004 Jul-Aug;66(4):607–13.

King AC, Oman RF, et al. Moderate-intensity exercise and self-rated quality of sleep in older adults. *JAMA*. 1997;277:32–7.

Kirkwood CK. Management of insomnia. *J Am Pharm Assoc (Wash)*. 1999 Sep-Oct;39(5):688–96.

Krystal AD, Ressler I. The use of valerian in neuropsychiatry. *CNS Spectr*. 2001 Oct;6(10):841–7.

Kuhlmann J, Berger W, et al. The influence of valerian treatment on “reaction time, alertness and concentration” in volunteers. *Pharmacopsychiatry*. 1999;32:235–41.

Kupfersztain C, Rotem C, et al. The immediate effect of natural plant extract, *Angelica sinensis* and *Matricaria chamomilla* (Climex) for the treatment of hot flushes during menopause: A preliminary report. *Clin Exp Obstet Gynecol*. 2003;30(4):203–6.

Landolt HP, Borbely AA. [Alcohol and sleep disorders]. *Ther Umsch*. 2000 Apr;57(4):241–5.

Landolt HP, Roth C, et al. Late-afternoon ethanol intake affects nocturnal sleep and the sleep EEG in middle-aged men. *J Clin Psychopharmacol*. 1996 Dec;16(6):428–36.

Leathwood PD, Chauffard F. Aqueous extract of valerian root (*Valeriana officinalis* L.) improves sleep quality in man. *Pharmacol Biochem Behav*. 1982 Jul;17(1):65–71.

Leathwood PD, Chauffard F. Aqueous extract of valerian reduces latency to fall asleep in man. *Planta Med*. 1985;2:144–8.

Lefebvre T, Foster BC, et al. In vitro activity of commercial valerian root extracts against human cytochrome P450 3A4. *J Pharm Pharm Sci*. 2004 Aug 12;7(2):265–73.

Leger D, Poursain B. An international survey of insomnia: Under-recognition and under-treatment of a polysymptomatic condition. *Curr Med Res Opin*. 2005 Nov;21(11):1785–92.

Leigh JP. Employee and job attributes as predictors of absenteeism in a national sample of workers. *Soc Sci Med*. 1991;33:127–37.

Mahady GB. Black cohosh (*Actaea/Cimicifuga racemosa*): Review of the clinical data for safety and efficacy in menopausal symptoms. *Treat Endocrinol*. 2005;4(3):177–84.

Mazzoccoli G, Giuliani A. The hypothalamic-pituitary-thyroid axis and melatonin in humans: Possible interactions in the control of body temperature. *Neuro Endocrinol Lett*. 2004 Oct;25(5):368–72.

Melatonin [monograph]. *Altern Med Rev*. 2005 Dec;10(4):326–36.

Muller SF, Klement S. A combination of valerian and lemon balm is effective in the treatment of restlessness and dyssomnia in children. *Phytomedicine*. 2006 15 Feb.

Munch M, Knoblauch V, et al. Age-related attenuation of the evening circadian arousal signal in humans. *Neurobiol Aging*. 2005 Oct;26(9):1307–19.

Pandi-Perumal SR, Zisapel N, et al. Melatonin and sleep in aging population. *Exp Gerontol*. 2005 Dec;40(12):911–25.

Power JD, Perruccio AV, et al. Pain as a mediator of sleep problems in arthritis and other chronic conditions. *Arthritis Rheum*. 2005 Dec 15;53(6):911–9.

Rajput V, Bromley SM. Chronic insomnia: a practical review. *Am Fam Physician*. 1999 Oct 1;60(5):1431–8; discussion 1441–2.

Riemann D, Feige B, et al. [Diagnostics and therapy of sleep disorders in the general practice]. *MMW Fortschr Med*. 2005 May 17;147 Spec No 2:7–11.

Ringdahl EN, Pereira SL, et al. Treatment of primary insomnia. *J Am Board Fam Pract*. 2004 May-Jun;17(3):212–9.

Srinivasan V, Maestroni G, et al. Melatonin, immune function and aging. *Immun Ageing*. 2005 Nov 29;2:17.

Trevena L. Sleepless in Sydney: Is valerian an effective alternative to benzodiazepines in the treatment of insomnia? *ACP J Club*. 2004;141:A14–A16.

Valeriana officinalis [monograph]. *Altern Med Rev*. 2004 Dec;9(4):438–41.

Vgontzas AN, Bixler EO, et al. IL-6 and its circadian secretion in humans. *Neuroimmunomodulation*. 2005;12(3):131–40. Review.

Vgontzas AN, Zoumakis M, et al. Chronic insomnia is associated with a shift of interleukin-6 and tumor necrosis factor secretion from nighttime to daytime. *Metabolism*. 2002 Jul;51(7):887–92.

Wang JZ, Wang ZF. Role of melatonin in Alzheimer-like neurodegeneration. *Acta Pharmacol Sin*. 2006 Jan;27(1):41–9.

Yuan CS, Mehendale S, et al. The gamma-aminobutyric acid effects of valerian and valeronic acid on rat brainstem neuronal activity. *Anesth Analg*. 2004 Feb;98(2):353–8.

Zemlan FP, Mulchahey JJ, et al. The efficacy and safety of the melatonin agonist beta-methyl-6-chloromelatonin in primary insomnia: A randomized, placebo-controlled, crossover clinical trial. *J Clin Psychiatry*. 2005 Mar;66(3):384–90.

Ziegler G, Ploch M. Efficacy and tolerability of valerian extract LI 156 compared with oxazepam in the treatment of non-organic insomnia: A randomized, double-blind, comparative clinical study. *Eur J Med Res*. 2002 Nov 25;7(11):480–6.

All Contents Copyright © 1995-2009 Life Extension Foundation All rights reserved.

LifeExtension®

These statements have not been evaluated by the FDA. These products are not intended to diagnose, treat, cure or prevent any disease. The information provided on this site is for informational purposes only and is not intended as a substitute for advice from your physician or other health care professional or any information contained on or in any product label or packaging. You should not use the information on this site for diagnosis or treatment of any health problem or for prescription of any medication or other treatment. You should consult with a healthcare professional before starting any diet, exercise or supplementation program, before taking any medication, or if you have or suspect you might have a health problem. You should not stop taking any medication without first consulting your physician.