

## Alzheimer's Disease

### REFERENCES

- ADEAR (Alzheimer's Disease Education & Referral Center). Alzheimer's disease: unraveling the mystery. 2004. Silver Spring, Md: Department of Health and Human Services. Available at: <http://www.alzheimers.org/unraveling/index.htm>. Accessed July 31, 2004.
- Aggarwal BB, Shishodia S. Suppression of the nuclear factor-kappaB activation pathway by spice-derived phytochemicals: reasoning for seasoning. *Ann N Y Acad Sci.* 2004 Dec;1030:434-41.
- Akbar M, Calderon F, et al. Docosahexaenoic acid: a positive modulator of Akt signaling in neuronal survival. *Proc Natl Acad Sci U S A.* 2005 Aug 2;102(31):10858-63.
- Almeida OP, Flicker L. Testosterone and dementia: too much ado about too little data. *J Br Menopause Soc.* 2003;9(3):107-10.
- Ames BN, Liu J. Delaying the mitochondrial decay of aging with acetylcarnitine. *Ann N Y Acad Sci.* 2004 Nov;1033:108-16.
- Bai DL, Tang XC, et al. Huperzine A: a potential therapeutic agent for treatment of Alzheimer's disease. *Curr Med Chem.* 2000;7(3):355-74.
- Baum L, Ng A. Curcumin interaction with copper and iron suggests one possible mechanism of action in Alzheimer's disease animal models. *J Alzheimers Dis.* 2004 Aug;6(4):367-77.
- Bidzan L, Biliekiewicz A, et al. Preliminary assessment of ginkgo biloba (Ginkofar) in patients with dementia [in Polish]. *Psychiatr Pol.* 2005 May-Jun;39(3):559-66.
- Boothby LA, Doering PL. Vitamin C and vitamin E for Alzheimer's disease. *Ann Pharmacother.* 2005 Dec;39(12):2073-80.
- Borek C. Garlic reduces dementia and heart-disease risk. *J Nutr.* 2006 Mar;136(3):810S-2S.
- Brinton RD. Investigative models for determining hormone therapy-induced outcomes in brain: evidence in support of a healthy cell bias of estrogen action. *Ann N Y Acad Sci.* 2005 Jun;1052:57-74.
- Butterworth RF. Evidence for forebrain cholinergic neuronal loss in congenital ornithine transcarbamylase deficiency. *Metab Brain Dis.* 2000 Mar;15(1):83-91.
- Cheng DH, Ren H, et al. Huperzine A: a novel promising acetylcholinesterase inhibitor. *Neuroreport.* 1996;8(1):97-101.
- Cheng Y, Feng Z, et al. Beneficial effects of melatonin in experimental models of Alzheimer disease. *Acta Pharmacol Sin.* 2006 Feb;27(2):129-39.
- Cherrier MM, Matsumoto AM, et al. Testosterone improves spatial memory in men with Alzheimer disease and mild cognitive impairment. *Neurology.* 2005 Jun 28;64(12):2063-8.
- Choudhary MI, Yousuf S, et al. Cholinesterase inhibiting withanolides from *Withania somnifera*. *Chem Pharm Bull (Tokyo).* 2004 Nov;52(11):1358-61.
- Ciabattoni G, Porreca E, et al. Determinants of platelet activation in Alzheimer's disease. *Neurobiol Aging.* 2006 Jan 23; [Epub ahead of print].
- Cole GM, Morihara T, et al. NSAID and antioxidant prevention of Alzheimer's disease: lessons from in vitro and animal models. *Ann N Y Acad Sci.* 2004 Dec;1035:68-84.
- Crack PJ, Cimdins K, et al. Lack of glutathione peroxidase-1 exacerbates Abeta-mediated neurotoxicity in cortical neurons. *J Neural Transm.* 2005 Oct 21; [Epub ahead of print]

Crook T, Petrie W, et al. Effects of phosphatidylserine in Alzheimer's disease. *Psychopharmacol Bull.* 1992;28(1):61-6.

Darvesh S, Arora RC, et al. Cholinesterase inhibitors modify the activity of intrinsic cardiac neurons. *Exp Neurol.* 2004;188(2):461-70.

de Jesus Moreno M. Cognitive improvement in mild to moderate Alzheimer's dementia after treatment with the acetylcholine precursor choline alfoscerate: a multicenter, double-blind, randomized, placebo-controlled trial. *Clin Ther.* 2003 Jan;25(1):178-93.

Dhanasekaran M, Ren J. The emerging role of coenzyme Q-10 in aging, neurodegeneration, cardiovascular disease, cancer and diabetes mellitus. *Curr Neurovasc Res.* 2005 Dec;2(5):447-59.

Dhitavat S, Ortiz D, et al. Folate, vitamin E, and acetyl-L-carnitine provide synergistic protection against oxidative stress resulting from exposure of human neuroblastoma cells to amyloid-beta. *Brain Res.* 2005 Nov 9;1061(2):114-7.

Diamond BJ, Shiflett SC, et al. Ginkgo biloba extract: mechanisms and clinical indications. *Arch Phys Med Rehab.* 2000;81(5):668-78.

Engelborghs S, Vloeberghs E, et al. Correlations between cognitive, behavioural and psychological findings and levels of vitamin B12 and folate in patients with dementia. *Int J Geriatr Psychiatry.* 2004;19(4):365-70.

Farr SA, Banks WA, et al. DHEAS improves learning and memory in aged SAMP8 mice but not in diabetic mice. *Life Sci.* 2004 Oct 22;75(23):2775-85.

Galbusera C, Facheris M, et al. Increased susceptibility to plasma lipid peroxidation in Alzheimer disease patients. *Curr Alzheimer Res.* 2004 May;1(2):103-9.

Grundman M. Vitamin E and Alzheimer disease: the basis for additional clinical trials. *Am J Clin Nutr.* 2000 Feb;71(2):630S-6S.

Hashimoto M, Tanabe Y, et al. Chronic administration of docosahexaenoic acid ameliorates the impairment of spatial cognition learning ability in amyloid beta-infused rats. *J Nutr.* 2005 Mar;135(3):549-55.

Heinen-Kammerer T, Motzkat K, et al. The situation of patients with dementia may be rectified by Ginkgo biloba: results of a health services research study concerning the ability of patients with dementia, quality of life of the nursing family members and total treatment costs [in German]. *MMW Fortschr Med.* 2005 Oct 6;147(suppl 3):127-33.

Hillen T, Lun A, et al. DHEA-S plasma levels and incidence of Alzheimer's disease. *Biol Psychiatry.* 2000;47(2):161-3.

Hogervorst E, Combrinck M, et al. Testosterone and gonadotropin levels in men with dementia. *Neuro Endocrinol Lett.* 2003;24(3-4):203-8.

Joseph JA, Shukitt-Hale B, et al. Reversals of age-related declines in neuronal signal transduction, cognitive, and motor behavioral deficits with blueberry, spinach, or strawberry dietary supplementation. *J Neurosci.* 1999 Sep 15;19(18):8114-21.

Kado DM, Karlamangla AS, et al. Homocysteine versus the vitamins folate, B6, and B12 as predictors of cognitive function and decline in older high-functioning adults: MacArthur Studies of Successful Aging. *Am J Med.* 2005 Feb;118(2):161-7.

Kasper DL, Braunwald E, et al, eds. *Harrison's Principles of Internal Medicine.* 16th ed. New York, NY: McGraw-Hill; 2004.

Kidd PM. Neurodegeneration from mitochondrial insufficiency: nutrients, stem cells, growth factors, and prospects for brain rebuilding using integrative management. *Altern Med Rev.* 2005 Dec;10(4):268-93.

Kidd P. *Phosphatidylserine: Nature's Brain Booster for Memory, Mood, and Stress.* Total Health Communications, Inc.; 2005.

Klinkhammer P, Szelies B, et al. Effect of phosphatidylserine on cerebral glucose metabolism in Alzheimer's disease. *Dementia.* 1990;1:197-201.

Kuboyama T, Tohda C, et al. Neuritic regeneration and synaptic reconstruction induced by withanolide A. *Br J Pharmacol.* 2005 Apr;144(7):961-71.

- Kyle DJ, Schaefer E, et al. Low serum docosahexaenoic acid is a significant risk factor for Alzheimer's dementia. *Lipids*. 1999;34 (suppl):S245.
- Landmark K. Could intake of vitamins C and E inhibit development of Alzheimer dementia [in Norwegian]? *Tidsskr Nor Laegeforen*. 2006 Jan 12;126(2):159-61.
- Lau FC, Shukitt-Hale B, et al. The beneficial effects of fruit polyphenols on brain aging. *Neurobiol Aging*. 2005 Dec;26(suppl 1):128-32.
- Li MH, Jang JH, et al. Protective effects of oligomers of grape seed polyphenols against beta-amyloid-induced oxidative cell death. *Ann NY Acad Sci*. 2004 Dec;1030:317-29.
- Lu PH, Masterman DA, et al. Effects of testosterone on cognition and mood in male patients with mild Alzheimer disease and healthy elderly men. *Arch Neurol*. 2006 Feb;63(2):177-85.
- Lukiw WJ, Cui JG, et al. A role for docosahexaenoic acid-derived neuroprotectin D1 in neural cell survival and Alzheimer disease. *J Clin Invest*. 2005 Oct;115(10):2774-83.
- Mandel S, Amit T, et al. Green tea catechins as brain-permeable, natural iron chelators-antioxidants for the treatment of neurodegenerative disorders. *Mol Nutr Food Res*. 2006 Feb;50(2):229-34.
- Mas E, Dupuy AM, et al. Functional vitamin E deficiency in apoE4 patients with Alzheimer's disease. *Dement Geriatr Cogn Disord*. 2006;21(3):198-204.
- Mayo W, George O, et al. Individual differences in cognitive aging: implication of pregnenolone sulfate. *Prog Neurobiol*. 2003 Sep;71 (1):43-8.
- Mayo W, Lemaire V, et al. Pregnenolone sulfate enhances neurogenesis and PSA-NCAM in young and aged hippocampus. *Neurobiol Aging*. 2005 Jan;26(1):103-14.
- McCann SM, Mastronardi C, et al. The nitric oxide theory of aging revisited. *Ann N Y Acad Sci*. 2005 Dec;1057:64-84.
- Mizrahi EH, Jacobsen DW, et al. Plasma total homocysteine levels, dietary vitamin B6 and folate intake in AD and healthy aging. *J Nutr Health Aging*. 2003;7(3):160-5.
- Moreira PI, Santos MS, et al. CoQ10 therapy attenuates amyloid beta-peptide toxicity in brain mitochondria isolated from aged diabetic rats. *Exp Neurol*. 2005 Nov;196(1):112-9.
- Morris MC, Evans DA, et al. Dietary niacin and the risk of incident Alzheimer's disease and of cognitive decline. *J Neurol Neurosurg Psychiatry*. 2004 Aug;75(8):1093-9.
- Mulder C, Scheltens P, et al. Low vitamin B6 levels are associated with white matter lesions in Alzheimer's disease. *J Am Geriatr Soc*. 2005 Jun;53(6):1073-4.
- Ono K, Hasegawa K, et al. Preformed beta-amyloid fibrils are destabilized by coenzyme Q10 in vitro. *Biochem Biophys Res Commun*. 2005 Apr 29;330(1):111-6.
- Pennanen C, Laakso MP, et al. Serum testosterone levels in males with Alzheimer's disease. *J Neuroendocrinol*. 2004;16(2):95-8.
- Pereira C, Agostinho P, et al. Neuroprotection strategies: effect of vinpocetine in vitro oxidative stress models [in Portuguese]. *Acta Med Port*. 2003 Nov-Dec;16(6):401-6.
- Perry EK, Pickering AT, et al. Medicinal plants and Alzheimer's disease: from ethnobotany to phytotherapy. *J Pharm Pharmacol*. 1999;51(5):527-34.
- Pocernich CB, La Fontaine M, et al. In vivo glutathione elevation protects against hydroxyl free radical-induced protein oxidation in rat brain. *Neurochem Int*. 2000;36(3):185-91.
- Polleri A, Gianelli MV, et al. Dementia: a neuroendocrine perspective. *J Endocrinol Invest*. 2002;25(1):73-83.

Quadri P, Fragiaco C, et al. Homocysteine and B vitamins in mild cognitive impairment and dementia. *Clin Chem Lab Med*. 2005;43(10):1096-100.

Ravaglia G, Forti P, et al. Homocysteine and folate as risk factors for dementia and Alzheimer disease. *Am J Clin Nutr*. 2005 Sep;82(3):636-43.

Reiter RJ, Cabrera J, et al. Melatonin as a pharmacological agent against neuronal loss in experimental models of Huntington's disease, Alzheimer's disease and parkinsonism. *Ann NY Acad Sci*. 1999;890:471-85.

Rezai-Zadeh K, Shytle D, et al. Green tea epigallocatechin-3-gallate (EGCG) modulates amyloid precursor protein cleavage and reduces cerebral amyloidosis in Alzheimer transgenic mice. *J Neurosci*. 2005 Sep 21;25(38):8807-14.

Ringman JM, Frautschy SA, et al. A potential role of the curry spice curcumin in Alzheimer's disease. *Curr Alzheimer Res*. 2005 Apr;2(2):131-6.

Schneider LS, DeKosky ST, et al. A randomized, double-blind, placebo-controlled trial of two doses of Ginkgo biloba extract in dementia of the Alzheimer's type. *Curr Alzheimer Res*. 2005 Dec;2(5):541-51.

Schumacher M, Guennoun R, et al. Local synthesis and dual actions of progesterone in the nervous system: neuroprotection and myelination. *Growth Horm IGF Res*. 2004 Jun;14(suppl A):S18-S33.

Serot JM, Christmann D, et al. CSF-folate levels are decreased in late-onset AD patients. *J Neural Transm*. 2001;108(1):93-9.

Shi J, Yu J, et al. Polyphenolics in grape seeds: biochemistry and functionality. *J Med Food*. 2003;6(4):291-9.

Singh M. Mechanisms of progesterone-induced neuroprotection. *Ann N Y Acad Sci*. 2005 Jun;1052:145-51.

Szilagyi G, Nagy Z, et al. Effects of vinpocetine on the redistribution of cerebral blood flow and glucose metabolism in chronic ischemic stroke patients: a PET study. *J Neurol Sci*. 2005 Mar 15;229-230:275-84.

Tang XC. Huperzine A (shuangyiping): a promising drug for Alzheimer's disease. *Zhongguo Yao Li Xue Bao*. 1996 Nov;17(6):481-4.

Tchantchou F, Graves M, et al. N-acetyl cysteine alleviates oxidative damage to central nervous system of ApoE-deficient mice following folate and vitamin E-deficiency. *J Alzheimers Dis*. 2005 Apr;7(2):135-8.

Tucker KL, Qiao N, et al. High homocysteine and low B vitamins predict cognitive decline in aging men: the Veterans Affairs Normative Aging Study. *Am J Clin Nutr*. 2005 Sep;82(3):627-35.

Virmani MA, Caso V, et al. The action of acetyl-L-carnitine on the neurotoxicity evoked by amyloid fragments and peroxide on primary rat cortical neurones. *Ann N Y Acad Sci*. 2001 Jun;939:162-78.

Wang HX, Wahlin A, et al. Vitamin B(12) and folate in relation to the development of Alzheimer's disease. *Neurology*. 2001 May 8;56(9):1188-94.

Wang JZ, Wang ZF. Role of melatonin in Alzheimer-like neurodegeneration. *Acta Pharmacol Sin*. 2006 Jan;27(1):41-9.

Wang LM, Han YF, et al. Huperzine A improves cognitive deficits caused by chronic cerebral hypoperfusion in rats. *Eur J Pharmacol*. 2000;398(1):65-72.

Wang R, Yan H, et al. Progress in studies of huperzine A: a natural cholinesterase inhibitor from Chinese herbal medicine. *Acta Pharmacol Sin*. 2006 Jan;27(1):1-26.

Webber KM, Casadesus G, et al. Estrogen bows to a new master: the role of gonadotropins in Alzheimer pathogenesis. *Ann N Y Acad Sci*. 2005 Jun;1052:201-9.

Weill-Engerer S, David JP, et al. Neurosteroid quantification in human brain regions: comparison between Alzheimer's and nondemented patients. *J Clin Endocrinol Metab*. 2002;87(11):5138-43.

Wu X, Beecher GR, et al. Lipophilic and hydrophilic antioxidant capacities of common foods in the United States. *J Agric Food*

Chem. 2004 Jun 16;52(12):4026-37.

Xu SS, Gao ZX, et al. Efficacy of tablet huperzine-A on memory, cognition, and behavior in Alzheimer's disease. Zhongguo Yao Li Xue Bao. 1995 Sep;16(5):391-5.

Yang F, Lim GP, et al. Curcumin inhibits formation of amyloid beta oligomers and fibrils, binds plaques, and reduces amyloid in vivo. J Biol Chem. 2005 Feb 18;280(7):5892-901.

Yao ZX, Han Z, et al. Ginkgo biloba extract (Egb 761) inhibits beta-amyloid production by lowering free cholesterol levels. J Nutr Biochem. 2004 Dec;15(12):749-56.

Young G, Conquer J. Omega-3 fatty acids and neuropsychiatric disorders. Reprod Nutr Dev. 2005 Jan;45(1):1-28.

Zandi PP, Anthony JC, et al. Reduced risk of Alzheimer disease in users of antioxidant vitamin supplements: the Cache County Study. Arch Neurol. 2004;61(1):82-8.

Zhang Z, Wang X, et al. Clinical efficacy and safety of huperzine Alpha in treatment of mild to moderate Alzheimer disease: a placebo-controlled, double-blind, randomized trial [in Chinese]. Zhonghua Yi Xue Za Zhi. 2002;82(14):941-4.

All Contents Copyright © 1995-2009 Life Extension Foundation All rights reserved.

**LifeExtension®**

These statements have not been evaluated by the FDA. These products are not intended to diagnose, treat, cure or prevent any disease. The information provided on this site is for informational purposes only and is not intended as a substitute for advice from your physician or other health care professional or any information contained on or in any product label or packaging. You should not use the information on this site for diagnosis or treatment of any health problem or for prescription of any medication or other treatment. You should consult with a healthcare professional before starting any diet, exercise or supplementation program, before taking any medication, or if you have or suspect you might have a health problem. You should not stop taking any medication without first consulting your physician.