

Constipation

REFERENCES

- Arce DA, Ermocilla CA, et al. Evaluation of constipation. *Am Fam Physician*. 2002 Jun 1;65(11):2283-90.
- Benton JM, O'Hara PA, et al. Changing bowel hygiene practice successfully: a program to reduce laxative use in a chronic care hospital. *Geriatr Nurs*. 1997 Jan;18(1):12-7.
- Chen GD, Hu SW, et al. Prevalence and correlations of anal incontinence and constipation in Taiwanese women. *Neurourol Urodyn*. 2003;22(7):664-9.
- Chiarelli P, Brown W, et al. Constipation in Australian women: prevalence and associated factors. *Int Urogynecol J Pelvic Floor Dysfunct*. 2000;11(2):71-8.
- Corazziari E. Definition and epidemiology of functional gastrointestinal disorders. *Best Pract Res Clin Gastroenterol*. 2004 Aug;18(4):613-31.
- Coremans G, Kerstens R, et al. Prucalopride is effective in patients with severe chronic constipation in whom laxatives fail to provide adequate relief: results of a double-blind, placebo-controlled clinical trial. *Digestion*. 2003;67(1-2):82-9.
- Doughty DB. When fiber is not enough: current thinking on constipation management. *Ostomy Wound Manage*. 2002 Dec;48(12):30-41.
- Emmanuel AV, Roy AJ, et al. Prucalopride, a systemic enterokinetic, for the treatment of constipation. *Aliment Pharmacol Ther*. 2002 Jul;16(7):1347-56.
- Farup PG, Bytzer P. Tegaserod: merely a laxative? *Scand J Gastroenterol*. 2004 Apr;39(4):404-5.
- Fisher RS, Thistle J, et al. Tegaserod does not alter fasting or meal-induced biliary tract motility. *Am J Gastroenterol*. 2004 Jul;99(7):1342-9.
- Grigoleit HG, Grigoleit P. Peppermint oil in irritable bowel syndrome. *Phytomedicine*. 2005 Aug;12(8):601-6.
- Hsieh C. Treatment of constipation in older adults. *Am Fam Physician*. 2005 Dec 1;72(11):2277-84.
- Johanson JF, Wald A, et al. Effect of tegaserod in chronic constipation: a randomized, double-blind, controlled trial. *Clin Gastroenterol Hepatol*. 2004 Sep;2(9):796-805.
- Joo JS, Ehrenpreis ED, et al. Alterations in colonic anatomy induced by chronic stimulant laxatives: the cathartic colon revisited. *J Clin Gastroenterol*. 1998 Jun;26(4):283-6.
- Klaschik E, Nauck F, et al. Constipation: modern laxative therapy. *Support Care Cancer*. 2003 Nov;11(11):679-85.
- Kleessen B, Sykura B, et al. Effects of inulin and lactose on fecal microflora, microbial activity, and bowel habit in elderly constipated persons. *Am J Clin Nutr*. 1997 May;65(5):1397-402.
- Marsicano LJ, Berrizbeitia ML, et al. Use of glucomannan dietary fiber in changes in intestinal habit [in Spanish]. *G E N*. 1995 Jan-Mar;49(1):7-14.
- McRorie JW, Daggy BP, et al. Psyllium is superior to docusate sodium for treatment of chronic constipation. *Aliment Pharmacol Ther*. 1998 May;12(5):491-7.
- Muller-Lissner S. General geriatrics and gastroenterology: constipation and faecal incontinence. *Best Pract Res Clin Gastroenterol*. 2002 Feb;16(1):115-33.

Ouwehand AC, Langstrom H, et al. Effect of probiotics on constipation, fecal azoreductase activity and fecal mucin content in the elderly. *Ann Nutr Metab.* 2002;46(3-4):159-62.

Pfenninger JL, Zainea GG. Common anorectal conditions, part I: symptoms and complaints. *Am Fam Physician.* 2001 Jun 15;63(12):2391-8.

Pietrusko RG. Use and abuse of laxatives. *Am J Hosp Pharm.* 1977 Mar;34(3):291-300.

Phillips C, Polakoff D, et al. Assessment of constipation management in long-term care patients. *J Am Med Dir Assoc.* 2001 Jul-Aug;2(4):149-54.

Rao SS. Constipation: evaluation and treatment. *Gastroenterol Clin North Am.* 2003 Jun;32(2):659-83.

Rigo J. Role of food fiber in nutrition [in Russian]. *Vopr Pitan.* 1982 Jul-Aug;(4):26-30.

Rousseau P. Treatment of constipation in the elderly. *Postgrad Med.* 1988 Mar;83(4):339-5, 349.

Sakakibara R, Odaka T, et al. Colonic transit time, sphincter EMG, and rectoanal videomanometry in multiple system atrophy. *Mov Disord.* 2004 Aug;19(8):924-9.

Sarpel U, Jacob BP, et al. Reduction of a large incarcerated rectal prolapse by use of an elastic compression wrap. *Dis Colon Rectum.* 2005 Jun;48(6):1320-2.

Schiller LR. New and emerging treatment options for chronic constipation. *Rev Gastroenterol Disord.* 2004;4(suppl 2):S43-S51.

Signorelli P, Croce P, et al. [A clinical study of the use of a combination of glucomannan with lactulose in the constipation of pregnancy.] *Minerva Ginecol.* 1996 Dec;48(12):577-82.

Simren M. Physical activity and the gastrointestinal tract. *Eur J Gastroenterol Hepatol.* 2002 Oct;14(10):1053-6.

Sipos P, Hagymasi K, et al. Effects of black radish root (*Raphanus sativus* L. var *niger*) on the colon mucosa in rats fed a fat rich diet. *Phytother Res.* 2002 Nov;16(7):677-9.

Slavin JL. Dietary fiber: classification, chemical analyses, and food sources. *J Am Diet Assoc.* 1987 Sep;87(9):1164-71.

Sloots CE, Poen AC, et al. Effects of prucalopride on colonic transit, anorectal function and bowel habits in patients with chronic constipation. *Aliment Pharmacol Ther.* 2002 Apr;16(4):759-67.

Tanaka R, Shimosaka K. Investigation of the stool frequency in elderly who are bed ridden and its improvements by ingesting bifidus yogurt [in Japanese]. *Nippon Ronen Igakkai Zasshi.* 1982 Nov;19(6):577-82.

Voskuil WP, Heijmans J, et al. Use of Rome II criteria in childhood defecation disorders: applicability in clinical and research practice. *J Pediatr.* 2004 Aug;145(2):213-7.

Wald A. Constipation, diarrhea, and symptomatic hemorrhoids during pregnancy. *Gastroenterol Clin North Am.* 2003 Mar;32(1):309-22, vii.

Whitehead WE, Bassotti G, et al. Factor analysis of bowel symptoms in US and Italian populations. *Dig Liver Dis.* 2003 Nov;35(11):774-83.

Whitehead WE, Drinkwater D, et al. Constipation in the elderly living at home: definition, prevalence, and relationship to lifestyle and health status. *J Am Geriatr Soc.* 1989 May;37(5):423-9.

Yakabowich M. Prescribe with care: the role of laxatives in the treatment of constipation. *J Gerontol Nurs.* 1990 Jul;16(7):4-11.

These statements have not been evaluated by the FDA. These products are not intended to diagnose, treat, cure or prevent any disease. The information provided on this site is for informational purposes only and is not intended as a substitute for advice from your physician or other health care professional or any information contained on or in any product label or packaging. You should not use the information on this site for diagnosis or treatment of any health problem or for prescription of any medication or other treatment. You should consult with a healthcare professional before starting any diet, exercise or supplementation program, before taking any medication, or if you have or suspect you might have a health problem. You should not stop taking any medication without first consulting your physician.