

Complementary Alternative Cancer Therapies

REFERENCES

- Aggarwal BB, Kumar A et al. Anticancer potential of curcumin: preclinical and clinical studies. *Anticancer Res.* 2003 Jan;23(1A):363-98.
- Agoston ES, Hatcher MA, et al. Vitamin D analogs as anti-carcinogenic agents. *Anticancer Agents Med Chem.* 2006 Jan;6(1):53-71. Review.
- Ahmed HH, Mannaa F et al. Cardioprotective activity of melatonin and its novel synthesized derivatives on doxorubicin-induced cardiotoxicity. *Bioorg Med Chem.* 2005 Mar 1;13(5):1847-57.
- Ahn WS, Kim DJ et al. Natural killer cell activity and quality of life were improved by consumption of a mushroom extract, *Agaricus blazei* Murill Kyowa, in gynecological cancer patients undergoing chemotherapy. *Int J Gynecol Cancer.* 2004 Jul;14(4):589-94.
- Ainsleigh HG. Beneficial effects of sun exposure on cancer mortality. *Prev Med.* 1993 Jan;22(1):132-40.
- Albrecht M, Jiang W et al. Pomegranate extracts potently suppress proliferation, xenograft growth, and invasion of human prostate cancer cells. *J Med Food.* 2004;7(3):274-83.
- Anisimov VN. The role of pineal gland in breast cancer development. *Crit Rev Oncol Hematol.* 2003 Jun;46(3):221-34.
- Antman K, Crowley J et al. An intergroup phase III randomized study of doxorubicin and dacarbazine with or without ifosfamide and mesna in advanced soft tissue and bone sarcomas. *J Clin Oncol.* 1993 Jul;11(7):1276-85.
- Arbiser JL, Klauber N et al. Curcumin is an in vivo inhibitor of angiogenesis. *Mol Med.* 1998 Jun;4(6):376-83.
- Argyriou AA, Chroni E et al. Vitamin E for prophylaxis against chemotherapy-induced neuropathy: a randomized controlled trial. *Neurology.* 2005 Jan 11;64(1):26-31.
- Ashikaga T, Bosompra K et al. Use of complimentary and alternative medicine by breast cancer patients: prevalence, patterns and communication with physicians. *Support Care Cancer.* 2002 Oct;10(7):542-8.
- Ates E, Yilmaz S et al. Perioperative immunonutrition ameliorates the postoperative immune depression in patients with gastrointestinal system cancer (prospective clinical study in 42 patients). *Acta Gastroenterol Belg.* 2004 Jul;67(3):250-4.
- Bahl M, Siu LL et al. Tolerability of the Intergroup 0099 (INT 0099) regimen in locally advanced nasopharyngeal cancer with a focus on patients' nutritional status. *Int J Radiat Oncol Biol Phys.* 2004 Nov 15;60(4):1127-36.
- Balli E, Mete UO et al. Effect of melatonin on the cardiotoxicity of doxorubicin. *Histol Histopathol.* 2004 Oct;19(4):1101-8.
- Bandy B, Davison AJ. Mitochondrial mutations may increase oxidative stress: implications for carcinogenesis and aging? *Free Radic Biol Med.* 1990;8(6):523-39. Review.
- Barber MD. Cancer cachexia and its treatment with fish-oil-enriched nutritional supplementation. *Nutrition.* 2001 Sep;17(9):751-5.
- Barber MD, Fearon KC et al. Effect of a fish oil-enriched nutritional supplement on metabolic mediators in patients with pancreatic cancer cachexia. *Nutr Cancer.* 2001;40(2):118-24.
- Barnett KT, Fokum FD et al. Vitamin E succinate inhibits colon cancer liver metastases. *J Surg Res.* 2002 Aug;106(2):292-8.
- Bartsch C, Bartsch H. Melatonin in cancer patients and in tumor-bearing animals. *Adv Exp Med Biol.* 1999;467:247-64.
- Bennett MP, Zeller JM et al. The effect of mirthful laughter on stress and natural killer cell activity. *Altern Ther Health Med.* 2003

Mar;9(2):38-45.

Berk LS, Felten DL et al. Modulation of neuroimmune parameters during the eustress of humor-associated mirthful laughter. *Altern Ther Health Med*. 2001 Mar;7(2):62-6.

Block KI, Mead MN. Immune system effects of echinacea, ginseng, and astragalus: a review. *Integr Cancer Ther*. 2003 Sep;2(3):247-67.

Bokemeyer C, Fels LM et al. Silibinin protects against cisplatin-induced nephrotoxicity without compromising cisplatin or ifosfamide anti-tumour activity. *Br J Cancer*. 1996 Dec;74(12):2036-41.

Bonner MR, Rothman N et al. Green tea consumption, genetic susceptibility, PAH-rich smoky coal, and the risk of lung cancer. *Mutat Res*. 2005 Apr 4;582(1-2):53-60.

Boon H, Wong J. Botanical medicine and cancer: a review of the safety and efficacy. *Expert Opin Pharmacother*. 2004 Dec;5(12):2485-501.

Borek C. Dietary antioxidants and human cancer. *Integr Cancer Ther*. 2004 Dec;3(4):333-41.

Braga M, Gianotti L et al. Preoperative oral arginine and n-3 fatty acid supplementation improves the immunometabolic host response and outcome after colorectal resection for cancer. *Surgery*. 2002 Nov;132(5):805-14.

Branda RF, Naud SJ et al. Effect of vitamin B12, folate, and dietary supplements on breast carcinoma chemotherapy--induced mucositis and neutropenia. *Cancer*. 2004 Sep 1;101(5):1058-64.

Brooks JD, Metter EJ et al. Plasma selenium level before diagnosis and the risk of prostate cancer development. *J Urol*. 2001 Dec;166(6):2034-8.

Brown TT, Zelnik DL et al. Fish oil supplementation in the treatment of cachexia in pancreatic cancer patients. *Int J Gastrointest Cancer*. 2003;34(2-3):143-50.

Bruera E, Sala R et al. Effects of parenteral hydration in terminally ill cancer patients: a preliminary study. *J Clin Oncol*. 2005 Apr 1;23(10):2366-71.

Bruera E, Strasser F et al. Effect of fish oil on appetite and other symptoms in patients with advanced cancer and anorexia/cachexia: a double-blind, placebo-controlled study. *J Clin Oncol*. 2003 Jan 1;21(1):129-34.

Bruns F, Micke O et al. Current status of selenium and other treatments for secondary lymphedema. *J Support Oncol*. 2003 Jul;1(2):121-30.

Burnett AL. Erectile dysfunction following radical prostatectomy. *JAMA*. 2005 Jun 1;293(21):2648-53.

Burns CP, Halabi S et al. Phase II study of high-dose fish oil capsules for patients with cancer-related cachexia. *Cancer*. 2004 Jul 15;101(2):370-8.

Campbell JK, Canene-Adams K et al. Tomato phytochemicals and prostate cancer risk. *J Nutr*. 2004 Dec;134(12 Suppl):3486S-92S.

Campbell MJ, Scott J et al. Immune dysfunction and micrometastases in women with breast cancer. *Breast Cancer Res Treat*. 2005 May;91(2):163-71.

Capra S, Ferguson M et al. Cancer: impact of nutrition intervention outcome--nutrition issues for patients. *Nutrition*. 2001 Sep;17(9):769-72.

Cassileth BR, Vickers AJ. Massage therapy for symptom control: outcome study at a major cancer center. *J Pain Symptom Manage*. 2004 Sep;28(3):244-9.

Chen TC, Holick MF. Vitamin D and prostate cancer prevention and treatment. *Trends Endocrinol Metab*. 2003 Nov;14(9):423-30.

Cheville AL. Cancer rehabilitation. *Semin Oncol*. 2005 Apr;32(2):219-24.

Christie W, Moore C. The impact of humor on patients with cancer. *Clin J Oncol Nurs*. 2005 Apr;9(2):211-8.

Christopoulou A. Chemotherapy in metastatic colorectal cancer. *Tech Coloproctol*. 2004 Nov;8 Suppl 1:s43-s46.

Clark LC, Combs GF, Jr. et al. Effects of selenium supplementation for cancer prevention in patients with carcinoma of the skin. A randomized controlled trial. Nutritional Prevention of Cancer Study Group. *JAMA*. 1996 Dec 25;276(24):1957-63.

Clarke N, Germain P et al. Retinoids: potential in cancer prevention and therapy. *Expert Rev Mol Med*. 2004 Nov 30;6(25):1-23.

Cohen AJ, Menter A et al. Acupuncture: Role in Comprehensive Cancer Care--A Primer for the Oncologist and Review of the Literature. *Integr Cancer Ther*. 2005 Jun;4(2):131-43.

Colasanto JM, Prasad P et al. Nutritional support of patients undergoing radiation therapy for head and neck cancer. *Oncology (Huntingt)*. 2005 Mar;19(3):371-9.

Coleman MP, Reiter RJ. Breast cancer, blindness and melatonin. *Eur J Cancer*. 1992;28(2-3):501-3.

Collins KB, Thomas DJ. Acupuncture and acupressure for the management of chemotherapy-induced nausea and vomiting. *J Am Acad Nurse Pract*. 2004 Feb;16(2):76-80.

Combs GF, Jr. Current evidence and research needs to support a health claim for selenium and cancer prevention. *J Nutr*. 2005 Feb;135(2):343-7.

Cooper R, Morre DJ et al. Medicinal benefits of green tea: part I. Review of noncancer health benefits. *J Altern Complement Med*. 2005 Jun;11(3):521-8.

Cruciani RA, Dvorkin E et al. L-carnitine supplementation for the treatment of fatigue and depressed mood in cancer patients with carnitine deficiency: a preliminary analysis. *Ann N Y Acad Sci*. 2004 Nov;1033:168-76.

D'Agostini F, Bagnasco M et al. Inhibition by oral N-acetylcysteine of doxorubicin-induced clastogenicity and alopecia, and prevention of primary tumors and lung micrometastases in mice. *Int J Oncol*. 1998 Aug;13(2):217-24.

D'Andrea GM. Use of antioxidants during chemotherapy and radiotherapy should be avoided. *CA Cancer J Clin*. 2005 Sep-Oct;55(5):319-21. Review.

Dalal S, Bruera E. Dehydration in cancer patients: to treat or not to treat. *J Support Oncol*. 2004 Nov;2(6):467-79, 483.

Daniele B, Perrone F et al. Oral glutamine in the prevention of fluorouracil induced intestinal toxicity: a double blind, placebo controlled, randomised trial. *Gut*. 2001 Jan;48(1):28-33.

Das S. Garlic - a natural source of cancer preventive compounds. *Asian Pac J Cancer Prev*. 2002;3(4):305-11.

De Leonardis V, Neri B, et al. Reduction of cardiac toxicity of anthracyclines by L-carnitine: preliminary overview of clinical data. *Int J Clin Pharmacol Res*. 1985;5(2):137-42.

Deng G, Cassileth BR. Integrative oncology: complementary therapies for pain, anxiety, and mood disturbance. *CA Cancer J Clin*. 2005 Mar;55(2):109-16.

Deng G, Cassileth BR et al. Complementary therapies for cancer-related symptoms. *J Support Oncol*. 2004 Sep;2(5):419-26.

Dimeo FC, Thomas F et al. Effect of aerobic exercise and relaxation training on fatigue and physical performance of cancer patients after surgery. A randomised controlled trial. *Support Care Cancer*. 2004 Nov;12(11):774-9.

Dorai T, Dutcher JP et al. Therapeutic potential of curcumin in prostate cancer--V: Interference with the osteomimetic properties of hormone refractory C4-2B prostate cancer cells. *Prostate*. 2004 Jun 15;60(1):1-17.

Dorai T, Gehani N et al. Therapeutic potential of curcumin in human prostate cancer-I. curcumin induces apoptosis in both androgen-dependent and androgen-independent prostate cancer cells. *Prostate Cancer Prostatic Dis*. 2000 Aug;3(2):84-93.

Doss MX, Potta SP et al. Trapping of growth factors by catechins: a possible therapeutic target for prevention of proliferative diseases. *J Nutr Biochem*. 2005 May;16(5):259-66.

Drisko JA, Chapman J, et al. The use of antioxidant therapies during chemotherapy. *Gynecol Oncol*. 2003 Mar;88(3):434-9. Review.

Duffield-Lillico AJ, Slate EH et al. Selenium supplementation and secondary prevention of nonmelanoma skin cancer in a randomized trial. *J Natl Cancer Inst*. 2003 Oct 1b;95(19):1477-81.

Dulak J. Nutraceuticals as anti-angiogenic agents: hopes and reality. *J Physiol Pharmacol*. 2005 Mar;56 Suppl 1:51-69.

Elkins G, Marcus J et al. Can hypnosis reduce hot flashes in breast cancer survivors? A literature review. *Am J Clin Hypn*. 2004 Jul;47(1):29-42.

Ettinger DS. Non-small cell lung cancer treatment-related bone marrow toxicities. *Semin Oncol*. 2005 Apr;32(2 Suppl 3):81-5.

Farreras N, Artigas V et al. Effect of early postoperative enteral immunonutrition on wound healing in patients undergoing surgery for gastric cancer. *Clin Nutr*. 2005 Feb;24(1):55-65.

Fearon KC, Von Meyenfeldt MF et al. Effect of a protein and energy dense N-3 fatty acid enriched oral supplement on loss of weight and lean tissue in cancer cachexia: a randomised double blind trial. *Gut*. 2003 Oct;52(10):1479-86.

Felder BE. Hope and coping in patients with cancer diagnoses. *Cancer Nurs*. 2004 Jul;27(4):320-4.

Fellowes D, Barnes K et al. Aromatherapy and massage for symptom relief in patients with cancer. *Cochrane Database Syst Rev*. 2004;(2):CD002287.

Feychting M, Osterlund B et al. Reduced cancer incidence among the blind. *Epidemiology*. 1998 Sep;9(5):490-4.

Fialka-Moser V, Crevenna R et al. Cancer rehabilitation: particularly with aspects on physical impairments. *J Rehabil Med*. 2003 Jul;35(4):153-62.

Fleischauer AT, Simonsen N et al. Antioxidant supplements and risk of breast cancer recurrence and breast cancer-related mortality among postmenopausal women. *Nutr Cancer*. 2003;46(1):15-22.

Fleshner N, Al AR. Prostate cancer: chemoprevention update 2005. *Can J Urol*. 2005 Jun;12(3 Suppl):2-4.

Flood A, Peters U et al. Calcium from diet and supplements is associated with reduced risk of colorectal cancer in a prospective cohort of women. *Cancer Epidemiol Biomarkers Prev*. 2005 Jan;14(1):126-32.

Fujiki H. Green tea: Health benefits as cancer preventive for humans. *Chem Rec*. 2005;5(3):119-32.

Furness MS, Robinson TP et al. Antiangiogenic agents: studies on fumagillin and curcumin analogs. *Curr Pharm Des*. 2005;11(3):357-73.

Gan TJ, Jiao KR et al. A randomized controlled comparison of electro-acupoint stimulation or ondansetron versus placebo for the prevention of postoperative nausea and vomiting. *Anesth Analg*. 2004 Oct;99(4):1070-5, table.

Gao Y, Zhou S et al. Effects of ganopoly (a *Ganoderma lucidum* polysaccharide extract) on the immune functions in advanced-stage cancer patients. *Immunol Invest*. 2003 Aug;32(3):201-15.

Garami M, Schuler D et al. Fermented wheat germ extract reduces chemotherapy-induced febrile neutropenia in pediatric cancer patients. *J Pediatr Hematol Oncol*. 2004 Oct;26(10):631-5.

Giraud P, Cosset JM. [Radiation toxicity to the heart: physiopathology and clinical data]. *Bull Cancer*. 2004 Nov 1;91 Suppl 3:147-53.

Guo Y, Palmer JL et al. Nutritional status of cancer patients and its relationship to function in an inpatient rehabilitation setting. *Support Care Cancer*. 2005 Mar;13(3):169-75.

Guyton KZ, Kensler TW et al. Vitamin D and vitamin D analogs as cancer chemopreventive agents. *Nutr Rev*. 2003 Jul;61(7):227-

Habu D, Shiomi S et al. Role of vitamin K2 in the development of hepatocellular carcinoma in women with viral cirrhosis of the liver. *JAMA*. 2004 Jul 21;292(3):358-61.

Hann D, Baker F et al. Long-term breast cancer survivors' use of complementary therapies: perceived impact on recovery and prevention of recurrence. *Integr Cancer Ther*. 2005 Mar;4(1):14-20.

Hassan ZM, Yaraee R et al. Immunomodulatory affect of R10 fraction of garlic extract on natural killer activity. *Int Immunopharmacol*. 2003 Oct;3(10-11):1483-9.

Hehr T, Hoffmann W et al. [Role of sodium selenite as an adjuvant in radiotherapy of rectal carcinoma]. *Med Klin (Munich)*. 1997 Sep 15;92 Suppl 3:48-9.

Helzlsouer KJ, Huang HY et al. Association between alpha-tocopherol, gamma-tocopherol, selenium, and subsequent prostate cancer. *J Natl Cancer Inst*. 2000 Dec 20;92(24):2018-23.

Hercberg S, Galan P et al. The SU.VI.MAX Study: a randomized, placebo-controlled trial of the health effects of antioxidant vitamins and minerals. *Arch Intern Med*. 2004 Nov 22;164(21):2335-42.

Hernandez-Reif M, Field T et al. Natural killer cells and lymphocytes increase in women with breast cancer following massage therapy. *Int J Neurosci*. 2005 Apr;115(4):495-510.

Hernandez-Reif M, Ironson G et al. Breast cancer patients have improved immune and neuroendocrine functions following massage therapy. *J Psychosom Res*. 2004 Jul;57(1):45-52.

Hidderley M, Holt M. A pilot randomized trial assessing the effects of autogenic training in early stage cancer patients in relation to psychological status and immune system responses. *Eur J Oncol Nurs*. 2004 Mar;8(1):61-5.

Hoda D, Jatoi A et al. Should patients with advanced, incurable cancers ever be sent home with total parenteral nutrition? A single institution's 20-year experience. *Cancer*. 2005 Feb 15;103(4):863-8.

Holick MF. Sunlight and vitamin D for bone health and prevention of autoimmune diseases, cancers, and cardiovascular disease. *Am J Clin Nutr*. 2004 Dec;80(6 Suppl):1678S-1688S.

Hsing AW, Chokkalingam AP et al. Allium vegetables and risk of prostate cancer: a population-based study. *J Natl Cancer Inst*. 2002 Nov 6;94(21):1648-51.

Hughes AM, Armstrong BK et al. Sun exposure may protect against non-Hodgkin lymphoma: a case-control study. *Int J Cancer*. 2004 Dec 10;112(5):865-71.

Huncharek M, Klassen H et al. Dietary beta-carotene intake and the risk of epithelial ovarian cancer: a meta-analysis of 3,782 subjects from five observational studies. *In Vivo*. 2001 Jul;15(4):339-43.

Hyltander A, Bosaeus I et al. Supportive nutrition on recovery of metabolism, nutritional state, health-related quality of life, and exercise capacity after major surgery: a randomized study. *Clin Gastroenterol Hepatol*. 2005 May;3(5):466-74.

Iarussi D, Auricchio U, et al. Protective effect of coenzyme Q10 on anthracyclines cardiotoxicity: control study in children with acute lymphoblastic leukemia and non-Hodgkin lymphoma. *Mol Aspects Med*. 1994;15 Suppl:s207-s212.

Inano H, Onoda M et al. Potent preventive action of curcumin on radiation-induced initiation of mammary tumorigenesis in rats. *Carcinogenesis*. 2000 Oct;21(10):1835-41.

Incrocci L, Hop WC et al. [Favorable effect of sildenafil on erectile dysfunction in patients after radiotherapy for prostate cancer; randomised, double-blind, placebo-controlled crossover study]. *Ned Tijdschr Geneesk*. 2003b Aug 30;147(35):1687-90.

Incrocci L, Hop WC et al. Efficacy of sildenafil in an open-label study as a continuation of a double-blind study in the treatment of erectile dysfunction after radiotherapy for prostate cancer. *Urology*. 2003a Jul;62(1):116-20.

Isobe T, Herbst RS et al. Current management of advanced non-small cell lung cancer: targeted therapy. *Semin Oncol*. 2005

Ito T, Kawahara K et al. The effects of ArginMax, a natural dietary supplement for enhancement of male sexual function. *Hawaii Med J.* 1998 Dec;57(12):741-4.

Ito TY, Trant AS et al. A double-blind placebo-controlled study of ArginMax, a nutritional supplement for enhancement of female sexual function. *J Sex Marital Ther.* 2001 Oct;27(5):541-9.

Jacobs EJ, Henion AK et al. Vitamin C and vitamin E supplement use and bladder cancer mortality in a large cohort of US men and women. *Am J Epidemiol.* 2002 Dec 1;156(11):1002-10.

Jatoi A, Daly BD et al. A cross-sectional study of vitamin intake in postoperative non-small cell lung cancer patients. *J Surg Oncol.* 1998 Aug;68(4):231-6.

Jatoi A, Williams B et al. Is voluntary vitamin and mineral supplementation associated with better outcome in non-small cell lung cancer patients? Results from the Mayo Clinic lung cancer cohort. *Lung Cancer.* 2005a Jul;49(1):77-84.

Jatoi A, Williams BA et al. Exploring vitamin and mineral supplementation and purported clinical effects in patients with small cell lung cancer: results from the Mayo Clinic lung cancer cohort. *Nutr Cancer.* 2005b;51(1):7-12.

Jayne DG, Brown JM et al. Bladder and sexual function following resection for rectal cancer in a randomized clinical trial of laparoscopic versus open technique. *Br J Surg.* 2005 Jul 4.

Jian L, Du CJ et al. Do dietary lycopene and other carotenoids protect against prostate cancer? *Int J Cancer.* 2005 Mar 1;113(6):1010-4.

Johnstone PA, Polston GR et al. Integration of acupuncture into the oncology clinic. *Palliat Med.* 2002 May;16(3):235-9.

Jones LW, Courneya KS et al. Association between exercise and quality of life in multiple myeloma cancer survivors. *Support Care Cancer.* 2004 Nov;12(11):780-8.

Jung YD, Ellis LM. Inhibition of tumour invasion and angiogenesis by epigallocatechin gallate (EGCG), a major component of green tea. *Int J Exp Pathol.* 2001 Dec;82(6):309-16.

Kendall AR, Mahue-Giangreco M et al. Influence of exercise activity on quality of life in long-term breast cancer survivors. *Qual Life Res.* 2005 Mar;14(2):361-71.

Khanum F, Anilakumar KR et al. Anticarcinogenic properties of garlic: a review. *Crit Rev Food Sci Nutr.* 2004;44(6):479-88.

Khera P, Koo JY. A review of the chemopreventive and chemotherapeutic effects of topical and oral retinoids for both cutaneous and internal neoplasms. *J Drugs Dermatol.* 2005 Jul;4(4):432-46.

Kim SD, Kim HS. Effects of a relaxation breathing exercise on fatigue in haemopoietic stem cell transplantation patients. *J Clin Nurs.* 2005 Jan;14(1):51-5.

Kimlin MG, Schallhorn KA. Estimations of the human 'vitamin D' UV exposure in the USA. *Photochem Photobiol Sci.* 2004 Nov;3(11-12):1067-70.

Klein J, Griffiths P. Acupressure for nausea and vomiting in cancer patients receiving chemotherapy. *Br J Community Nurs.* 2004 Sep;9(9):383-8.

Kodama N, Komuta K, et al. Can maitake MD-fraction aid cancer patients? *Altern Med Rev.* 2002 Jun;7(3):236-9. Review.

Kohara H, Miyauchi T et al. Combined modality treatment of aromatherapy, footsoak, and reflexology relieves fatigue in patients with cancer. *J Palliat Med.* 2004 Dec;7(6):791-6.

Komaki R, Lee JS et al. Randomized phase III study of chemoradiation with or without amifostine for patients with favorable performance status inoperable stage II-III non-small cell lung cancer: preliminary results. *Semin Radiat Oncol.* 2002 Jan;12(1 Suppl 1):46-9.

- Kreienberg R. [Therapy of anthracycline metastatic breast carcinoma]. *Schweiz Rundsch Med Prax.* 1998 Apr 22;87(17):573-7.
- Kucuk O, Sarkar FH et al. Effects of lycopene supplementation in patients with localized prostate cancer. *Exp Biol Med (Maywood)*. 2002 Nov;227(10):881-5.
- Labriola D, Livingston R. Possible interactions between dietary antioxidants and chemotherapy. *Oncology (Williston Park)*. 1999 Jul;13(7):1003-8.
- Lamm DL, Riggs DR et al. Megadose vitamins in bladder cancer: a double-blind clinical trial. *J Urol.* 1994 Jan;151(1):21-6.
- Lamson DW, Plaza SM. The anticancer effects of vitamin K. *Altern Med Rev.* 2003 Aug;8(3):303-18.
- Lau BH, Lau EW. Kyo-Green improves sexual dysfunction in men and women. *Med Sci Monit.* 2003 Feb;9(2):112-118.
- Lebret T, Herve JM et al. Efficacy and safety of a novel combination of L-arginine glutamate and yohimbine hydrochloride: a new oral therapy for erectile dysfunction. *Eur Urol.* 2002 Jun;41(6):608-13.
- Lesperance ML, Olivotto IA et al. Mega-dose vitamins and minerals in the treatment of non-metastatic breast cancer: an historical cohort study. *Breast Cancer Res Treat.* 2002 Nov;76(2):137-43.
- Levitsky J, Hong JJ et al. Oral vitamin a therapy for a patient with a severely symptomatic postradiation anal ulceration: report of a case. *Dis Colon Rectum.* 2003 May;46(5):679-82.
- Li H, Li HQ et al. An intervention study to prevent gastric cancer by micro-selenium and large dose of allitridum. *Chin Med J (Engl)*. 2004 Aug;117(8):1155-60.
- Lippman SM, Goodman PJ et al. Designing the Selenium and Vitamin E Cancer Prevention Trial (SELECT). *J Natl Cancer Inst.* 2005 Jan 19;97(2):94-102.
- Lissoni P. Modulation of anticancer cytokines IL-2 and IL-12 by melatonin and the other pineal indoles 5-methoxytryptamine and 5-methoxytryptophol in the treatment of human neoplasms. *Ann N Y Acad Sci.* 2000;917:560-7.
- Lissoni P, Chilelli M et al. Five years survival in metastatic non-small cell lung cancer patients treated with chemotherapy alone or chemotherapy and melatonin: a randomized trial. *J Pineal Res.* 2003 Aug;35(1):12-5.
- Lissoni P, Malugani F et al. Neuroimmunotherapy of untreatable metastatic solid tumors with subcutaneous low-dose interleukin-2, melatonin and naltrexone: modulation of interleukin-2-induced antitumor immunity by blocking the opioid system. *Neuro Endocrinol Lett.* 2002 Aug;23(4):341-4.
- Loffler TM, Korsten FW et al. [Fluorouracil as monotherapy or combined with folinic acid in the treatment of metastasizing colorectal carcinoma]. *Dtsch Med Wochenschr.* 1992 Jun 26;117(26):1007-13.
- Majsterek I, Gloc E et al. A comparison of the action of amifostine and melatonin on DNA-damaging effects and apoptosis induced by idarubicin in normal and cancer cells. *J Pineal Res.* 2005 May;38(4):254-63.
- Malafa MP, Fokum FD et al. Vitamin E inhibits melanoma growth in mice. *Surgery.* 2002a Jan;131(1):85-91.
- Malafa MP, Fokum FD et al. Inhibition of angiogenesis and promotion of melanoma dormancy by vitamin E succinate. *Ann Surg Oncol.* 2002b Dec;9(10):1023-32.
- Malmberg KJ, Lenkei R et al. A short-term dietary supplementation of high doses of vitamin E increases T helper 1 cytokine production in patients with advanced colorectal cancer. *Clin Cancer Res.* 2002 Jun;8(6):1772-8.
- Manusirivithaya S, Sripramote M et al. Antiemetic effect of ginger in gynecologic oncology patients receiving cisplatin. *Int J Gynecol Cancer.* 2004 Nov;14(6):1063-9.
- Marcus J, Elkins G et al. The integration of hypnosis into a model of palliative care. *Integr Cancer Ther.* 2003 Dec;2(4):365-70.
- Mark SD, Qiao YL et al. Prospective study of serum selenium levels and incident esophageal and gastric cancers. *J Natl Cancer*

Marsit CJ, Karagas MR et al. Carcinogen exposure and gene promoter hypermethylation in bladder cancer. *Carcinogenesis*. 2005 Jun 29.

Martinez ME, Henning SM et al. Folate and colorectal neoplasia: relation between plasma and dietary markers of folate and adenoma recurrence. *Am J Clin Nutr*. 2004 Apr;79(4):691-7.

McKinlay AW. Nutritional support in patients with advanced cancer: permission to fall out? *Proc Nutr Soc*. 2004 Aug;63(3):431-5.

McNeely ML, Magee DJ et al. The addition of manual lymph drainage to compression therapy for breast cancer related lymphedema: a randomized controlled trial. *Breast Cancer Res Treat*. 2004 Jul;86(2):95-106.

Mego M, Ebringer L et al. Prevention of febrile neutropenia in cancer patients by probiotic strain *Enterococcus faecium* M-74. Pilot study phase I. *Neoplasma*. 2005;52(2):159-64.

Mehta MP. Protection of normal tissues from the cytotoxic effects of radiation therapy: focus on amifostine. *Semin Radiat Oncol*. 1998 Oct;8(4 Suppl 1):14-6.

Meyer F, Galan P et al. Antioxidant vitamin and mineral supplementation and prostate cancer prevention in the SU.VI.MAX trial. *Int J Cancer*. 2005 Aug 20;116(2):182-6.

Mock V, Frangakis C et al. Exercise manages fatigue during breast cancer treatment: A randomized controlled trial. *Psychooncology*. 2005 Jun;14(6):464-77.

Molassiotis A, Fernandez-Ortega P et al. Use of complementary and alternative medicine in cancer patients: a European survey. *Ann Oncol*. 2005 Apr;16(4):655-63.

Molina JR, Barton DL et al. Chemotherapy-induced ovarian failure: manifestations and management. *Drug Saf*. 2005;28(5):401-16.

Mooney LA, Madsen AM et al. Antioxidant vitamin supplementation reduces benzo(a)pyrene-DNA adducts and potential cancer risk in female smokers. *Cancer Epidemiol Biomarkers Prev*. 2005 Jan;14(1):237-42.

Mori K, Kondo T et al. Preventive effect of Kampo medicine (Hangeshashin-to) against irinotecan-induced diarrhea in advanced non-small-cell lung cancer. *Cancer Chemother Pharmacol*. 2003 May;51(5):403-6.

Morita T, Hyodo I et al. Association between hydration volume and symptoms in terminally ill cancer patients with abdominal malignancies. *Ann Oncol*. 2005 Apr;16(4):640-7.

Morita T, Shima Y et al. Physician- and nurse-reported effects of intravenous hydration therapy on symptoms of terminally ill patients with cancer. *J Palliat Med*. 2004 Oct;7(5):683-93.

Mortimer PS. Therapy approaches for lymphedema. *Angiology*. 1997 Jan;48(1):87-91.

Moskovitz DN, Kim YI. Does perioperative immunonutrition reduce postoperative complications in patients with gastrointestinal cancer undergoing operations? *Nutr Rev*. 2004 Nov;62(11):443-7.

Moss RW. Should patients undergoing chemotherapy and radiotherapy be prescribed antioxidants? *Integr Cancer Ther*. 2006 Mar;5(1):63-82.

Munden RF, Erasmus JJ et al. Radiation injury to the liver after intensity-modulated radiation therapy in patients with mesothelioma: an unusual CT appearance. *AJR Am J Roentgenol*. 2005 Apr;184(4):1091-5.

Mustian KM, Katula JA et al. Tai Chi Chuan, health-related quality of life and self-esteem: a randomized trial with breast cancer survivors. *Support Care Cancer*. 2004 Dec;12(12):871-6.

Nair S, Norkus EP et al. Serum and colon mucosa micronutrient antioxidants: differences between adenomatous polyp patients and controls. *Am J Gastroenterol*. 2001 Dec;96(12):3400-5.

Narayan S. Curcumin, a multi-functional chemopreventive agent, blocks growth of colon cancer cells by targeting beta-catenin-

mediated transactivation and cell-cell adhesion pathways. *J Mol Histol.* 2004 Mar;35(3):301-7.

Neri B, de L, V et al. Melatonin as biological response modifier in cancer patients. *Anticancer Res.* 1998 Mar;18(2B):1329-32.

Nkondjock A, Ghadirian P et al. Dietary intake of lycopene is associated with reduced pancreatic cancer risk. *J Nutr.* 2005 Mar;135(3):592-7.

Ohara-Hirano Y, Kaku T et al. Uterine cervical cancer: a holistic approach to mental health and it's socio-psychological implications. *Fukuoka Igaku Zasshi.* 2004 Aug;95(8):183-94.

Olver I, Keefe D et al. A phase I study of prolonged ambulatory infusion of Ifosfamide with oral mesna. *Chemotherapy.* 2005 May;51(2-3):142-6.

Oommen S, Anto RJ et al. Allicin (from garlic) induces caspase-mediated apoptosis in cancer cells. *Eur J Pharmacol.* 2004 Feb 6;485(1-3):97-103.

Ostoros G, Kovacs G et al. [New therapies for non-small cell lung cancer]. *Orv Hetil.* 2005 May 22;146(21):1135-41.

Pace A, Savarese A et al. Neuroprotective effect of vitamin E supplementation in patients treated with cisplatin chemotherapy. *J Clin Oncol.* 2003 Mar 1;21(5):927-31.

Pandey M, Thomas BC. Rehabilitation of cancer patients. *J Postgrad Med.* 2001 Jan;47(1):62-5.

Park CH. Vitamin C in leukemia and preleukemia cell growth. *Prog Clin Biol Res.* 1988;259:321-30.

Pathak AK, Bhutani M et al. Chemotherapy alone vs. chemotherapy plus high dose multiple antioxidants in patients with advanced non small cell lung cancer. *J Am Coll Nutr.* 2005 Feb;24(1):16-21.

Patya M, Zahalka MA et al. Allicin stimulates lymphocytes and elicits an antitumor effect: a possible role of p21ras. *Int Immunol.* 2004 Feb;16(2):275-81.

Polycarpe E, Arnould L et al. Low urine osmolarity as a determinant of cisplatin-induced nephrotoxicity. *Int J Cancer.* 2004 Aug 10;111(1):131-7.

Portakal O, Ozkaya O, et al. Coenzyme Q10 concentrations and antioxidant status in tissues of breast cancer patients. *Clin Biochem.* 2000 Jun;33(4):279-84.

Prasad KN, Kumar R. Effect of individual and multiple antioxidant vitamins on growth and morphology of human nontumorigenic and tumorigenic parotid acinar cells in culture. *Nutr Cancer.* 1996;26(1):11-9.

Ravasco P, Monteiro-Grillo I et al. Impact of nutrition on outcome: A prospective randomized controlled trial in patients with head and neck cancer undergoing radiotherapy. *Head Neck.* 2005a Aug;27(8):659-68.

Ravasco P, Monteiro-Grillo I et al. Dietary counseling improves patient outcomes: a prospective, randomized, controlled trial in colorectal cancer patients undergoing radiotherapy. *J Clin Oncol.* 2005b Mar 1;23(7):1431-8.

Ravindranath MH, Muthugounder S et al. Anticancer therapeutic potential of soy isoflavone, genistein. *Adv Exp Med Biol.* 2004;546:121-65.

Read JA, Clarke SJ et al. Nutritional and anti-inflammatory strategies in the treatment of advanced colorectal cancer - a pilot study. *Asia Pac J Clin Nutr.* 2004;13(Suppl):S93.

Sainz RM, Mayo JC et al. Melatonin reduces prostate cancer cell growth leading to neuroendocrine differentiation via a receptor and PKA independent mechanism. *Prostate.* 2005 Apr 1;63(1):29-43.

Saltz LB. Understanding and managing chemotherapy-induced diarrhea. *J Support Oncol.* 2003 May;1(1):35-46.

Samuels N. [Acupuncture for cancer patients: why not?]. *Harefuah.* 2002 Jul;141(7):608-10, 666.

Sandler RS. Calcium supplements to prevent colorectal adenomas. *Am J Gastroenterol.* 2005 Feb;100(2):395-6.

Santiago-Palma J, Payne R. Palliative care and rehabilitation. *Cancer*. 2001 Aug 15;92(4 Suppl):1049-52.

Savarese DM, Savy G et al. Prevention of chemotherapy and radiation toxicity with glutamine. *Cancer Treat Rev*. 2003 Dec;29(6):501-13.

Schabath MB, Grossman HB et al. Dietary carotenoids and genetic instability modify bladder cancer risk. *J Nutr*. 2004 Dec;134(12):3362-9.

Schwartz GN, Pendyala L et al. The clinical development of paclitaxel and the paclitaxel/carboplatin combination. *Eur J Cancer*. 1998 Sep;34(10):1543-8.

Seely D, Mills EJ et al. The Effects of Green Tea Consumption on Incidence of Breast Cancer and Recurrence of Breast Cancer: A Systematic Review and Meta-analysis. *Integr Cancer Ther*. 2005 Jun;4(2):144-55.

Sengupta A, Ghosh S et al. Allium vegetables in cancer prevention: an overview. *Asian Pac J Cancer Prev*. 2004 Jul;5(3):237-45.

Shannahoff-Khalsa DS. Patient perspectives: Kundalini yoga meditation techniques for psycho-oncology and as potential therapies for cancer. *Integr Cancer Ther*. 2005 Mar;4(1):87-100.

Sharma RA, Euden SA et al. Phase I clinical trial of oral curcumin: biomarkers of systemic activity and compliance. *Clin Cancer Res*. 2004 Oct 15;10(20):6847-54.

Sharma SS, Gupta YK. Reversal of cisplatin-induced delay in gastric emptying in rats by ginger (*Zingiber officinale*). *J Ethnopharmacol*. 1998 Aug;62(1):49-55.

Shaukat A, Scouras N et al. Role of supplemental calcium in the recurrence of colorectal adenomas: a metaanalysis of randomized controlled trials. *Am J Gastroenterol*. 2005 Feb;100(2):390-4.

Shen H, Wei Q et al. Dietary folate intake and lung cancer risk in former smokers: a case-control analysis. *Cancer Epidemiol Biomarkers Prev*. 2003 Oct;12(10):980-6.

Shin YH, Kim TI et al. Effect of acupuncture on nausea and vomiting during chemotherapy cycle for Korean postoperative stomach cancer patients. *Cancer Nurs*. 2004 Jul;27(4):267-74.

Shiu SY, Law IC et al. Melatonin slowed the early biochemical progression of hormone-refractory prostate cancer in a patient whose prostate tumor tissue expressed MT1 receptor subtype. *J Pineal Res*. 2003 Oct;35(3):177-82.

Singh RP, Agarwal R. A cancer chemopreventive agent silibinin, targets mitogenic and survival signaling in prostate cancer. *Mutat Res*. 2004 Nov 2;555(1-2):21-32.

Slattery ML, Benson J et al. Carotenoids and colon cancer. *Am J Clin Nutr*. 2000 Feb;71(2):575-82.

Soden K, Vincent K et al. A randomized controlled trial of aromatherapy massage in a hospice setting. *Palliat Med*. 2004 Mar;18(2):87-92.

Song JX, Qing SH et al. Effect of parenteral nutrition with L-arginine supplementation on postoperative immune function in patients with colorectal cancer. *Di Yi Jun Yi Da Xue Xue Bao*. 2002 Jun;22(6):545-7.

Spencer A, Horvath N et al. Prospective randomised trial of amifostine cytoprotection in myeloma patients undergoing high-dose melphalan conditioned autologous stem cell transplantation. *Bone Marrow Transplant*. 2005 May;35(10):971-7.

Stalpers LJ, da Costa HC et al. Hypnotherapy in radiotherapy patients: a randomized trial. *Int J Radiat Oncol Biol Phys*. 2005 Feb 1;61(2):499-506.

Stevinson C, Lawlor DA et al. Exercise interventions for cancer patients: systematic review of controlled trials. *Cancer Causes Control*. 2004 Dec;15(10):1035-56.

Strohle A, Wolters M et al. Folic acid and colorectal cancer prevention: molecular mechanisms and epidemiological evidence (Review). *Int J Oncol*. 2005 Jun;26(6):1449-64.

Studzinski GP, Moore DC. Sunlight--can it prevent as well as cause cancer? *Cancer Res.* 1995 Sep 15;55(18):4014-22.

Suh SO, Kroh M et al. Effects of red ginseng upon postoperative immunity and survival in patients with stage III gastric cancer. *Am J Chin Med.* 2002;30(4):483-94.

Taixiang W, Munro AJ et al. Chinese medical herbs for chemotherapy side effects in colorectal cancer patients. *Cochrane Database Syst Rev.* 2005;(1):CD004540.

Takahashi K, Iwase M et al. The elevation of natural killer cell activity induced by laughter in a crossover designed study. *Int J Mol Med.* 2001 Dec;8(6):645-50.

Takai K, Okuno M et al. Prevention of second primary tumors by an acyclic retinoid in patients with hepatocellular carcinoma. Updated analysis of the long-term follow-up data. *Intervirology.* 2005 Jan;48(1):39-45.

Tallberg T, Uusitalo R et al. Improvement of the recurrence-free interval using biological adjuvant therapy in uveal melanoma. *Anticancer Res.* 2000 May;20(3B):1969-75.

Tanaka S, Haruma K et al. Effects of aged garlic extract (AGE) on colorectal adenomas: a double-blinded study. *Hiroshima J Med Sci.* 2004 Dec;53(3-4):39-45.

Tang Z, Sheng Z et al. [The preventing function of garlic on experimental oral precancer and its effect on natural killer cells, T-lymphocytes and interleukin-2]. *Hunan Yi Ke Da Xue Xue Bao.* 1997;22(3):246-8.

Thorsen L, Skovlund E et al. Effectiveness of physical activity on cardiorespiratory fitness and health-related quality of life in young and middle-aged cancer patients shortly after chemotherapy. *J Clin Oncol.* 2005 Apr 1;23(10):2378-88.

Tian J, Chen JS. Nutritional status and quality of life of the gastric cancer patients in Changle County of China. *World J Gastroenterol.* 2005 Mar 21;11(11):1582-6.

Tindle HA, Davis RB, et al. Trends in use of complementary and alternative medicine by US adults: 1997-2002. *Altern Ther Health Med.* 2005 Jan-Feb;11(1):42-9.

Toniolo P, Van Kappel AL et al. Serum carotenoids and breast cancer. *Am J Epidemiol.* 2001 Jun 15;153(12):1142-7.

Tsang KW, Lam CL, et al. *Coriolus versicolor* polysaccharide peptide slows progression of advanced non-small cell lung cancer. *Respir Med.* 2003 Jun;97(6):618-24.

Tsutsumi M, Ishikawa S et al. [PSA change and morbidity of prostate cancer after dietary intervention of low-fat and high-soybean-protein diet for patients with high serum PSA level]. *Hinyokika Kyo.* 2004 Dec;50(12):847-51.

Turner SL, Adams K et al. Sexual dysfunction after radical radiation therapy for prostate cancer: a prospective evaluation. *Urology.* 1999 Jul;54(1):124-9.

Usharani K, Roy RK et al. Nutritional status of cancer patients given different treatment modalities. *Int J Food Sci Nutr.* 2004 Aug;55(5):363-9.

Vadgama JV, Wu Y et al. Effect of selenium in combination with Adriamycin or Taxol on several different cancer cells. *Anticancer Res.* 2000 May;20(3A):1391-414.

Vantghem SA, Wilson SM et al. Dietary genistein reduces metastasis in a postsurgical orthotopic breast cancer model. *Cancer Res.* 2005 Apr 15;65(8):3396-403.

vis-Searles PR, Nakanishi Y et al. Milk thistle and prostate cancer: differential effects of pure flavonolignans from *Silybum marianum* on antiproliferative end points in human prostate carcinoma cells. *Cancer Res.* 2005 May 15;65(10):4448-57.

Vorotnikova E, Tries M et al. Retinoids and TIMP1 prevent radiation-induced apoptosis of capillary endothelial cells. *Radiat Res.* 2004 Feb;161(2):174-84.

Wattanapitayakul SK, Chularojmontri L et al. Screening of antioxidants from medicinal plants for cardioprotective effect against

doxorubicin toxicity. *Basic Clin Pharmacol Toxicol*. 2005 Jan;96(1):80-7.

Watts S, Edgar L. NuCare, a coping skills training intervention for oncology patients and families: participants' motivations and expectations. *Can Oncol Nurs J*. 2004;14(2):84-95.

Woodson K, Tangrea JA et al. Serum alpha-tocopherol and subsequent risk of lung cancer among male smokers. *J Natl Cancer Inst*. 1999 Oct 20;91(20):1738-43.

Woodson K, Triantos S et al. Long-term alpha-tocopherol supplementation is associated with lower serum vascular endothelial growth factor levels. *Anticancer Res*. 2002 Jan;22(1A):375-8.

Wright ME, Mayne ST et al. Development of a comprehensive dietary antioxidant index and application to lung cancer risk in a cohort of male smokers. *Am J Epidemiol*. 2004 Jul 1;160(1):68-76.

Xu B, Monsarrat B et al. Effect of ajoene, a natural antitumor small molecule, on human 20S proteasome activity in vitro and in human leukemic HL60 cells. *Fundam Clin Pharmacol*. 2004 Apr;18(2):171-80.

Yang CS, Liao J et al. Inhibition of lung tumorigenesis by tea. *Exp Lung Res*. 2005 Jan;31(1):135-44.

Yates JS, Mustian KM et al. Prevalence of complementary and alternative medicine use in cancer patients during treatment. *Support Care Cancer*. 2005 Feb 15.

Zhang M, Lee AH et al. Green tea consumption enhances survival of epithelial ovarian cancer. *Int J Cancer*. 2004 Nov 10;112(3):465-9.

Zhang SM. Role of vitamins in the risk, prevention, and treatment of breast cancer. *Curr Opin Obstet Gynecol*. 2004 Feb;16(1):19-25.

All Contents Copyright © 1995-2009 Life Extension Foundation All rights reserved.

LifeExtension[®]

These statements have not been evaluated by the FDA. These products are not intended to diagnose, treat, cure or prevent any disease. The information provided on this site is for informational purposes only and is not intended as a substitute for advice from your physician or other health care professional or any information contained on or in any product label or packaging. You should not use the information on this site for diagnosis or treatment of any health problem or for prescription of any medication or other treatment. You should consult with a healthcare professional before starting any diet, exercise or supplementation program, before taking any medication, or if you have or suspect you might have a health problem. You should not stop taking any medication without first consulting your physician.