

Immune System Strengthening

REFERENCES

- Alleva R, Tomasetti M, et al. The roles of coenzyme Q10 and vitamin E on the peroxidation of human low density lipoprotein subfractions. *Proc Natl Acad Sci U S A* . 1995 Sep 26;92(20):9388–91.
- Ames BN. DNA damage from micronutrient deficiencies is likely to be a major cause of cancer. *Mutat Res* . 2001 Apr 18;475(1–2):7–20.
- Appels A, Bar FW, et al. Inflammation, depressive symptomatology, and coronary artery disease. *Psychosom Med* . 2000 Sep;62(5):601–5.
- Arnetz BB, Brenner SO, et al. Neuroendocrine and immunologic effects of unemployment and job insecurity. *Psychother Psychosom* . 1991;55(2–4):76–80.
- Arthur JR. Selenium supplementation: does soil supplementation help and why? *Proc Nutr Soc* . 2003;62(2):393–7.
- Ashraf-Khorassani M, Taylor LT. Sequential fractionation of grape seeds into oils, polyphenols, and procyanidins via a single system employing CO₂-based fluids. *J Agric Food Chem* . 2004;52(9):2440–4.
- Bagchi D, Garg A, et al. Oxygen free radical scavenging abilities of vitamins C and E, and a grape seed proanthocyanidin extract in vitro. *Res Commun Mol Pathol Pharmacol* . 1997;95(2):179–89.
- Bagchi D, Garg A, et al. Protective effects of grape seed proanthocyanidins and selected antioxidants against TPA-induced hepatic and brain lipid peroxidation and DNA fragmentation, and peritoneal macrophage activation in mice. *Gen Pharmacol* . 1998;30(5):771–6.
- Baier JE, Neumann HA, et al. [Radiation protection through cytokine release by N-acetylcysteine]. *Strahlenther Onkol* . 1996;172(2):91–8.
- Beers MB. *Merck Manual of Diagnosis and Therapy* . Whitehouse Station , NJ : Merck & Co.; 2004.
- Boscarino JA, Chang J. Higher abnormal leukocyte and lymphocyte counts 20 years after exposure to severe stress: research and clinical implications. *Psychosom Med* . 1999 May;61(3):378–86.
- Bounous G. Whey protein concentrate (WPC) and glutathione modulation in cancer treatment. *Anticancer Res* . 2000;20(6C):4785–92.
- Bovenberg SA, van Uum SH, et al. Dehydroepiandrosterone administration in humans: evidence based? *Neth J Med*. 2005 Sep;63(8):300–4.
- Brussow H, Sidoti J, et al. Effect of malnutrition in Ecuadorian children on titers of serum antibodies to various microbial antigens. *Clin Diag Lab Immunol* . 1995;(2):62–8.
- Burgunder JM, Varriale A, et al. Effect of N-acetylcysteine on plasma cysteine and glutathione following paracetamol administration. *Eur J Clin Pharmacol* . 1989;36(2):127–31.
- Bustamante J, Lodge JK, et al. Alpha-lipoic acid in liver metabolism and disease. *Free Radic Biol Med* . 1998;24(6):1023–39.
- Cai J, Nelson KC, et al. Oxidative damage and protection of the RPE. *Prog Retin Eye Res* . 2000;19(2):205–21.
- Calder PC. N-3 polyunsaturated fatty acids and cytokine production in health and disease. *Ann Nutr Metab* . 1997;41:203–34.
- Cantorna M, Nashold F, et al. Vitamin A deficiency results in a priming environment conducive for Th1 cell development. *Eur J*

Immunol . 1995;(25):1673–9.

Castell LM, Newsholme EA. Glutamine and the effects of exhaustive exercise upon the immune response. *Can J Physiol Pharmacol* . 1998;76(5):524–32.

Chen A, Zhang L, et al. The antioxidant (-)-epigallocatechin-3-gallate inhibits activated hepatic stellate cell growth and suppresses acetaldehyde-induced gene expression. *Biochem J* . 2002;368(Pt 3):695–704.

Chen CC, Parker CR Jr. Adrenal androgens and the immune system. *Semin Reprod Med* . 2004 Nov;22(4):369–77.

Cheshier JE, Ardestani-Kaboudanian S, et al. Immunomodulation by pycnogenol in retrovirus-infected or ethanol-fed mice. *Life Sci* . 1996;58(5):87–96.

Chiao JW, Chung F, et al. Modulation of growth of human prostate cancer cells by the N-acetylcysteine conjugate of phenethyl isothiocyanate. *Int J Oncol* . 2000;16(6):1215–9.

Conway PL, Gorbach SL, et al. Survival of lactic acid bacteria in the human stomach and adhesion to intestinal cells. *J Dairy Sci* . 1987;70(1):12.

Cunningham-Rundles S, McNeeley DF, et al. Mechanisms of nutrient modulation of the immune response. *J Allergy Clin Immunol* . 2005 Jun;115(6):1119–28; quiz 1129.

De Flora S. Detoxification of genotoxic compounds as a threshold mechanism limiting their carcinogenicity. *Toxicol Pathol* . 1984;12(4):337–43.

delaFuente M, Ferrandez M, et al. Immune function in aged women is improved by ingestion of vitamins C and E. *Can J Physiol Pharmacol* . 1998;(76):373–80.

Dentino AN, Pieper CF, et al. Association of interleukin-6 and other biologic variables with depression in older people living in the community. *J Am Geriatr Soc* . 1999 Jan;47(1):6–11.

Devlin T. *Textbook of Biochemistry with Clinical Correlates* . 5th ed. New York : Wiley-Liss; 2002.

Ershler WB, Keller ET. Age-associated increased interleukin-6 gene expression, late-life diseases, and frailty. *Annu Rev Med* . 2000;51:245–70.

Fitzgerald L. Exercise and the immune system. *Immunol Today* . 1988;(9):337–339.

Folkers K, Wolaniuk A. Research on coenzyme Q10 in clinical medicine and in immunomodulation. *Drugs Exp Clin Res* . 1985;11(8):539–45.

Fuchs J, Schofer H, et al. Studies on lipoate effects on blood redox state in human immunodeficiency virus infected patients. *Arzneimittelforschung* . 1993;43(12):1359–62.

Fuller R. Probiotics in human medicine. *Gut* . 1991;(32):439–42.

Grimble RF. Interaction between nutrients, pro-inflammatory cytokines and inflammation. *Clin Sci (Lond)* . 1996 Aug;91(2):121–30.

Grimble RF. Effect of antioxidative vitamins on immune function with clinical applications. *Int J Vitam Nutr Res* . 1997;67(5):312–20.

Grimble RF, Howell WM, et al. The ability of fish oil to suppress tumor necrosis factor alpha production by peripheral blood mononuclear cells in healthy men is associated with polymorphisms in genes that influence tumor necrosis factor alpha production. *Am J Clin Nutr* . 2002 Aug;76(2):454–9.

Guimont C, Marchall E, et al. Biologically active factors in bovine milk and dairy byproducts: influence on cell culture. *Crit Rev Food Sci Nutr* . 1997;37(4):393–410.

Ha E, Zemel MB. Functional properties of whey, whey components, and essential amino acids: mechanisms underlying health benefits for active people (review). *J Nutr Biochem* . 2003;14(5):251–8.

- Hamerman D. Toward an understanding of frailty. *Ann Intern Med* . 1999 Jun 1;130(11):945–50.
- Hammer F, Drescher DG, et al. Sex steroid metabolism in human peripheral blood mononuclear cells changes with aging. *J Clin Endocrinol Metab* 2005 Aug 9 [Epub ahead of print].
- Hasegawa N, Niimi N, et al. Vitamin C is one of the lipolytic substances in green tea. *Phytother Res* . 2002;16 Suppl 1:91–2.
- Hasegawa R, Takekida K, et al. [Inhibitory effect of green tea infusion of hepatotoxicity]. *Kokuritsu Iyakuhin Shokuhin Eisei Kenkyusho Hokoku* . 1998;(116):82–91.
- Ironson G, LaPerriere A, et al. Changes in immune and psychological measures as a function of anticipation and reaction to news of HIV-1 antibody status. *Psychosom Med* . 1990 May;52(3):247–70.
- Isolauri E, Sütas Y, et al. Probiotics: effects on immunity. *Am J Clin Nutr* . 2001;(73):444S–450S.
- Janeway CA, Travers P, et al. *Immunobiology: The Immune System in Health and Disease* . London , UK : Garland Publishing; 1999.
- Jenkins DJ, Kendall CW. Plant sterols, health claims and strategies to reduce cardiovascular disease risk. *J Am Coll Nutr* . 1999 Dec;18(6):559–62.
- Jenkins DJ, Kendall CW, et al. Effect of soy-based breakfast cereal on blood lipids and oxidized low-density lipoprotein. *Metabolism* . 2000 Nov;49(11):1496–1500.
- Jenkins DJ, Popovich DG, et al. Effect of a diet high in vegetables, fruit, and nuts on serum lipids. *Metabolism* . 1997 May;46(5):530–7.
- Jimenez-Lopez JM, Cederbaum AI. Green tea polyphenol epigallocatechin-3-gallate protects HepG2 cells against CYP2E1-dependent toxicity. *Free Radic Biol Med* . 2004;36(3):359–70.
- Johnson J, Griswold J, et al. Essential fatty acids influence survival in sepsis. *J Trauma* . 1993;35:128–31.
- Juretic A, Spagnoli G, et al. Glutamine requirements in the generation of lymphokine-activated killer cells. *Clin Nutr* . 1994;13:42.
- Kagan VE, Freisleben HJ, et al. Generation of probucol radicals and their reduction by ascorbate and dihydrolipoic acid in human low density lipoproteins. *Free Radic Res Commun* . 1991;15(5):265–76.
- Kagan VE, Shvedova A, et al. Dihydrolipoic acid—a universal antioxidant both in the membrane and in the aqueous phase: reduction of peroxy, ascorbyl and chromanoxyl radicals. *Biochem Pharmacol* . 1992;44(8):1637–49.
- Kaminogawa S, Nanno M. *Modulation of Immune Functions by Foods. Evidence-Based Complementary and Alternative Medicine* . 2004.
- Kaput J, Rodriguez RL. Nutritional genomics: the next frontier in the postgenomic era. *Physiol Genomics* . 2004 Jan 15;16(2):166–77.
- Kiecolt-Glaser JK, Fisher LD, et al. Marital quality, marital disruption, and immune function. *Psychosom Med* . 1987 Jan;49(1):13–34.
- Kiecolt-Glaser JK, Glaser R, et al. Marital conflict in older adults: endocrinological and immunological correlates. *Psychosom Med* . 1997 Jul;59(4):339–49.
- Kiecolt-Glaser JK, Kennedy S, et al. Marital discord and immunity in males. *Psychosom Med* . 1988 May;50(3):213–29.
- Kiecolt-Glaser JK, Malarkey WB, et al. Negative behavior during marital conflict is associated with immunological down-regulation. *Psychosom Med* . 1993 Sep;55(5):395–409.
- Kiecolt-Glaser J, McGuire L, et al. Psychoneuroimmunology and psychosomatic medicine: back to the future. *Psychosom Med* . 2000;(641):15–28.

- Koh KB, Lee BK. Reduced lymphocyte proliferation and interleukin-2 production in anxiety disorders. *Psychosom Med*. 1998 Jul;60(4):479–83.
- Kuppusamy UR, Dharmani M, et al. Antioxidant enzyme activities of human peripheral blood mononuclear cells exposed to trace elements. *Biol Trace Elem Res* . 2005 Jul;106(1):29–40.
- Lerman Y, Melamed S, et al. Association between burnout at work and leukocyte adhesiveness/aggregation. *Psychosom Med* . 1999 Nov;61(6):828–33.
- Li J, Kudsk K, et al. Effects of parenteral and enteral nutrition on gut-associated lymphoid tissue. *J Trauma* . 1995;39:44.
- Lin AM, Chyi BY, et al. The antioxidative property of green tea against iron-induced oxidative stress in rat brain. *Chin J Physiol* . 1998;41(4):189–94.
- Lotfy O, Saleh W, et al. A study of some changes of cell mediated immunity in protein energy malnutrition. *J Egypt Soc Parasitol* . 1998;28:413–28.
- Lutgendorf SK , Garand L, et al. Life stress, mood disturbance, and elevated interleukin-6 in healthy older women. *J Gerontol A Biol Sci Med Sci* . 1999 Sep;54(9):M434–M439.
- Maes M, Bosmans E, et al. Increased serum IL-6 and IL-1 receptor antagonist concentrations in major depression and treatment resistant depression. *Cytokine* . 1997 Nov;9(11):853–8.
- Maes M, Lin AH, et al. Elevated serum interleukin-6 (IL-6) and IL-6 receptor concentrations in posttraumatic stress disorder following accidental man-made traumatic events. *Biol Psychiatry* . 1999 Apr 1;45(7):833–9.
- Maes M, Song C, et al. The effects of psychological stress on humans: increased production of pro-inflammatory cytokines and a Th1-like response in stress-induced anxiety. *Cytokine* . 1998 Apr;10(4):313–8.
- Marshall K. Therapeutic applications of whey protein. *Altern Med Rev* . 2004;9(2):136–56.
- Marteau P, de Vrese M, et al. Protection from gastrointestinal diseases with the use of probiotics. *Am J Clin Nutr* . 2001; (73):430S–436S.
- Mathew C. Postgenomic technologies: hunting the genes for common disorders. *BMJ* . 2001;322:1031–4.
- McKenzie RC. Selenium, ultraviolet radiation and the skin. *Clin Exp Dermatol* . 2000;25(8):631–6.
- McKenzie RC, Rafferty TS, et al. Selenium: an essential element for immune function. *Immunol Today* . 1998;19(8):342–5.
- Moslen MT. *Free Radicals in Diagnostic Medicine* . New York : Plenum Press; 1994.
- Murray R, Granner K, et al. *Harper's Biochemistry* . 25th ed. Stamford , Conn : Appleton & Lange; 2000:349, 627–41, 766–7, 780–6.
- Nairn R. Immunology. In: Brooks G, Butel J et al, eds. *Jawetz, Melnick, & Adelberg's Medical Microbiology* . Stamford , Conn : Appleton & Lange; 2000:21(6).
- Newsholme E. Biochemical mechanisms to explain immunosuppression in well-trained and overtrained athletes. *Int J Sports Med* . 1994;15-S142.
- Nichol KL. Influenza vaccination in the elderly: impact on hospitalisation and mortality. *Drugs Aging* . 2005;22(6):495–515.
- Nishiya K, Horwitz DA. Contrasting effects of lactoferrin on human lymphocyte and monocyte natural killer activity and antibody-dependent cell-mediated cytotoxicity. *J Immunol* . 1982;129(6):2519–23.
- Osman E, Owen JS, et al. Review article: S-adenosyl-L-methionine—a new therapeutic agent in liver disease? *Aliment Pharmacol Ther* . 1993;7(1):21–8.

- Packer L, Tritschler HJ, et al. Neuroprotection by the metabolic antioxidant alpha-lipoic acid. *Free Radic Biol Med* . 1997;22(1-2):359-78.
- Packer L, Witt EH, et al. Alpha-lipoic acid as a biological antioxidant. *Free Radic Biol Med* . 1995;19(2):227-50.
- Papanicolaou DA, Wilder RL, et al. The pathophysiologic roles of interleukin-6 in human disease. *Ann Intern Med* . 1998 Jan 15;128(2):127-37.
- Pedersen BK, Toft AD. Effects of exercise on lymphocytes and cytokines. *Br J Sports Med* . 2000 Aug;34(4):246-51.
- Peng Q, Wei Z, et al. Pycnogenol inhibits tumor necrosis factor-alpha-induced nuclear factor kappa B activation and adhesion molecule expression in human vascular endothelial cells. *Cell Mol Life Sci* . 2000;57(5):834-41.
- Perrini S, Laviola L, Natalicchio A, Giorgino F. Associated hormonal declines in aging: DHEAS. *J Endocrinol Invest* . 2005;28(3 Suppl):85-93.
- Peters E, Goetzsche J, et al. Vitamin C supplementation reduces the incidence of post-race symptoms of upper-respiratory-tract infection in ultramarathon runners. *Am J Clin Nutr* 1993;57:170-4.
- Prasad AS. Effects of zinc deficiency on Th1 and Th2 cytokine shifts. *J Infect Dis* . 2000 Sep;182:S62-S68.
- Robins-Brown R, Levine M. The fate of ingested lactobacilli in the proximal small intestine. *Am J Clin Nutr* . 1981;34:514-19.
- Rohde T, MacLean D, et al. Glutamine, lymphocyte proliferation and cytokine production. *Scand J Immunol* . 1996;44:648-50.
- Rohde T, MacLean DA, et al. Effect of glutamine supplementation on changes in the immune system induced by repeated exercise. *Med Sci Sports Exerc* . 1998 Jun;30(6):856-62.
- Rohde T, Ullum H, et al. Effects of glutamine on the immune system: influence of muscular exercise and HIV infection. *J Appl Physiol* . 1995;79:146-50.
- Roth E. Regulatory potential of glutamine relation to glutathione metabolism. *Nutrition* . 2002;18:217-21.
- Rotruck JT, Pope AL, et al. Selenium: biochemical role as a component of glutathione peroxidase. *Science* . 1973;179(73):588-90.
- Saad F, Hoese CE, et al. Dehydroepiandrosterone treatment in the aging male—what should the urologist know? *Eur Urol* . 2005 Aug 29; [Epub ahead of print].
- Scholich H, Murphy ME, et al. Antioxidant activity of dihydrolipoate against microsomal lipid peroxidation and its dependence on alpha-tocopherol. *Biochim Biophys Acta* . 1989;1001(3):256-61.
- Schwager J, Schulze J. Modulation of interleukin production by ascorbic acid. *Vet Immunol Immunopathol* . 1998;64:45-57.
- Shephard RJ, Shek PN. Immunological hazards from nutritional imbalance in athletes. *Exerc Immunol Rev* . 1998;4:22-48.
- Steijns JM, van Hooijdonk AC. Occurrence, structure, biochemical properties and technological characteristics of lactoferrin. *Br J Nutr* . 2000;84 Suppl 1:11-7.
- Sundberg J, Oskarsson A. Transfer of ¹³⁷cesium via rat milk: reduction with ammonium ferric hexacyanoferrate. *Pharmacol Toxicol* . 1991;69(4):286-90.
- Taaffe DR, Harris TB, et al. Cross-sectional and prospective relationships of interleukin-6 and C-reactive protein with physical performance in elderly persons: MacArthur studies of successful aging. *J Gerontol A Biol Sci Med Sci* . 2000 Dec;55(12):M709-M715.
- Tanaka S, Akaishi E, et al. Zinc ions suppress mitogen-activated interleukin-2 production in Jurkat cells. *Biochem Biophys Res Commun* . 2005 Sep 16;335(1):162-7.
- Valenti G. Neuroendocrine hypothesis of aging: the role of corticoadrenal steroids. *J Endocrinol Invest* . 2004;27(6 Suppl):62-3.

Walzem RL, Dillard CJ, et al. Whey components: millennia of evolution create functionalities for mammalian nutrition: what we know and what we may be overlooking. *Crit Rev Food Sci Nutr* . 2002;42(4):353–75.

Watanabe A, Okada K, et al. Nutritional therapy of chronic hepatitis by whey protein (non-heated). *J Med* . 2000;31(5–6):283–302.

Wilmore DW. Catabolic illness: strategies for enhancing recovery. *N Engl J Med* . 1991;325:695–702.

Wilpart M, Speder A, et al. Anti-initiation activity of N-acetylcysteine in experimental colonic carcinogenesis. *Cancer Lett* . 1986;31(3):319–24.

Zenk JL, Kuskowski MA. Presented at meeting of FASEB, April 17, 2004.

Zhong Z, Froh M, et al. Polyphenols from *Camellia sinensis* attenuate experimental cholestasis-induced liver fibrosis in rats. *Am J Physiol Gastrointest Liver Physiol* . 2003;285(5):1004–13.

Zhou D, Kusnecov AW, et al. Exposure to physical and psychological stressors elevates plasma interleukin 6: relationship to the activation of hypothalamic-pituitary-adrenal axis. *Endocrinology* . 1993 Dec;133(6):2523–30.

All Contents Copyright © 1995-2009 Life Extension Foundation All rights reserved.

LifeExtension®

These statements have not been evaluated by the FDA. These products are not intended to diagnose, treat, cure or prevent any disease. The information provided on this site is for informational purposes only and is not intended as a substitute for advice from your physician or other health care professional or any information contained on or in any product label or packaging. You should not use the information on this site for diagnosis or treatment of any health problem or for prescription of any medication or other treatment. You should consult with a healthcare professional before starting any diet, exercise or supplementation program, before taking any medication, or if you have or suspect you might have a health problem. You should not stop taking any medication without first consulting your physician.