

Premenstrual Syndrome

REFERENCES

- Abraham GE. Nutritional factors in the etiology of the premenstrual tension syndromes. *J Reprod Med.* 1983;28(7):446–64.
- Abraham GE, Lubran MM. Serum and red cell magnesium levels in patients with premenstrual tension. *Am J Clin Nutr.* 1981 Nov;34(11):2364–6.
- Atmaca M, Kumru S, et al. Fluoxetine versus Vitex agnus castus extract in the treatment of premenstrual dysphoric disorder. *Hum Psychopharmacol.* 2003 Apr;18(3):191–5.
- Baldessarini R. Drugs and the treatment of psychiatric disorders: Depression and anxiety disorders. In: Hardman J, Limbird L, eds. *Goodman & Gilman's the Pharmacological Basis of Therapeutics.* New York: McGraw Hill Medical Publishing Division; 2001:10 (19).
- Bell SJ, Goodrick GK. A functional food product for the management of weight. *Crit Rev Food Sci Nutr.* 2002 Mar;42(2):163–78.
- Berga S. Premenstrual syndrome. In: Federman D, Dale D, eds. *ACP Medicine.* New York: WebMD Corporation; 2005.
- Brush MG, Watson SJ, et al. Abnormal essential fatty acid levels in plasma of women with premenstrual syndrome. *Am J Obstet Gynecol.* 1984 Oct 15;150(4):363–6.
- Bryant M, Cassidy A, et al. Effect of consumption of soy isoflavones on behavioural, somatic and affective symptoms in women with premenstrual syndrome. *Br J Nutr.* 2005 May;93(5):731–9.
- Butterweck V. Mechanism of action of St John's wort in depression: What is known? *CNS Drugs.* 2003;17(8):539–62.
- Chuong CJ, Dawson EB. Zinc and copper levels in premenstrual syndrome. *Fertil Steril.* 1994 Aug;62(2):313–20.
- Clayton AH, Keller AE, et al. Exploratory study of premenstrual symptoms and serotonin variability. *Arch Womens Ment Health.* 2006 Jan;9(1):51–7.
- Cleckner-Smith CS, Doughty AS, et al. Premenstrual symptoms: Prevalence and severity in an adolescent sample. *J Adolesc Health.* 1998 May;22(5):403–8.
- Facchinetti F, Borella P, et al. Oral magnesium successfully relieves premenstrual mood changes. *Obstet Gynecol.* 1991 Aug;78(2):177–81.
- Frackiewicz EJ, Shiovitz TM. Evaluation and management of premenstrual syndrome and premenstrual dysphoric disorder 6. *J Am Pharm Assoc (Wash).* 2001 May;41(3):437–47.
- Freeman EW, Sammel MD, et al. Premenstrual syndrome as a predictor of menopausal symptoms. *Obstet Gynecol.* 2004 May;103(5 Pt 1):960–6.
- Fugh-Berman A, Kronenberg F. Complementary and alternative medicine (CAM) in reproductive-age women: A review of randomized controlled trials. *Reproductive Toxicology.* 2003;17:137–52.
- Ganong W. The gonads: Development and function of the reproductive system. In: *Review of Medical Physiology.* New York: Lange Medical Books/McGraw-Hill; 2003:21(23).
- Golding JM, Taylor DL, et al. Prevalence of sexual abuse history in a sample of women seeking treatment for premenstrual syndrome. *J Psychosom Obstet Gynaecol.* 2000 Jun;21(2):69–80.
- Halaska M, Raus K, et al. [Treatment of cyclical mastodynia using an extract of Vitex agnus castus: Results of a double-blind

comparison with a placebo]. *Ceska Gynekol.* 1998 Oct;63(5):388–92.

Harel Z, Biro FM, et al. Supplementation with omega-3 polyunsaturated fatty acids in the management of dysmenorrhea in adolescents. *Am J Obstet Gynecol.* 1996 Apr;174(4):1335–8.

Horrobin DF. The role of essential fatty acids and prostaglandins in the premenstrual syndrome. *J Reprod Med.* 1983 Jul;28(7):465–8.

Huang KL, Tsai SJ. St. John's wort (*Hypericum perforatum*) as a treatment for premenstrual dysphoric disorder: Case report. *Int J Psychiatry Med.* 2003;33(3):295–7.

Kendall KE, Schnurr PP. The effects of vitamin B6 supplementation on premenstrual symptoms. *Obstet Gynecol.* 1987 Aug;70(2):145–9.

Koshikawa N, Tatsunuma T, et al. Prostaglandins and premenstrual syndrome. *Prostaglandins Leukot Essent Fatty Acids.* 1992;45(1):33–6.

Kritz-Silverstein D, Wingard D, et al. The association of behavior and lifestyle factors with menstrual symptoms. *J Womens Health Gen Based Med.* 1999;8(9):1185–93.

Lombardi I, Luisi S, et al. Adrenal response to adrenocorticotrophic hormone stimulation in patients with premenstrual syndrome. *Gynecol Endocrinol.* 2004 Feb;18(2):79–87.

London RS, Murphy L, et al. Efficacy of alpha-tocopherol in the treatment of the premenstrual syndrome. *J Reprod Med.* 1987 Jun;32(6):400–4.

Lustyk M, Widman L, et al. Stress, quality of life and physical activity in women with varying degrees of premenstrual symptomatology. *Women Health.* 2004;39(3):35–44.

Mayo Clinic. Premenstrual syndrome (PMS) 2005. Available at: <http://www.mayoclinic.com/health/premenstrual-syndrome/DS00134/DSECTION=6>.

Meden-Vrtovec H, Vujic D. Bromocriptine (Bromergon, Lek) in the management of premenstrual syndrome. *Clin Exp Obstet Gynecol.* 1992;19(4):242–8.

Neal M. *Medical Pharmacology at a Glance*. 4th ed. London: Blackwell Science Ltd; 2002.

Parry BL, Mendelson WB, et al. Longitudinal sleep EEG, temperature, and activity measurements across the menstrual cycle in patients with premenstrual depression and in age-matched controls. *Psychiatry Res.* 1989 Dec;30(3):285–303.

Piccoli A, Modena F, et al. Reduction in urinary prostaglandin excretion in the premenstrual syndrome. *J Reprod Med.* 1993;38(12):941–4.

Rabin DS, Schmidt PJ, et al. Hypothalamic-pituitary-adrenal function in patients with the premenstrual syndrome. *J Clin Endocrinol Metab.* 1990 Nov;71(5):1158–62.

Rapkin A. A review of treatment of premenstrual syndrome and premenstrual dysphoric disorder. *Psychoneuroendocrinology.* 2003 Aug;28 Suppl 3:39–53.

Redmond AM, James AW, et al. Premenstrual asthma: Emphasis on drug therapy options. *J Asthma.* 2004 Oct;41(7):687–93.

Sampalis F, Bunea R, et al. Evaluation of the effects of Neptune Krill Oil on the management of premenstrual syndrome and dysmenorrhea. *Altern Med Rev.* 2003 May;8(2):171–9.

Schellenberg R. Treatment for the premenstrual syndrome with agnus castus fruit extract: Prospective, randomised, placebo controlled study. *BMJ.* 2001 Jan 20;322(7279):134–7.

Smith MJ, Adams LF, et al. Abnormal luteal phase excitability of the motor cortex in women with premenstrual syndrome. *Biol Psychiatry.* 2003 Oct 1;54(7):757–62.

Stevinson C, Ernst E. A pilot study of Hypericum perforatum for the treatment of premenstrual syndrome. BJOG. 2000 Jul;107(7):870–6.

Sundstrom I, Andersson A, et al. Patients with premenstrual syndrome have a different sensitivity to a neuroactive steroid during the menstrual cycle compared to control subjects. Neuroendocrinology. 1998 Feb;67(2):126–38.

Tamborini A, Taurelle R. [Value of standardized Ginkgo biloba extract (EGb 761) in the management of congestive symptoms of premenstrual syndrome]. Rev Fr Gynecol Obstet. 1993 Jul;88(7-9):447–57.

Thys-Jacobs S, Silverton M, et al. Reduced bone mass in women with premenstrual syndrome. J Womens Health. 1995;4:161–8.

Thys-Jacobs S, Starkey P, et al. Calcium carbonate and the premenstrual syndrome: Effects on premenstrual and menstrual symptoms. Premenstrual Syndrome Study Group. Am J Obstet Gynecol. 1998 Aug;179(2):444–52.

Thys-Jacobs S. Micronutrients and the premenstrual syndrome: The case for calcium. J Am Coll Nutr. 2000 Apr;19(2):220–7.

Turner EH, Loftis JM, et al. Serotonin a la carte: Supplementation with the serotonin precursor 5-hydroxytryptophan. Pharmacol Ther. 2006 Mar;109(3):325–38.

Wuttke W, Jarry H, et al. Chaste tree (Vitex agnus-castus): Pharmacology and clinical indications. Phytomedicine. 2003 May;10(4):348–57.

Wyatt KM, Dimmock PW, et al. Efficacy of vitamin B-6 in the treatment of premenstrual syndrome: Systematic review. BMJ. 1999 May 22;318(7195):1375–81.

Yamada T, Terashima T. Effects of theanine, L-glutamylethylamide, on neurotransmitter release and its relationship with glutamic acid neurotransmission. Nutr Neurosci. 2005 Aug;8(4):219–26.

Young EA, Korszun A. The hypothalamic-pituitary-gonadal axis in mood disorders. Endocrinol Metab Clin North Am. 2002 Mar;31(1):63–78.

All Contents Copyright © 1995-2009 Life Extension Foundation All rights reserved.

LifeExtension®

These statements have not been evaluated by the FDA. These products are not intended to diagnose, treat, cure or prevent any disease. The information provided on this site is for informational purposes only and is not intended as a substitute for advice from your physician or other health care professional or any information contained on or in any product label or packaging. You should not use the information on this site for diagnosis or treatment of any health problem or for prescription of any medication or other treatment. You should consult with a healthcare professional before starting any diet, exercise or supplementation program, before taking any medication, or if you have or suspect you might have a health problem. You should not stop taking any medication without first consulting your physician.