

Depression

REFERENCES

- Abadie JM, Wright B et al. Effect of dehydroepiandrosterone on neurotransmitter levels and appetite regulation of the obese Zucker rat. *The Obesity Research Program. Diabetes.* 1993 May;42(5):662–9.
- Amore M. Partial androgen deficiency and neuropsychiatric symptoms in aging men. *J Endocrinol Invest.* 2005;28(11 Suppl 2):49–54.
- Antonijevic IA. Depressive disorders -- is it time to endorse different pathophysiologies? *Psychoneuroendocrinology.* 2006 Jan;31(1):1-15. Epub 2005 Jun 13.
- Barrett-Connor E, Von Muhlen DG et al. Bioavailable testosterone and depressed mood in older men: The Rancho Bernardo Study. *J Clin Endocrinol Metab.* 1999 Feb;84(2):573–7.
- Bell KM, Potkin SG et al. S-adenosylmethionine blood levels in major depression: Changes with drug treatment. *Acta Neurol Scand Suppl.* 1994;154:15–8.
- Bethea CL, Pecins-Thompson M et al. Ovarian steroids and serotonin neural function. *Mol Neurobiol.* 1998 Oct;18(2):87-123. Review.
- Birzniece V, Backstrom T et al. Neuroactive steroid effects on cognitive functions with a focus on the serotonin and GABA systems. *Brain Res Brain Res Rev.* 2006 Aug;51(2):212–39.
- Bourin M, David DJ et al. Mechanism of action of antidepressants and therapeutic perspectives. *Therapie.* 2002 Jul- Aug;57(4):385–96.
- Bourre JM, Dumont O et al. Essentiality of omega 3 fatty acids for brain structure and function. *World Rev Nutr Diet.* 1991;66:103–17.
- Burr ML, Fehily AM et al. Effects of changes in fat, fish, and fibre intakes on death and myocardial reinfarction: Diet and reinfarction trial (DART). *Lancet.* 1989 Sep 30;2(8666):757–61.
- Campbell S, Macqueen G. The role of the hippocampus in the pathophysiology of major depression. *J Psychiatry Neurosci.* 2004 Nov;29(6):417–26.
- Chen CS, Tsai JC et al. Homocysteine levels, MTHFR C677T genotype, and MRI Hyperintensities in late-onset major depressive disorder. *Am J Geriatr Psychiatry.* 2005 Oct;13(10):869–75.
- Clayton AH, Pradko JF et al. Prevalence of sexual dysfunction among newer antidepressants. *J Clin Psychiatry.* 2002 Apr;63(4):357–66.
- Coppen A, Bailey J. Enhancement of the antidepressant action of fluoxetine by folic acid: A randomised, placebo controlled trial. *J Affect Disord.* 2000 Nov;60(2):121–30.
- Degner D, Grohmann R et al. Severe adverse drug reactions of antidepressants: Results of the German multicenter drug surveillance program AMSP. *Pharmacopsychiatry.* 2004 Mar;37 Suppl 1:S39–S45.
- Delle CR, Pancheri P et al. Efficacy and tolerability of oral and intramuscular S-adenosyl-L-methionine 1,4-butanedisulfonate (SAME) in the treatment of major depression: Comparison with imipramine in 2 multicenter studies. *Am J Clin Nutr.* 2002 Dec;76(5):1172S–1176S.
- Devlin TM. *Textbook of Biochemistry with Clinical Correlations.* 5th ed. New York: Wiley-Liss; 2001.

Drugs vs. Talk Therapy: 3,079 readers rate their care for depression and anxiety. *Consum Rep.* 2004 Oct;69(10):22–9.

Dudman NP, Guo XW et al. Human homocysteine catabolism: Three major pathways and their relevance to development of arterial occlusive disease. *J Nutr.* 1996 Apr;126(suppl 4):1295S–1300S.

Elenkov IJ, Iezzoni DG et al. Cytokine dysregulation, inflammation and well-being. *Neuroimmunomodulation.* 2005;12(5):255–69.

Finkelstein JD, Martin JJ. Methionine metabolism in mammals: Distribution of homocysteine between competing pathways. *J Biol Chem.* 1984 Aug 10;259(15):9508–13.

Food and Drug Administration 2004. Available at: http://www.fdaadvisorycommittee.com/FDC/AdvisoryCommittee/Committees/Anti-Infective+Drugs/020204_Suicide/020204_SuicideR.htm. Accessed October 21, 2004.

Gottfries CG. Late life depression. *Eur Arch Psychiatry Clin Neurosci.* 2001;251 Suppl 2:II57–61.

Gregorian RS, Golden KA et al. Antidepressant-induced sexual dysfunction. *Ann Pharmacother.* 2002 Oct;36(10):1577–89.

Grigoriadis S, Kennedy SH. Role of estrogen in the treatment of depression. *Am J Ther.* 2002 Nov;9(6):503–9.

Hintikka J, Tolmunen T et al. High vitamin B12 level and good treatment outcome may be associated in major depressive disorder. *BMC Psychiatry.* 2003 Dec 2;3(1):17.

Hou C, Jia F et al. CSF serotonin, 5-hydroxyindolacetic acid and neuropeptide Y levels in severe major depressive disorder. *Brain Res.* 2006 Jun 20;1095(1):154–8.

Joffe H, Cohen LS. Estrogen, serotonin, and mood disturbance: Where is the therapeutic bridge? *Biol Psychiatry.* 1998 Nov 1;44(9):798–811.

Karishma KK, Herbert J. Dehydroepiandrosterone (DHEA) stimulates neurogenesis in the hippocampus of the rat, promotes survival of newly formed neurons and prevents corticosterone-induced suppression. *Eur J Neurosci.* 2002 Aug;16(3):445–53.

Kendall DA, Stancel GM et al. The influence of sex hormones on antidepressant-induced alterations in neurotransmitter receptor binding. *J Neurosci.* 1982 Mar;2(3):354–60.

Kessler RC, Walters EE. Epidemiology of DSM-III-R major depression and minor depression among adolescents and young adults in the National Comorbidity Survey. *Depress Anxiety.* 1998;7(1):3–14.

Khanzode SD, Dakhale GN et al. Oxidative damage and major depression: The potential antioxidant action of selective serotonin reuptake inhibitors. *Redox Rep.* 2003;8(6):365–70.

Kim HL, Streltzer J et al. St. John's wort for depression: A meta-analysis of well-defined clinical trials. *J Nerv Ment Dis.* 1999 Sep;187(9):532–8.

Krocicka B, Branski P et al. Antidepressant-like properties of zinc in rodent forced swim test. *Brain Res Bull.* 2001 May 15;55(2):297–300.

Larsson B, Ivarsson T. Clinical characteristics of adolescent psychiatric inpatients who have attempted suicide. *Eur Child Adolesc Psychiatry.* 1998;7(4):201–8.

Lecrubier Y, Clerc G et al. Efficacy of St. John's wort extract WS 5570 in major depression: A double-blind, placebo-controlled trial. *Am J Psychiatry.* 2002 Aug;159(8):1361–6.

Lee H, Kim JH, et al. Creatine synthesis and transport systems in the male rat reproductive tract. *Biol Reprod.* 1998 Jun;58(6):1437–44.

Linde K, Ramirez G et al. St John's wort for depression: An overview and meta-analysis of randomised clinical trials. *BMJ.* 1996 Aug 3;313(7052):253–8.

Lindeman RD, Romero LJ et al. Serum vitamin B12, C and folate concentrations in the New Mexico elder health survey: correlations with cognitive and affective functions. *J Am Coll Nutr.* 2000 Feb;19(1):68-76.

- Logan AC. Neurobehavioral aspects of omega-3 fatty acids: Possible mechanisms and therapeutic value in major depression. *Altern Med Rev.* 2003 Nov;8(4):410–25.
- Maes M, De Vos N et al. Lower serum vitamin E concentrations in major depression: Another marker of lowered antioxidant defenses in that illness. *J Affect Disord.* 2000 Jun;58(3):241–6.
- Maes M, D'Haese PC et al. Hypozincemia in depression. *J Affect Disord.* 1994 Jun;31(2):135–40.
- Maes M, Vandoolaeghe E et al. Lower serum zinc in major depression is a sensitive marker of treatment resistance and of the immune/inflammatory response in that illness. *Biol Psychiatry.* 1997 Sep 1;42(5):349–58.
- Masand PS. Tolerability and adherence issues in antidepressant therapy. *Clin Ther.* 2003 Aug;25(8):2289–304.
- McKee T, McKee JR. Aerobic metabolism. In: Peterson KA, Horn MB, eds. *Biochemistry: An Introduction*. 2nd ed. New York: McGraw-Hill; 1999a:289–330.
- McKee T, McKee JR. Nitrogen metabolism I: Synthesis. In: Peterson KA, Horn MB, eds. *Biochemistry: An Introduction*. 2nd ed. New York: McGraw-Hill; 1999b:359–408.
- McLoughlin IJ, Hodge JS. Zinc in depressive disorder. *Acta Psychiatr Scand.* 1990 Dec;82(6):451–3.
- Meyers S. Use of neurotransmitter precursors for treatment of depression. *Altern Med Rev.* 2000 Feb;5(1):64–71.
- Miller KJ, Conney JC et al. Mood symptoms and cognitive performance in women estrogen users and nonusers and men. *J Am Geriatr Soc.* 2002 Nov;50(11):1826–30.
- Mischoulon D, Fava M. Role of S-adenosyl-L-methionine in the treatment of depression: A review of the evidence. *Am J Clin Nutr.* 2002 Dec;76(5):1158S–61S.
- Morris MS, Fava M et al. Depression and folate status in the US population. *Psychother Psychosom.* 2003 Mar;72(2):80–7.
- Murphy SE, Longhitano C et al. Tryptophan supplementation induces a positive bias in the processing of emotional material in healthy female volunteers. *Psychopharmacology (Berl).* 2006 Jul;187(1):121–30.
- Nangia M, Syed W et al. Efficacy and safety of St. John's wort for the treatment of major depression. *Public Health Nutr.* 2000 Dec;3(4A):487–94.
- Nemeroff CB. Improving antidepressant adherence. *J Clin Psychiatry.* 2003;64 Suppl 18:25–30.
- Nemets H, Nemets R et al. Omega-3 treatment of childhood depression: a controlled, double-blind pilot study. *Am J Psychiatry.* 2006 Jun;163(6):1098-100.
- Norman TR. Prospects for the treatment of depression. *Aust N Z J Psychiatry.* 2006 May;40(5):394–401.
- Nowak G, Schlegel-Zawadzka M. Alterations in serum and brain trace element levels after antidepressant treatment: Part I. Zinc. *Biol Trace Elem Res.* 1999 Jan;67(1):85–92.
- Nowak G, Szewczyk B. Mechanisms contributing to antidepressant zinc actions. *Pol J Pharmacol.* 2002 Nov;54(6):587–92.
- Pancheri P, Scapicchio P et al. A double-blind, randomized parallel-group, efficacy and safety study of intramuscular S-adenosyl-L-methionine 1,4-butanedisulphonate (SAME) versus imipramine in patients with major depressive disorder. *Int J Neuropsychopharmacol.* 2002;5(4):287–94.
- Parnetti L, Bottiglieri T et al. Role of homocysteine in age-related vascular and non-vascular diseases. *Aging (Milano).* 1997 Aug;9(4):241–57.
- Penninx BW, Guralnik JM et al. Vitamin B(12) deficiency and depression in physically disabled older women: Epidemiologic evidence from the Women's Health and Aging Study. *Am J Psychiatry.* 2000 May;157(5):715–21.

- Pope HG Jr, Cohane GH et al. Testosterone gel supplementation for men with refractory depression: A randomized, placebo-controlled trial. *Am J Psychiatry*. 2003 Jan;160(1):105–11.
- Prange AJ Jr, Wilson IC et al. L-tryptophan in mania: Contribution to a permissive hypothesis of affective disorders. *Arch Gen Psychiatry*. 1974 Feb;30(1):56–62.
- Puri BK, Counsell SJ et al. Eicosapentaenoic acid in treatment-resistant depression associated with symptom remission, structural brain changes and reduced neuronal phospholipid turnover. *Int J Clin Pract*. 2001 Oct;55(8):560–3.
- Qin XS, Jin KH et al. Effects of extract of Ginkgo biloba with venlafaxine on brain injury in a rat model of depression. *Chin Med J (Engl)*. 2005 Mar 5;118(5):391–7.
- Rabkin JG, McElhiney MC et al. Placebo-controlled trial of dehydroepiandrosterone (DHEA) for treatment of nonmajor depression in patients with HIV/AIDS. *Am J Psychiatry*. 2006 Jan;163(1):59–66.
- Rosen RC, Marin H. Prevalence of antidepressant-associated erectile dysfunction. *J Clin Psychiatry*. 2003;64 Suppl 10:5–10.
- Rubinow DR, Schmidt PJ et al. Estrogen-serotonin interactions: Implications for affective regulation. *Biol Psychiatry*. 1998 Nov 1;44(9):839–50.
- Schmidt PJ, Daly RC et al. Dehydroepiandrosterone monotherapy in midlife-onset major and minor depression. *Arch Gen Psychiatry*. 2005 Feb;62(2):154–62.
- Schneider LS, Small GW et al. Estrogen replacement therapy and antidepressant response to sertraline in older depressed women. *Am J Geriatr Psychiatry*. 2001;9(4):393–9.
- Schweiger U, Deuschle M et al. Testosterone, gonadotropin, and cortisol secretion in male patients with major depression. *Psychosom Med*. 1999 May;61(3):292–6.
- Silveri MM, Parow AM et al. S-adenosyl-L-methionine: Effects on brain bioenergetic status and transverse relaxation time in healthy subjects. *Biol Psychiatry*. 2003 Oct 15;54(8):833–9.
- Singh RB, Niaz MA et al. Randomized, double-blind, placebo-controlled trial of fish oil and mustard oil in patients with suspected acute myocardial infarction: The Indian experiment of infarct survival—4. *Cardiovasc Drugs Ther*. 1997 Jul;11(3):485–91.
- Stabler SP, Allen RH et al. Clinical spectrum and diagnosis of cobalamin deficiency. *Blood*. 1990 Sep 1;76(5):871–81.
- Stead LM, Au KP et al. Methylation demand and homocysteine metabolism: Effects of dietary provision of creatine and guanidinoacetate. *Am J Physiol Endocrinol Metab*. 2001 Nov;281(5):E1095–E1100.
- Takeda A. Movement of zinc and its functional significance in the brain. *Brain Res Brain Res Rev*. 2000 Dec;34(3):137–48.
- Thomas AJ, Kalaria RN et al. Depression and vascular disease: What is the relationship? *J Affect Disord*. 2004 Apr;79(1-3):81–95.
- Thomas AJ, Perry R et al. Neuropathological evidence for ischemia in the white matter of the dorsolateral prefrontal cortex in late-life depression. *Int J Geriatr Psychiatry*. 2003 Jan;18(1):7–13.
- Tiemeier H. Biological risk factors for late life depression. *Eur J Epidemiol*. 2003;18(8):745–50.
- Vaswani M, Linda FK et al. Role of selective serotonin reuptake inhibitors in psychiatric disorders: A comprehensive review. *Prog Neuropsychopharmacol Biol Psychiatry*. 2003 Feb;27(1):85–102.
- Wheatley D. Triple-blind, placebo-controlled trial of Ginkgo biloba in sexual dysfunction due to antidepressant drugs. *Hum Psychopharmacol*. 2004 Dec;19(8):545–8.
- Williams AL, Cotter A et al. The role for vitamin B-6 as treatment for depression: A systematic review. *Fam Pract*. 2005 Oct;22(5):532–7.
- Williams AL, Katz D et al. Do essential fatty acids have a role in the treatment of depression? *J Affect Disord*. 2006 Jul;93(1-3):117–23. Epub 2006 May 2.

Wilson K, Mottram P. A comparison of side effects of selective serotonin reuptake inhibitors and tricyclic antidepressants in older depressed patients: A meta-analysis. *Int J Geriatr Psychiatry*. 2004 Aug;19(8):754–62.

Yehuda S, Rabinovitz S et al. Essential fatty acids are mediators of brain biochemistry and cognitive functions. *J Neurosci Res*. 1999 Jun 15;56(6):565–70.

All Contents Copyright © 1995-2009 Life Extension Foundation All rights reserved.

LifeExtension®

These statements have not been evaluated by the FDA. These products are not intended to diagnose, treat, cure or prevent any disease. The information provided on this site is for informational purposes only and is not intended as a substitute for advice from your physician or other health care professional or any information contained on or in any product label or packaging. You should not use the information on this site for diagnosis or treatment of any health problem or for prescription of any medication or other treatment. You should consult with a healthcare professional before starting any diet, exercise or supplementation program, before taking any medication, or if you have or suspect you might have a health problem. You should not stop taking any medication without first consulting your physician.