

Catabolic Wasting

REFERENCES

- Balzola, F.A., Boggio-Bertinet, D. The metabolic role of glutamine. *Minerva Gastroenterol. Dietol.* 1996 Mar; 42(1): 17-26.
- Baruchel, S., Viau, G. In vitro selective modulation of cellular glutathione by a humanized native milk protein isolate in normal cells and rat mammary carcinoma model. *Anticancer Res.* 1996 May-Jun; 16(3A): 1095-9.
- Beal, J.E. et al. Dronabinol as a treatment for anorexia with weight loss in patients with AIDS. *J. Pain Symp. Manage.* 1995; 10: 89-97.
- Beck, S.A., Smith, K.L., Tisdale, M.J. Anticachectic and antitumor effect of eicosapentaenoic acid and its effect on protein turnover. *Cancer Res.* 1991 Nov 15; 51(22): 6089-93.
- Becker, R.M., Wu, G., Galanko, J.A., Chen, W., Maynor, A.R., Bose, C.L., Rhoads, J.M. Reduced serum amino acid concentrations in infants with necrotizing enterocolitis. *J. Pediatr.* 2000 Dec; 137(6): 785-93.
- Bounous, G., Baruchel, S., Falutz, J., Gold, P. Whey proteins as a food supplement in HIV-seropositive individuals. *Clin. Invest. Med.* 1993 Jun; 16(3): 204-9.
- Campos, F.G., Waitzberg, D.L., Logulo, A.F., Mucerino, D.R., Habr-Gama, A. The role of glutamine in nutrition in clinical practice. *Arq. Gastroenterol.* 1996 Apr-Jun; 33(2): 86-92.
- Castaneda, C., Grossi, L., Dwyer, J. Potential benefits of resistance exercise training on nutritional status in renal failure. *J. Ren. Nutr.* 1998 Jan; 8(1): 2-10.
- Castell, L.M., Bevan, S.J., Calder, P., Newsholme, E.A. The role of glutamine in the immune system and in intestinal function in catabolic states. *Amino Acids* 1994; 7(3): 231-43.
- Das, U.N. Beneficial effect(s) of n-3 fatty acids in cardiovascular diseases: but, why and how? *Prostaglandins Leukot. Essent. Fatty Acids* 2000 Dec; 63(6): 351-62; erratum, *Prostaglandins Leukot. Essent. Fatty Acids* 2001 Jan; 64(1): 74.
- De Bandt, J.P., Cynober, L.A. Amino acids with anabolic properties. *Curr. Opin. Clin. Nutr. Metab. Care* 1998 May; 1(3): 263-72.
- De Caterina, R., Bernini, W., Carluccio, M.A., Liao, J.K., Libby, P. Structural requirements for inhibition of cytokine-induced endothelial activation by unsaturated fatty acids. *J. Lipid Res.* 1998 May; 39(5): 1062-70.
- De Caterina, R., Spiecker, M., Solaini, G., Basta, G., Bosetti, F., Libby, P., Liao, J. The inhibition of endothelial activation by unsaturated fatty acids. *Lipids* 1999; 34(Suppl.): S191-S194.
- DeLuca, P., Rossetti, R.G., Alavian, C., Karim, P., Zurier, R.B. Effects of gammalinolenic acid on interleukin-1 beta and tumor necrosis factor-alpha secretion by stimulated human peripheral blood monocytes: studies in vitro and in vivo. *J. Investig. Med.* 1999 May; 47(5): 246-50.
- Dirks, J., van Aswegen, C.H., du Plessis, D.J. Cytokine levels affected by gamma-linolenic acid. *Prostaglandins Leukot. Essent. Fatty Acids* 1998 Oct; 59(4): 273-7.
- Fairfield, W.P. et al. Effects of testosterone and exercise on muscle leanness in eugonadal men with AIDS wasting. *J. Appl. Physiol.* 2001; 90(6): 2166-71.
- Fielding, RA. The role of progressive resistance training and nutrition in the preservation of lean body mass in the elderly. *J. Am. Coll. Nutr.* 1995 Dec; 14(6): 587-94.
- Furst, P., Albers, S., Stehle, P. Evidence for a nutritional need for glutamine in catabolic patients. *Kidney Int. Suppl.* 1989 Nov; 27:

Griffiths, R.D. Outcome of critically ill patients after supplementation with glutamine. *Nutrition* 1997; 13(7-8): 752-4.

Hankard, R.G., Haymond, M.W., Darmaun, D. Effect of glutamine on leucine metabolism in humans. *Am. J. Physiol.* 1996 Oct; 271(4, Pt. 1): E748-54.

James, M.J., Gibson, R.A., Cleland, L.G. Dietary polyunsaturated fatty acids and inflammatory mediator production. *Am. J. Clin. Nutr.* 2000 Jan; 71(1, Suppl.): 343S-348S.

Jeyarajah, D.R., Kielar, M., Penfield, J., Lu, C.Y. Docosahexaenoic acid, a component of fish oil, inhibits nitric oxide production in vitro. *J. Surg. Res.* 1999 May 15; 83(2): 147-50.

Kelley, D.S., Taylor, P.C., Nelson, G.J., Schmidt, P.C., Ferretti, A., Erickson, K.L., Yu, R., Chandra, R.K., Mackey, B.E. Docosahexaenoic acid ingestion inhibits natural killer cell activity and production of inflammatory mediators in young healthy men. *Lipids* 1999 Apr; 34(4): 317-24.

Kennedy, J.A., Kirk, S.J., McCrory, D.C., Halliday, M.I., Barclay, G.R., Rowlands, B.J. Modulation of immune function and weight loss by L-arginine in obstructive jaundice in the rat. *Br. J. Surg.* 1994 Aug; 81(8): 1199-1201.

Kennedy, R.S., Konok, G.P., Bounous, G., Baruchel, S., Lee, T.D. The use of a whey protein concentrate in the treatment of patients with metastatic carcinoma: a phase I-II clinical study. *Anticancer Res.* 1995 Nov-Dec; 15(6B): 2643-9.

Khalfoun, B., Thibault, F., Watier, H., Bardos, P., Lebranchu, Y. Docosahexaenoic and eicosapentaenoic acids inhibit in vitro human endothelial cell production of interleukin-6. *Adv. Exp. Med. Biol.* 1997; 400(B): 589-97.

Kosenko, E., Kaminsky, Y., Grau, E., Minana, M.D., Grisolia, S., Felipo, V. Nitroarginine, an inhibitor of nitric oxide synthetase, attenuates ammonia toxicity and ammonia-induced alterations in brain metabolism. *Neurochem. Res.* 1995 Apr; 20(4): 451-6.

Kremer, J.M. n-3 Fatty acid supplements in rheumatoid arthritis. *Am. J. Clin. Nutr.* 2000 Jan; 71(1, Suppl.): 349S-351S.

Mancuso, P., Whelan, J., DeMichele, S.J., Snider, C.C., Guszczka, J.A., Karlstad, M.D. Dietary fish oil and fish and borage oil suppress intrapulmonary proinflammatory eicosanoid biosynthesis and attenuate pulmonary neutrophil accumulation in endotoxic rats. *Crit. Care Med.* 1997 Jul; 25(7): 1198-1206.

McIntosh, G.H., Regester, G.O., Le Leu, R.K., Royle, P.J., Smithers, G.W. Dairy proteins protect against dimethylhydrazine-induced intestinal cancers in rats. *J. Nutr.* 1995 Apr; 125(4): 809-16.

Miller, C.C., Park, Y., Pariza, M.W., Cook, M.E. Feeding conjugated linoleic acid to animals partially overcomes catabolic responses due to endotoxin injection. *Biochem. Biophys. Res. Commun.* 1994 Feb 15; 198(3): 1107-12.

Millward, D.J., Jepson, M.M., Omer, A. Muscle glutamine concentration and protein turnover in vivo in malnutrition and endotoxemia. *Metabolism* 1989 Aug; 38(8, Suppl. 1): 6-13.

Purasiri, P., Murray, A., Richardson, S., Heys, S.D., Horrobin, D., Eremin, O. Modulation of cytokine production in vivo by dietary essential fatty acids in patients with colorectal cancer. *Clin. Sci.* 1994 Dec; 87(6): 711-7.

Roth, E., Spittler, A., Oehler, R. Glutamine: effects on the immune system, protein metabolism and intestinal function. *Wien. Klin. Wochenschr.* 1996; 108(21): 669-76.

Sacks, G.S. Glutamine supplementation in catabolic patients. *Ann. Pharmacother.* 1999 Mar; 33(3): 348-54.

Slotwinski, R., Pertkiewicz, M., Lech, G., Szczygiel, B. Cellular immunity changes after total parenteral nutrition enriched with glutamine in patients with sepsis and malnutrition. *Pol. Merkuriusz Lek.* 2000 Jun; 8(48): 405-8 (in Polish).

Tepaske, R., Velthuis, H., Oudemans-van Straaten, H.M., Heisterkamp, S.H., van Deventer, S.J., Ince, C., Eysman, L., Kesecioglu, J. Effect of preoperative oral immune-enhancing nutritional supplement on patients at high risk of infection after cardiac surgery: a randomised placebo-controlled trial. *Lancet* 2001; 358(9283): 696-701.

Tisdale, M.J. Inhibition of lipolysis and muscle protein degradation by EPA in cancer cachexia. *Nutrition* 1996 Jan; 12(1, Suppl.):

Tisdale, M.J., Dhese, J.K. Inhibition of weight loss by omega-3 fatty acids in an experimental cachexia model. *Cancer Res.* 1990 Aug 15; 50(16): 5022-6.

Vanaja, P., Jayakumar, A.R. Evidence for an involvement of the ammonia-decreasing action of L-arginine in suppressing picrotoxin-induced convulsions in rats and its additive action with diazepam. *Neurol. Res.* 2001 Sep; 23(6): 622-6.

Watanabe, S., Katagiri, K., Onozaki, K., Hata, N., Misawa, Y., Hamazaki, T., Okuyama, H. Dietary docosahexaenoic acid but not eicosapentaenoic acid suppresses lipopolysaccharide-induced interleukin-1 beta mRNA induction in mouse spleen leukocytes. *Prostaglandins Leukot. Essent. Fatty Acids* 2000 Mar; 62(3): 147-52.

Yano, M., Kishida, E., Iwasaki, M., Kojo, S., Masuzawa, Y. Docosahexaenoic acid and vitamin E can reduce human monocytic U937 cell apoptosis induced by tumor necrosis factor. *J. Nutr.* 2000 May; 130(5): 1095-1101.

Zhou, X., Thompson, J.R. Regulation of protein turnover by glutamine in heat-shocked skeletal myotubes. *Biochim. Biophys. Acta* 1997 Jun 27; 1357(2): 234-42.

Ziegler, T.R., Szeszycki, E.E., Estivariz, C.F., Puckett, A.B., Leader, L.M. Glutamine: from basic science to clinical applications. *Nutrition* 1996 Nov-Dec; 12(11-12, Suppl.): S68-S70.

All Contents Copyright © 1995-2009 Life Extension Foundation All rights reserved.

LifeExtension®

These statements have not been evaluated by the FDA. These products are not intended to diagnose, treat, cure or prevent any disease. The information provided on this site is for informational purposes only and is not intended as a substitute for advice from your physician or other health care professional or any information contained on or in any product label or packaging. You should not use the information on this site for diagnosis or treatment of any health problem or for prescription of any medication or other treatment. You should consult with a healthcare professional before starting any diet, exercise or supplementation program, before taking any medication, or if you have or suspect you might have a health problem. You should not stop taking any medication without first consulting your physician.