

Breast Cancer

REFERENCES

- ACS. American Cancer Society's Guide to Complementary and Alternative Cancer Methods. 2000.
- Alberg AJ, Helzlsouer KJ. Epidemiology, prevention, and early detection of breast cancer. *Curr Opin Oncol*. 1997 Nov;9(6):505-11.
- Arbiser JL, Klauber N, Rohan R, et al. Curcumin is an in vivo inhibitor of angiogenesis. *Mol Med*. 1998 Jun;4(6):376-83.
- Bagga D, Anders KH, Wang HJ, et al. Long-chain n-3-to-n-6 polyunsaturated fatty acid ratios in breast adipose tissue from women with and without breast cancer. *Nutr Cancer*. 2002;42(2):180-5.
- Barnwell JM, Arredondo MA, Kollmorgen D, et al. Sentinel node biopsy in breast cancer. *Ann Surg Oncol*. 1998 Mar;5(2):126-30.
- Barton DL, Loprinzi CL, Quella SK, et al. Prospective evaluation of vitamin E for hot flashes in breast cancer survivors. *J Clin Oncol*. 1998 Feb;16(2):495-500.
- Baum M, Buzdar A, Cuzick J, et al. Anastrozole alone or in combination with tamoxifen versus tamoxifen alone for adjuvant treatment of postmenopausal women with early-stage breast cancer: results of the ATAC (Arimidex, Tamoxifen Alone or in Combination) trial efficacy and safety update analyses. *Cancer*. 2003 Nov 1;98(9):1802-10.
- Bierhaus A, Zhang Y, Quehenberger P, et al. The dietary pigment curcumin reduces endothelial tissue factor gene expression by inhibiting binding of AP-1 to the DNA and activation of NF-kappa B. *Thromb Haemost*. 1997 Apr;77(4):772-82.
- Bitonti AJ MISFWJJEWP. Indole derivatives useful to treat estrogen-related neoplasms and disorders.1999(5,877,202).
- Blask DE, Sauer LA, Dauchy RT. Melatonin as a chronobiotic/anticancer agent: cellular, biochemical, and molecular mechanisms of action and their implications for circadian-based cancer therapy. *Curr Top Med Chem*. 2002 Feb;2(2):113-32.
- Bliznakov E, Casey A, Premuzic E. Coenzymes Q: stimulants of the phagocytic activity in rats and immune response in mice. *Experientia*. 1970 Sep 26;26(9):953-4.
- Block G, Patterson B, Subar A. Fruit, vegetables, and cancer prevention: a review of the epidemiological evidence. *Nutr Cancer*. 1992;18(1):1-29.
- Boyd DB. Insulin and cancer. *Integr Cancer Ther*. 2003 Dec;2(4):315-29.
- Bradlow HL, Michnovicz J, Telang NT, et al. Effects of dietary indole-3-carbinol on estradiol metabolism and spontaneous mammary tumors in mice. *Carcinogenesis*. 1991 Sep;12(9):1571-4.
- Brandi G, Paiardini M, Cervasi B, et al. A new indole-3-carbinol tetrameric derivative inhibits cyclin-dependent kinase 6 expression, and induces G1 cell cycle arrest in both estrogen-dependent and estrogen-independent breast cancer cell lines. *Cancer Res*. 2003 Jul 15;63(14):4028-36.
- Brzezinski A. Melatonin in humans. *N Engl J Med*. 1997 Jan 16;336(3):186-95.
- Cameron IL, Munoz J, Barnes CJ, et al. High dietary level of synthetic vitamin E on lipid peroxidation, membrane fatty acid composition and cytotoxicity in breast cancer xenograft and in mouse host tissue. *Cancer Cell Int*. 2003 Mar 12;3(1):3.
- Carter CL, Allen C, Henson DE. Relation of tumor size, lymph node status, and survival in 24,740 breast cancer cases. *Cancer*. 1989 Jan 1;63(1):181-7.
- Chajes V, Lavillonniere F, Maillard V, et al. Conjugated linoleic acid content in breast adipose tissue of breast cancer patients and the risk of metastasis. *Nutr Cancer*. 2003;45(1):17-23.

Chen I, Safe S, Bjeldanes L. Indole-3-carbinol and diindolylmethane as aryl hydrocarbon (Ah) receptor agonists and antagonists in T47D human breast cancer cells. *Biochem Pharmacol*. 1996 Apr 26;51(8):1069-76.

Chen J, Stavro PM, Thompson LU. Dietary flaxseed inhibits human breast cancer growth and metastasis and downregulates expression of insulin-like growth factor and epidermal growth factor receptor. *Nutr Cancer*. 2002;43(2):187-92.

Choe JY, Combs AB, Folkers K. Prevention by coenzyme Q10 of the electrocardiographic changes induced by adriamycin in rats. *Res Commun Chem Pathol Pharmacol*. 1979 Jan;23(1):199-202.

Chujo H, Yamasaki M, Nou S, et al. Effect of conjugated linoleic acid isomers on growth factor-induced proliferation of human breast cancer cells. *Cancer Lett*. 2003 Dec 8;202(1):81-7.

Colditz GA. Epidemiology of breast cancer. Findings from the nurses' health study. *Cancer*. 1993 Feb 15;71(4 Suppl):1480-9.

Combs AB, Choe JY, Truong DH, et al. Reduction by coenzyme Q10 of the acute toxicity of adriamycin in mice. *Res Commun Chem Pathol Pharmacol*. 1977 Nov;18(3):565-8.

Cos S, Fernandez R, Guezmes A, et al. Influence of melatonin on invasive and metastatic properties of MCF-7 human breast cancer cells. *Cancer Res*. 1998 Oct 1;58(19):4383-90.

Cos S, Alvarez A, Mediavilla MD, et al. Influence of serum from healthy or breast tumor-bearing women on the growth of MCF-7 human breast cancer cells. *Int J Mol Med*. 2000 Jun;5(6):651-6.

Cover CM, Hsieh SJ, Tran SH, et al. Indole-3-carbinol inhibits the expression of cyclin-dependent kinase-6 and induces a G1 cell cycle arrest of human breast cancer cells independent of estrogen receptor signaling. *J Biol Chem*. 1998 Feb 13;273(7):3838-47.

Cover CM, Hsieh SJ, Cram EJ, et al. Indole-3-carbinol and tamoxifen cooperate to arrest the cell cycle of MCF-7 human breast cancer cells. *Cancer Res*. 1999 Mar 15;59(6):1244-51.

Cristofanilli M, Hortobagyi GN. Bisphosphonates in the Management of Breast Cancer. *Cancer Control*. 1999 May;6(3):241-6.

Davidson NE, Kennedy MJADKDC. In *Disease of the Breast*. 2000 Second Edition.

Davidson NE, Kennedy MJ. Protein kinase C and breast cancer. *Cancer Treat Res*. 1996;83:91-105.

Delmas PD. Bisphosphonates in the treatment of bone diseases. *N Engl J Med*. 1996 Dec 12;335(24):1836-7.

Devanaboyina U. Effects of indole-3-carbinol (I3C) and phenethyl isothiocyanate (PEITC) on 7,12-dimethylbenz[a]anthracene (DMBA)-induced DNA adducts in rat mammary glands and liver (meeting abstract). *Proc Annu Meet Am Assoc Cancer Res*. 1997 (38):2427.

Devanaboyina U, Gupta RC. Sensitive detection of 8-hydroxy-2'-deoxyguanosine in DNA by 32P-postlabeling assay and the basal levels in rat tissues. *Carcinogenesis*. 1996 May;17(5):917-24.

Devery R, Miller A, Stanton C. Conjugated linoleic acid and oxidative behaviour in cancer cells. *Biochem Soc Trans*. 2001 May;29 (Pt 2):341-4.

Dimitrov NV, Pan RQ, Bauer J, et al. Some aspects of vitamin E related to humans and breast cancer prevention. *Adv Exp Med Biol*. 1994;364:119-27.

Ditsch N, Mayer B, Rolle M, et al. Estrogen receptor expression profile of disseminated epithelial tumor cells in bone marrow of breast cancer patients. *Recent Results Cancer Res*. 2003;162:141-7.

Dog TL, Riley D, Carter T. Traditional and alternative therapies for breast cancer. *Altern Ther Health Med*. 2001 May;7(3):36-7.

Donegan WL. Common benign conditions of the breast. In *Cancer of the Breast*, Fourth Edition 1995.1995.

Dong Y, Lisk D, Block E, et al. Characterization of the biological activity of gamma-glutamyl-Se-methylselenocysteine: a novel, naturally occurring anticancer agent from garlic. *Cancer Res*. 2001 Apr 1;61(7):2923-8.

Ellis MJ, Coop A, Singh B, et al. Letrozole inhibits tumor proliferation more effectively than tamoxifen independent of HER1/2 expression status. *Cancer Res.* 2003 Oct 1;63(19):6523-31.

Elmore JG, Miglioretti DL, Reisch LM, et al. Screening mammograms by community radiologists: variability in false-positive rates. *J Natl Cancer Inst.* 2002 Sep 18;94(18):1373-80.

Elson CE, Yu SG. The chemoprevention of cancer by mevalonate-derived constituents of fruits and vegetables. *J Nutr.* 1994 May;124(5):607-14.

Feychting M, Osterlund B, Ahlbom A. Reduced cancer incidence among the blind. *Epidemiology.* 1998 Sep;9(5):490-4.

Fisher B, Costantino JP, Wickerham DL, et al. Tamoxifen for prevention of breast cancer: report of the National Surgical Adjuvant Breast and Bowel Project P-1 Study. *J Natl Cancer Inst.* 1998 Sep 16;90(18):1371-88.

Folkers K. Relevance of the biosynthesis of coenzyme Q10 and of the four bases of DNA as a rationale for the molecular causes of cancer and a therapy. *Biochem Biophys Res Commun.* 1996 Jul 16;224(2):358-61.

Frankenberg-Schwager M, Garg I, Fran-Kenberg D, et al. Mutagenicity of low-filtered 30 kVp X-rays, mammography X-rays and conventional X-rays in cultured mammalian cells. *Int J Radiat Biol.* 2002 Sep;78(9):781-9.

Gago-Dominguez M, Yuan JM, Sun CL, et al. Opposing effects of dietary n-3 and n-6 fatty acids on mammary carcinogenesis: The Singapore Chinese Health Study. *Br J Cancer.* 2003 Nov 3;89(9):1686-92.

Gao X, Petroff BK, Oluola O, et al. Endocrine disruption by indole-3-carbinol and tamoxifen: blockage of ovulation. *Toxicol Appl Pharmacol.* 2002 Sep 15;183(3):179-88.

Goldhirsch A, Wood WC, Gelber RD, et al. Meeting highlights: updated international expert consensus on the primary therapy of early breast cancer. *J Clin Oncol.* 2003 Sep 1;21(17):3357-65.

Goodstine SL, Zheng T, Holford TR, et al. Dietary (n-3)/(n-6) fatty acid ratio: possible relationship to premenopausal but not postmenopausal breast cancer risk in U.S. women. *J Nutr.* 2003 May;133(5):1409-14.

Goss PE, Ingle JN, Martino S, et al. A randomized trial of letrozole in postmenopausal women after five years of tamoxifen therapy for early-stage breast cancer. *N Engl J Med.* 2003 Nov 6;349(19):1793-802.

Grubbs CJ, Steele VE, Casebolt T, et al. Chemoprevention of chemically-induced mammary carcinogenesis by indole-3-carbinol. *Anticancer Res.* 1995 May;15(3):709-16.

Gude RP, Menon LG, Rao SG. Effect of Caffeine, a xanthine derivative, in the inhibition of experimental lung metastasis induced by B16F10 melanoma cells. *J Exp Clin Cancer Res.* 2001 Jun;20(2):287-92.

Guillot C, Falette N, Courtois S, et al. Alteration of p53 damage response by tamoxifen treatment. *Clin Cancer Res.* 1996 Sep;2(9):1439-44.

Guthrie N, Gapor A, Chambers AF, et al. Inhibition of proliferation of estrogen receptor-negative MDA-MB-435 and -positive MCF-7 human breast cancer cells by palm oil tocotrienols and tamoxifen, alone and in combination. *J Nutr.* 1997 Mar;127(3):544S-8S.

Haigh PIGAE. A critical evaluation of sentinel lymph node dissection in malignancy. *2000 Updates(14):1-11.*

Hanahan D, Bergers G, Bergsland E. Less is more, regularly: metronomic dosing of cytotoxic drugs can target tumor angiogenesis in mice. *J Clin Invest.* 2000 Apr;105(8):1045-7.

Hancock SL, Tucker MA, Hoppe RT. Breast cancer after treatment of Hodgkin's disease. *J Natl Cancer Inst.* 1993 Jan 6;85(1):25-31.

Harris JRMMNL. Malignant tumors of the breast. 1997(Section 2).

Heaney RP. Bone mass, bone loss, and osteoporosis prophylaxis. *Ann Intern Med.* 1998 Feb 15;128(4):313-4.

Hogenauer GMPDJ. The macrophage activating potential of ubiquinones. In *Biomedical and Clinical Aspects of Coenzyme 1981*, pp. 325-34. 1981:325-34.

Holdaway IM, Mason BH, Gibbs EE, et al. Seasonal variation in the secretion of mammotrophic hormones in normal women and women with previous breast cancer. *Breast Cancer Res Treat.* 1997 Jan;42(1):15-22.

Holland JFKDWPRBRCJrFE. *Holland-Frei Cancer Medicine.* 2000.

Hortobagyi GN, Theriault RL, Porter L, et al. Efficacy of pamidronate in reducing skeletal complications in patients with breast cancer and lytic bone metastases. Protocol 19 Aredia Breast Cancer Study Group. *N Engl J Med.* 1996 Dec 12;335(24):1785-91.

Huang TS, Lee SC, Lin JK. Suppression of c-Jun/AP-1 activation by an inhibitor of tumor promotion in mouse fibroblast cells. *Proc Natl Acad Sci U S A.* 1991 Jun 15;88(12):5292-6.

IOM. Institute of Medicine/Committee to Review the Department of Defense's Breast Cancer Research Program. *A Review of the Department of Defense's Program for Breast Cancer Research 1997.* 1997.

Ip C, Ganther HE. Comparison of selenium and sulfur analogs in cancer prevention. *Carcinogenesis.* 1992 Jul;13(7):1167-70.

Ip C, Banni S, Angioni E, et al. Conjugated linoleic acid-enriched butter fat alters mammary gland morphogenesis and reduces cancer risk in rats. *J Nutr.* 1999 Dec;129(12):2135-42.

Ip C, Dong Y. Methylselenocysteine modulates proliferation and apoptosis biomarkers in premalignant lesions of the rat mammary gland. *Anticancer Res.* 2001 Mar;21(2A):863-7.

Ip MM, Masso-Welch PA, Shoemaker SF, et al. Conjugated linoleic acid inhibits proliferation and induces apoptosis of normal rat mammary epithelial cells in primary culture. *Exp Cell Res.* 1999 Jul 10;250(1):22-34.

Ip MM, Masso-Welch PA, Ip C. Prevention of mammary cancer with conjugated linoleic acid: role of the stroma and the epithelium. *J Mammary Gland Biol Neoplasia.* 2003 Jan;8(1):103-18.

Israel L, Hajji O, Grefft-Alami A, et al. [Vitamin A augmentation of the effects of chemotherapy in metastatic breast cancers after menopause. Randomized trial in 100 patients]. *Ann Med Interne (Paris).* 1985;136(7):551-4.

Jee SH, Shen SC, Tseng CR, et al. Curcumin induces a p53-dependent apoptosis in human basal cell carcinoma cells. *J Invest Dermatol.* 1998 Oct;111(4):656-61.

Jiang X, Lim LY, Daly JW, et al. Structure-activity relationships for G2 checkpoint inhibition by caffeine analogs. *Int J Oncol.* 2000 May;16(5):971-8.

Jung H. Is there a real risk of radiation-induced breast cancer for postmenopausal women? *Radiat Environ Biophys.* 2001 Jun;40(2):169-74.

Jung U, Zheng X, Yoon SO, et al. Se-methylselenocysteine induces apoptosis mediated by reactive oxygen species in HL-60 cells. *Free Radic Biol Med.* 2001 Aug 15;31(4):479-89.

Jung YD, Kim MS, Shin BA, et al. EGCG, a major component of green tea, inhibits tumour growth by inhibiting VEGF induction in human colon carcinoma cells. *Br J Cancer.* 2001 Mar 23;84(6):844-50.

Kemp MQ, Jeffy BD, Romagnolo DF. Conjugated linoleic acid inhibits cell proliferation through a p53-dependent mechanism: effects on the expression of G1-restriction points in breast and colon cancer cells. *J Nutr.* 2003 Nov;133(11):3670-7.

Kitamoto Y, Sakurai H, Mitsuhashi N, et al. Caffeine diminishes cytotoxic effects of paclitaxel on a human lung adenocarcinoma cell line. *Cancer Lett.* 2003 Feb 28;191(1):101-7.

Kline K, Yu W, Sanders BG. Vitamin E: mechanisms of action as tumor cell growth inhibitors. *J Nutr.* 2001 Jan;131(1):161S-3S.

Krag D, Weaver D, Ashikaga T, et al. The sentinel node in breast cancer--a multicenter validation study. *N Engl J Med.* 1998 Oct 1;339(14):941-6.

Kuhl CK, Schmutzler RK, Leutner CC, et al. Breast MR imaging screening in 192 women proved or suspected to be carriers of a breast cancer susceptibility gene: preliminary results. *Radiology*. 2000 Apr;215(1):267-79.

Kuo ML, Huang TS, Lin JK. Curcumin, an antioxidant and anti-tumor promoter, induces apoptosis in human leukemia cells. *Biochim Biophys Acta*. 1996 Nov 15;1317(2):95-100.

Li CI, Malone KE, Porter PL, et al. The relationship between alcohol use and risk of breast cancer by histology and hormone receptor status among women 65-79 years of age. *Cancer Epidemiol Biomarkers Prev*. 2003 Oct;12(10):1061-6.

Lissoni P, Barni S, Ardizzoia A, et al. A randomized study with the pineal hormone melatonin versus supportive care alone in patients with brain metastases due to solid neoplasms. *Cancer*. 1994 Feb 1;73(3):699-701.

Lissoni P, Brivio F, Brivio O, et al. Immune effects of preoperative immunotherapy with high-dose subcutaneous interleukin-2 versus neuroimmunotherapy with low-dose interleukin-2 plus the neurohormone melatonin in gastrointestinal tract tumor patients. *J Biol Regul Homeost Agents*. 1995 Jan;9(1):31-3.

Lockwood K, Moesgaard S, Folkers K. Partial and complete regression of breast cancer in patients in relation to dosage of coenzyme Q10. *Biochem Biophys Res Commun*. 1994 Mar 30;199(3):1504-8.

Lockwood K, Moesgaard S, Yamamoto T, et al. Progress on therapy of breast cancer with vitamin Q10 and the regression of metastases. *Biochem Biophys Res Commun*. 1995 Jul 6;212(1):172-7.

Lou YR, Lu YP, Xie JG, et al. Effects of oral administration of tea, decaffeinated tea, and caffeine on the formation and growth of tumors in high-risk SKH-1 mice previously treated with ultraviolet B light. *Nutr Cancer*. 1999;33(2):146-53.

Love S. Dr. Susan Love's Breast Book. 1997.

Lu YP, Lou YR, Xie JG, et al. Topical applications of caffeine or (-)-epigallocatechin gallate (EGCG) inhibit carcinogenesis and selectively increase apoptosis in UVB-induced skin tumors in mice. *Proc Natl Acad Sci U S A*. 2002 Sep 17;99(19):12455-60.

Lubawy WC, Dallam RA, Hurley LH. Protection against anthracycline-induced toxicity in mice by coenzyme Q10. *J Natl Cancer Inst*. 1980 Jan;64(1):105-9.

Lubawy WCDRAHLH. Protection against anthracycline-induced toxicity in mice by coenzyme Q10. *J Natl Cancer Inst*. 1980;64(1):105-9.

Majumder B, Wahle KW, Moir S, et al. Conjugated linoleic acids (CLAs) regulate the expression of key apoptotic genes in human breast cancer cells. *FASEB J*. 2002 Sep;16(11):1447-9.

Mancuso P, Whelan J, DeMichele SJ, et al. Dietary fish oil and fish and borage oil suppress intrapulmonary proinflammatory eicosanoid biosynthesis and attenuate pulmonary neutrophil accumulation in endotoxic rats. *Crit Care Med*. 1997 Jul;25(7):1198-206.

Mani H, Sidhu GS, Kumari R, et al. Curcumin differentially regulates TGF-beta1, its receptors and nitric oxide synthase during impaired wound healing. *Biofactors*. 2002;16(1-2):29-43.

Mannisto S, Pietinen P, Virtanen M, et al. Diet and the risk of breast cancer in a case-control study: does the threat of disease have an influence on recall bias? *J Clin Epidemiol*. 1999 May;52(5):429-39.

Marshall LM, Hunter DJ, Connolly JL, et al. Risk of breast cancer associated with atypical hyperplasia of lobular and ductal types. *Cancer Epidemiol Biomarkers Prev*. 1997 May;6(5):297-301.

McCarty MF. Activation of PPARgamma may mediate a portion of the anticancer activity of conjugated linoleic acid. *Med Hypotheses*. 2000 Sep;55(3):187-8.

McIntyre BS, Briski KP, Gapor A, et al. Antiproliferative and apoptotic effects of tocopherols and tocotrienols on preneoplastic and neoplastic mouse mammary epithelial cells. *Proc Soc Exp Biol Med*. 2000 Sep;224(4):292-301.

McNeil C. Sentinel node biopsy: studies should bring needed data. *J Natl Cancer Inst*. 1998 May 20;90(10):728-30.

Meng Q, Qi M, Chen DZ, et al. Suppression of breast cancer invasion and migration by indole-3-carbinol: associated with up-regulation of BRCA1 and E-cadherin/catenin complexes. *J Mol Med.* 2000;78(3):155-65.

Mercadante S, Serretta R, Casuccio A. Effects of caffeine as an adjuvant to morphine in advanced cancer patients. A randomized, double-blind, placebo-controlled, crossover study. *J Pain Symptom Manage.* 2001 May;21(5):369-72.

Michels KB, Holmberg L, Bergkvist L, et al. Coffee, tea, and caffeine consumption and breast cancer incidence in a cohort of Swedish women. *Ann Epidemiol.* 2002 Jan;12(1):21-6.

Michnovicz JJ, Bradlow HL. Altered estrogen metabolism and excretion in humans following consumption of indole-3-carbinol. *Nutr Cancer.* 1991;16(1):59-66.

Michnovicz JJ, Adlercreutz H, Bradlow HL. Changes in levels of urinary estrogen metabolites after oral indole-3-carbinol treatment in humans. *J Natl Cancer Inst.* 1997 May 21;89(10):718-23.

Miller A, Stanton C, Devery R. Modulation of arachidonic acid distribution by conjugated linoleic acid isomers and linoleic acid in MCF-7 and SW480 cancer cells. *Lipids.* 2001 Oct;36(10):1161-8.

Mo H, Elson CE. Apoptosis and cell-cycle arrest in human and murine tumor cells are initiated by isoprenoids. *J Nutr.* 1999 Apr;129(4):804-13.

Mormont MC, Levi F. Circadian-system alterations during cancer processes: a review. *Int J Cancer.* 1997 Jan 17;70(2):241-7.

Mukhopadhyay S, Poddarr MK. Caffeine inhibits the development of Ehrlich ascites carcinoma cells in female mice. *Indian J Exp Biol.* 2001 Aug;39(8):735-41.

Muraoka K, Shimizu K, Sun X, et al. Flavonoids exert diverse inhibitory effects on the activation of NF-kappaB. *Transplant Proc.* 2002 Jun;34(4):1335-40.

Nagao K, Inoue N, Wang YM, et al. Conjugated linoleic acid enhances plasma adiponectin level and alleviates hyperinsulinemia and hypertension in Zucker diabetic fatty (fa/fa) rats. *Biochem Biophys Res Commun.* 2003 Oct 17;310(2):562-6.

National Cancer Institute. Public Health Service Department of Health and Human Services. 2003

NCCAM. National Center for Complementary and Alternative Medicine. Cancer Facts: Complementary and Alternative Medicine: Questions and Answers about Coenzyme Q10 2000. 2000.

NCI. National Cancer Institute. Breast Cancer: PDQ Information for Health Care Professionals 1998. 1998.

Nesaretnam K, Dorasamy S, Darbre PD. Tocotrienols inhibit growth of ZR-75-1 breast cancer cells. *Int J Food Sci Nutr.* 2000;51 Suppl:S95-103.

Nihira S. Development of HER2-specific humanized antibody Herceptin (trastuzumab). *Nippon Yakurigaku Zasshi.* 2003 Dec;122(6):504-14.

ONI. Efficacy of adjunctive therapy with tamoxifen depends on tumor's hormone receptor status. *Oncology News International.* 2004;2000 Jun(9):6.

Oosthuizen JM, Bornman MS, Barnard HC, et al. Melatonin and steroid-dependent carcinomas. *Andrologia.* 1989 Sep;21(5):429-31.

Page DL, Dupont WD, Rogers LW, et al. Atypical hyperplastic lesions of the female breast. A long-term follow-up study. *Cancer.* 1985 Jun 1;55(11):2698-708.

Park JI, Lee MG, Cho K, et al. Transforming growth factor-beta1 activates interleukin-6 expression in prostate cancer cells through the synergistic collaboration of the Smad2, p38-NF-kappaB, JNK, and Ras signaling pathways. *Oncogene.* 2003 Jul 10;22(28):4314-32.

Parker RA, Pearce BC, Clark RW, et al. Tocotrienols regulate cholesterol production in mammalian cells by post-transcriptional suppression of 3-hydroxy-3-methylglutaryl-coenzyme A reductase. *J Biol Chem.* 1993 May 25;268(15):11230-8.

Pavlaklis N, Stockler M. Bisphosphonates for breast cancer. *Cochrane Database Syst Rev.* 2002;(1):CD003474.

Plummer SM, Holloway KA, Manson MM, et al. Inhibition of cyclo-oxygenase 2 expression in colon cells by the chemopreventive agent curcumin involves inhibition of NF-kappaB activation via the NIK/IKK signalling complex. *Oncogene.* 1999 Oct 28;18(44):6013-20.

Portakal O, Ozkaya O, Erden IM, et al. Coenzyme Q10 concentrations and antioxidant status in tissues of breast cancer patients. *Clin Biochem.* 2000 Jun;33(4):279-84.

Qi W, Qiao D, Martinez JD. Caffeine induces TP53-independent G(1)-phase arrest and apoptosis in human lung tumor cells in a dose-dependent manner. *Radiat Res.* 2002 Feb;157(2):166-74.

Quinn JE, Kennedy RD, Mullan PB, et al. BRCA1 functions as a differential modulator of chemotherapy-induced apoptosis. *Cancer Res.* 2003 Oct 1;63(19):6221-8.

Rahman KM, Aranha O, Sarkar FH. Indole-3-carbinol (I3C) induces apoptosis in tumorigenic but not in nontumorigenic breast epithelial cells. *Nutr Cancer.* 2003;45(1):101-12.

Ram PT, Yuan L, Dai J, et al. Differential responsiveness of MCF-7 human breast cancer cell line stocks to the pineal hormone, melatonin. *J Pineal Res.* 2000 May;28(4):210-8.

Rao GN, Ney E, Herbert RA. Effect of melatonin and linolenic acid on mammary cancer in transgenic mice with c-neu breast cancer oncogene. *Breast Cancer Res Treat.* 2000 Dec;64(3):287-96.

Reddy S, Aggarwal BB. Curcumin is a non-competitive and selective inhibitor of phosphorylase kinase. *FEBS Lett.* 1994 Mar 14;341(1):19-22.

Ren S, Lien EJ. Natural products and their derivatives as cancer chemopreventive agents. *Prog Drug Res.* 1997;48:147-71.

Requirand P, Gibert P, Tramini P, et al. Serum fatty acid imbalance in bone loss: example with periodontal disease. *Clin Nutr.* 2000 Aug;19(4):271-6.

Ribeiro JC, Barnetson AR, Jackson P, et al. Caffeine-increased radiosensitivity is not dependent on a loss of G2/M arrest or apoptosis in bladder cancer cell lines. *Int J Radiat Biol.* 1999 Apr;75(4):481-92.

Ricci MS, Toscano DG, Mattingly CJ, et al. Estrogen receptor reduces CYP1A1 induction in cultured human endometrial cells. *J Biol Chem.* 1999 Feb 5;274(6):3430-8.

Ries LAGEMPCKLealE. SEER Cancer Statistics Review 1973-1997.2000

Roemer-Becuwe C, Krakowski I, Conroy T. [Bisphosphonates, pain and quality of life in metastatic breast cancer patients: a literature review]. *Bull Cancer.* 2003 Dec;90(12):1097-105.

Roenneberg T, Lucas RJ. Light, endocrine systems, and cancer--a view from circadian biologists. *Neuroendocrinol Lett.* 2002 Jul;23 Suppl 2:82-3.

Rollins G. IOM says: X-ray mammography remains the gold standard in breast cancer screening technology. *Rep Med Guidel Outcomes Res.* 2001 Apr 19;12(8):1-2, 5.

Rose C, Vtoraya O, Pluzanska A, et al. An open randomised trial of second-line endocrine therapy in advanced breast cancer. comparison of the aromatase inhibitors letrozole and anastrozole. *Eur J Cancer.* 2003 Nov;39(16):2318-27.

Rosen LS, Gordon D, Kaminski M, et al. Long-term efficacy and safety of zoledronic acid compared with pamidronate disodium in the treatment of skeletal complications in patients with advanced multiple myeloma or breast carcinoma: a randomized, double-blind, multicenter, comparative trial. *Cancer.* 2003 Oct 15;98(8):1735-44.

Rowinsky EK, Windle JJ, Von Hoff DD. Ras protein farnesyltransferase: A strategic target for anticancer therapeutic development. *J Clin Oncol.* 1999 Nov;17(11):3631-52.

Sakurai H, Mitsuhashi N, Tamaki Y, et al. Interaction between low dose-rate irradiation, mild hyperthermia and low-dose caffeine in a human lung cancer cell line. *Int J Radiat Biol.* 1999 Jun;75(6):739-45.

Sanchez-Barcelo EJ, Cos S, Fernandez R, et al. Melatonin and mammary cancer: a short review. *Endocr Relat Cancer.* 2003 Jun;10(2):153-9.

Schernhammer ES, Laden F, Speizer FE, et al. Night-shift work and risk of colorectal cancer in the nurses' health study. *J Natl Cancer Inst.* 2003 Jun 4;95(11):825-8.

Schwartz GF, Giuliano AE, Veronesi U. Proceedings of the consensus conference on the role of sentinel lymph node biopsy in carcinoma of the breast, April 19-22, 2001, Philadelphia, Pennsylvania. *Cancer.* 2002 May 15;94(10):2542-51.

Schwartz GF, Giuliano AE, Veronesi U. Proceedings of the consensus conference on the role of sentinel lymph node biopsy in carcinoma of the breast April 19 to 22, 2001, Philadelphia, Pennsylvania. *Hum Pathol.* 2002 Jun;33(6):579-89.

Schwenke DC. Does lack of tocopherols and tocotrienols put women at increased risk of breast cancer? *J Nutr Biochem.* 2002 Jan;13(1):2-20.

Senie RT, Tenser SM. The timing of breast cancer surgery during the menstrual cycle. *Oncology (Huntingt).* 1997 Oct;11(10):1509-17.

Sephton SE, Sapolsky RM, Kraemer HC, et al. Diurnal cortisol rhythm as a predictor of breast cancer survival. *J Natl Cancer Inst.* 2000 Jun 21;92(12):994-1000.

Serbinova E, Kagan V, Han D, et al. Free radical recycling and intramembrane mobility in the antioxidant properties of alpha-tocopherol and alpha-tocotrienol. *Free Radic Biol Med.* 1991;10(5):263-75.

Seth LR, Kharb S, Kharb DP. Serum biochemical markers in carcinoma breast. *Indian J Med Sci.* 2003 Aug;57(8):350-4.

Sharma OP. Antioxidant activity of curcumin and related compounds. *Biochem Pharmacol.* 1976 Aug 1;25(15):1811-2.

Shertzer HG, Berger ML, Tabor MW. Intervention in free radical mediated hepatotoxicity and lipid peroxidation by indole-3-carbinol. *Biochem Pharmacol.* 1988 Jan 15;37(2):333-8.

Shinozawa S, Gomita Y, Araki Y. Protective effects of various drugs on adriamycin (doxorubicin)-induced toxicity and microsomal lipid peroxidation in mice and rats. *Biol Pharm Bull.* 1993 Nov;16(11):1114-7.

Sidhu GS, Singh AK, Thaloor D, et al. Enhancement of wound healing by curcumin in animals. *Wound Repair Regen.* 1998 Mar;6(2):167-77.

Sinha R, Medina D. Inhibition of cdk2 kinase activity by methylselenocysteine in synchronized mouse mammary epithelial tumor cells. *Carcinogenesis.* 1997 Aug;18(8):1541-7.

Sinha R, Kiley SC, Lu JX, et al. Effects of methylselenocysteine on PKC activity, cdk2 phosphorylation and gadd gene expression in synchronized mouse mammary epithelial tumor cells. *Cancer Lett.* 1999 Nov 15;146(2):135-45.

Sporn MB, Roberts AB, Wakefield LM, et al. Transforming growth factor-beta and suppression of carcinogenesis. *Princess Takamatsu Symp.* 1989;20:259-66.

Spratt JSTGR. In *Gross Anatomy of the Breast.* 1995 fourth edition.

Struewing JP, Hartge P, Wacholder S, et al. The risk of cancer associated with specific mutations of BRCA1 and BRCA2 among Ashkenazi Jews. *N Engl J Med.* 1997 May 15;336(20):1401-8.

Subramanian A, Kothari L. Suppressive effect by melatonin on different phases of 9,10-dimethyl-1,2-benzanthracene (DMBA)-induced rat mammary gland carcinogenesis. *Anticancer Drugs.* 1991 Jun;2(3):297-303.

Sundram K, Khor HT, Ong AS, et al. Effect of dietary palm oils on mammary carcinogenesis in female rats induced by 7,12-dimethylbenz(a)anthracene. *Cancer Res.* 1989 Mar 15;49(6):1447-51.

Susman E. New drug outperforms tamoxifen. UPI Science News. 2001;Dec 11, 2001.

Taioli E, Garbers S, Bradlow HL, et al. Effects of indole-3-carbinol on the metabolism of 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone in smokers. *Cancer Epidemiol Biomarkers Prev.* 1997 Jul;6(7):517-22.

Telang NT, Katdare M, Bradlow HL, et al. Inhibition of proliferation and modulation of estradiol metabolism: novel mechanisms for breast cancer prevention by the phytochemical indole-3-carbinol. *Proc Soc Exp Biol Med.* 1997 Nov;216(2):246-52.

Terry P, Rohan TE, Wolk A, et al. Fish consumption and breast cancer risk. *Nutr Cancer.* 2002;44(1):1-6.

Theriault A, Chao JT, Wang Q, et al. Tocotrienol: a review of its therapeutic potential. *Clin Biochem.* 1999 Jul;32(5):309-19.

Toda S, Miyase T, Arichi H, et al. Natural antioxidants. III. Antioxidative components isolated from rhizome of *Curcuma longa* L. *Chem Pharm Bull (Tokyo).* 1985 Apr;33(4):1725-8.

Torres-Farfan C, Richter HG, Rojas-Garcia P, et al. mt1 Melatonin receptor in the primate adrenal gland: inhibition of adrenocorticotropin-stimulated cortisol production by melatonin. *J Clin Endocrinol Metab.* 2003 Jan;88(1):450-8.

Travlos GS, Wilson RE, Murrell JA, et al. The effect of short intermittent light exposures on the melatonin circadian rhythm and NMU-induced breast cancer in female F344/N rats. *Toxicol Pathol.* 2001 Jan;29(1):126-36.

Tsuchiya H, Yamamoto N, Asada N, et al. Caffeine-potentiated radiochemotherapy and function-saving surgery for high-grade soft tissue sarcoma. *Anticancer Res.* 2000 May;20(3B):2137-43.

Turner RR, Ollila DW, Krasne DL, et al. Histopathologic validation of the sentinel lymph node hypothesis for breast carcinoma. *Ann Surg.* 1997 Sep;226(3):271-6.

USPSTF, U.S.Preventive Services Task Force. *Guide to Clinical Preventive Services.* 1996 Second Edition.

Usui T, Ishikura H, Izumi Y, et al. Possible prevention from the progression of cardiotoxicity in adriamycin-treated rabbits by coenzyme Q10. *Toxicol Lett.* 1982 Jun;12(1):75-82.

UTH. University of Texas-Houston and Center for Alternative Medicine Research in Cancer. *Hydrazine Sulfate* 1998.1998

Valenzuela MT, Mateos S, Ruiz de Almodovar JM, et al. Variation in sensitizing effect of caffeine in human tumour cell lines after gamma-irradiation. *Radiother Oncol.* 2000 Mar;54(3):261-71.

Voorrips LE, Brants HA, Kardinaal AF, et al. Intake of conjugated linoleic acid, fat, and other fatty acids in relation to postmenopausal breast cancer: the Netherlands Cohort Study on Diet and Cancer. *Am J Clin Nutr.* 2002 Oct;76(4):873-82.

Warner E, Plewes DB, Shumak RS, et al. Comparison of breast magnetic resonance imaging, mammography, and ultrasound for surveillance of women at high risk for hereditary breast cancer. *J Clin Oncol.* 2001 Aug 1;19(15):3524-31.

Weaver DL, Krag DN, Ashikaga T, et al. Pathologic analysis of sentinel and nonsentinel lymph nodes in breast carcinoma: a multicenter study. *Cancer.* 2000 Mar 1;88(5):1099-107.

Welsh J, Wietzke JA, Zinser GM, et al. Vitamin D-3 receptor as a target for breast cancer prevention. *J Nutr.* 2003 Jul;133(7 Suppl):2425S-33S.

Whittemore AS. Risk of breast cancer in carriers of BRCA gene mutations. *N Engl J Med.* 1997 Sep 11;337(11):788-9.

Wittmann BM, Wang N, Montano MM. Identification of a novel inhibitor of breast cell growth that is down-regulated by estrogens and decreased in breast tumors. *Cancer Res.* 2003 Aug 15;63(16):5151-8.

Wong GY, Bradlow L, Sepkovic D, et al. Dose-ranging study of indole-3-carbinol for breast cancer prevention. *J Cell Biochem Suppl.* 1997;28-29:111-6.

Woolf SH. The accuracy and effectiveness of routine population screening with mammography, prostate-specific antigen, and prenatal ultrasound: a review of published scientific evidence. *Int J Technol Assess Health Care.* 2001;17(3):275-304.

Yankaskas BC, Schell MJ, Bird RE, et al. Reassessment of breast cancers missed during routine screening mammography: a community-based study. *AJR Am J Roentgenol*. 2001 Sep;177(3):535-41.

Yu W, Simmons-Menchaca M, Gapor A, et al. Induction of apoptosis in human breast cancer cells by tocopherols and tocotrienols. *Nutr Cancer*. 1999;33(1):26-32.

Zhang F, Altorki NK, Mestre JR, et al. Curcumin inhibits cyclooxygenase-2 transcription in bile acid- and phorbol ester-treated human gastrointestinal epithelial cells. *Carcinogenesis*. 1999 Mar;20(3):445-51.

Zhang X, Malejka-Giganti D. Effects of treatment of rats with indole-3-carbinol on apoptosis in the mammary gland and mammary adenocarcinomas. *Anticancer Res*. 2003 May;23(3B):2473-9.

Zhou JR, Yu L, Mai Z, et al. Combined inhibition of estrogen-dependent human breast carcinoma by soy and tea bioactive components in mice. *Int J Cancer*. 2004 Jan 1;108(1):8-14.

Zhu Z, Parviainen M, Mannisto S, et al. Vitamin E concentration in breast adipose tissue of breast cancer patients (Kuopio, Finland). *Cancer Causes Control*. 1996 Nov;7(6):591-5.

All Contents Copyright © 1995-2009 Life Extension Foundation All rights reserved.

LifeExtension®

These statements have not been evaluated by the FDA. These products are not intended to diagnose, treat, cure or prevent any disease. The information provided on this site is for informational purposes only and is not intended as a substitute for advice from your physician or other health care professional or any information contained on or in any product label or packaging. You should not use the information on this site for diagnosis or treatment of any health problem or for prescription of any medication or other treatment. You should consult with a healthcare professional before starting any diet, exercise or supplementation program, before taking any medication, or if you have or suspect you might have a health problem. You should not stop taking any medication without first consulting your physician.