

Cancer Adjuvant Therapy

REFERENCES

- Aaltomaa S, Lipponen P, Eskelinen M, et al. Prognostic value and expression of p21(waf1/cip1) protein in prostate cancer. *Prostate*. 1999 Apr 1;39(1):8-15.
- ABC News. Breast Cancer Blues.2000
- Abdullah TH, Kandil O, Elkadi A, et al. Garlic revisited: therapeutic for the major diseases of our times? *J Natl Med Assoc*. 1988 Apr;80(4):439-45.
- Abdullah TH. Enhancement of natural killer cell activity in AIDS with garlic. *Dtsch Z Onkol*. 1989;21.
- Ader R, Grota LJ. Immunosuppressive effect of tetrahydrocannabinol plus cyclophosphamide. *N Engl J Med*. 1981 Aug 20;305(8):463.
- Adlercreutz H. Phytoestrogens: epidemiology and a possible role in cancer protection. *Environ Health Perspect*. 1995 Oct;103 Suppl 7:103-12.
- Adlercreutz H. Phytoestrogens and breast cancer. *J Steroid Biochem Mol Biol*. 2002 Dec;83(1-5):113-8.
- Aebi S, Kroning R, Cenni B, et al. all-trans retinoic acid enhances cisplatin-induced apoptosis in human ovarian adenocarcinoma and in squamous head and neck cancer cells. *Clin Cancer Res*. 1997 Nov;3(11):2033-8.
- Agarwal B, Rao CV, Bhendwal S, et al. Lovastatin augments sulindac-induced apoptosis in colon cancer cells and potentiates chemopreventive effects of sulindac. *Gastroenterology*. 1999 Oct;117(4):838-47.
- Agarwal C, Sharma Y, Agarwal R. Anticarcinogenic effect of a polyphenolic fraction isolated from grape seeds in human prostate carcinoma DU145 cells: modulation of mitogenic signaling and cell-cycle regulators and induction of G1 arrest and apoptosis. *Mol Carcinog*. 2000 Jul;28(3):129-38.
- Agarwal S, Rao AV. Tomato lycopene and its role in human health and chronic diseases. *CMAJ*. 2000 Sep 19;163(6):739-44.
- Agarwala SS, Sabbagh MH. Histamine dihydrochloride: inhibiting oxidants and synergising IL-2-mediated immune activation in the tumour microenvironment. *Expert Opin Biol Ther*. 2001 Sep;1(5):869-79.
- Ahmad N, Gupta S, Mukhtar H. Green tea polyphenol epigallocatechin-3-gallate differentially modulates nuclear factor kappaB in cancer cells versus normal cells. *Arch Biochem Biophys*. 2000 Apr 15;376(2):338-46.
- Ahsan H, Parveen N, Khan NU, et al. Pro-oxidant, anti-oxidant and cleavage activities on DNA of curcumin and its derivatives demethoxycurcumin and bisdemethoxycurcumin. *Chem Biol Interact*. 1999 Jul 1;121(2):161-75.
- Ainsleigh HG. Beneficial effects of sun exposure on cancer mortality. *Prev Med*. 1993 Jan;22(1):132-40.
- Albini A, D'Agostini F, Giunciuglio D, et al. Inhibition of invasion, gelatinase activity, tumor take and metastasis of malignant cells by N-acetylcysteine. *Int J Cancer*. 1995 Mar 29;61(1):121-9.
- Allred CD, Allred KF, Ju YH, et al. Soy diets containing varying amounts of genistein stimulate growth of estrogen-dependent (MCF-7) tumors in a dose-dependent manner. *Cancer Res*. 2001 Jul 1;61(13):5045-50.
- American Chemical Society. ACS Monograph 173: Chemical Carcinogens 1976.1976.
- Analyst. Helicobacter pylori Infection 2002.2002;Mar 2002

Andersen BL, Farrar WB, Golden-Kreutz D, et al. Stress and immune responses after surgical treatment for regional breast cancer. *J Natl Cancer Inst.* 1998 Jan 7;90(1):30-6.

Anderson PM, Schroeder G, Skubitz KM. Oral glutamine reduces the duration and severity of stomatitis after cytotoxic cancer chemotherapy. *Cancer.* 1998 Oct 1;83(7):1433-9.

Angwafo FF. Migration and prostate cancer: an international perspective. *J Natl Med Assoc.* 1998 Nov;90(11 Suppl):S720-S723.

Antunes LM, Takahashi CS. Effects of high doses of vitamins C and E against doxorubicin-induced chromosomal damage in Wistar rat bone marrow cells. *Mutat Res.* 1998 Nov 9;419(1-3):137-43.

Arai N, Strom A, Rafter JJ, et al. Estrogen receptor beta mRNA in colon cancer cells: growth effects of estrogen and genistein. *Biochem Biophys Res Commun.* 2000 Apr 13;270(2):425-31.

Arbiser JL, Klauber N, Rohan R, et al. Curcumin is an in vivo inhibitor of angiogenesis. *Mol Med.* 1998 Jun;4(6):376-83.

Arora-Kuruganti P, Lucchesi PA, Wurster RD. Proliferation of cultured human astrocytoma cells in response to an oxidant and antioxidant. *J Neurooncol.* 1999;44(3):213-21.

Arthur JR, McKenzie RC, Beckett GJ. Selenium in the immune system. *J Nutr.* 2003 May;133(5 Suppl 1):1457S-9S.

Aso H, Suzuki F, Yamaguchi T, et al. Induction of interferon and activation of NK cells and macrophages in mice by oral administration of Ge-132, an organic germanium compound. *Microbiol Immunol.* 1985;29(1):65-74.

Asou H, Koshizuka K, Kyo T, et al. Resveratrol, a natural product derived from grapes, is a new inducer of differentiation in human myeloid leukemias. *Int J Hematol.* 2002 Jun;75(5):528-33.

August DA, Landau J, Caputo D, et al. Ingestion of green tea rapidly decreases prostaglandin E2 levels in rectal mucosa in humans. *Cancer Epidemiol Biomarkers Prev.* 1999 Aug;8(8):709-13.

Baltuch GH, Yong VW. Signal transduction for proliferation of glioma cells in vitro occurs predominantly through a protein kinase C-mediated pathway. *Brain Res.* 1996 Feb 26;710(1-2):143-9.

Banni S, Angioni E, Casu V, et al. Decrease in linoleic acid metabolites as a potential mechanism in cancer risk reduction by conjugated linoleic acid. *Carcinogenesis.* 1999 Jun;20(6):1019-24.

Barkhem T, Carlsson B, Nilsson Y, et al. Differential response of estrogen receptor alpha and estrogen receptor beta to partial estrogen agonists/antagonists. *Mol Pharmacol.* 1998 Jul;54(1):105-12.

Basak R, Basu M, Chatterjee M. Combined supplementation of vanadium and 1alpha,25-dihydroxyvitamin D(3) inhibit diethylnitrosamine-induced rat liver carcinogenesis. *Chem Biol Interact.* 2000 Aug 15;128(1):1-18.

Baten A, Ullah A, Tomazic VJ, et al. Inositol-phosphate-induced enhancement of natural killer cell activity correlates with tumor suppression. *Carcinogenesis.* 1989 Sep;10(9):1595-8.

BBC News. Vitamin Protects Against Cancer 2000 Aug 22. *BBC News.*2000;2000 Aug 22

Ben Amotz A, Yatziv S, Sela M, et al. Effect of natural beta-carotene supplementation in children exposed to radiation from the Chernobyl accident. *Radiat Environ Biophys.* 1998 Oct;37(3):187-93.

Ben Eliyahu S, Page GG, Yirmiya R, et al. Evidence that stress and surgical interventions promote tumor development by suppressing natural killer cell activity. *Int J Cancer.* 1999 Mar 15;80(6):880-8.

Ben Eliyahu S, Shakhar G, Page GG, et al. Suppression of NK cell activity and of resistance to metastasis by stress: a role for adrenal catecholamines and beta-adrenoceptors. *Neuroimmunomodulation.* 2000;8(3):154-64.

Ben Eliyahu S. The promotion of tumor metastasis by surgery and stress: immunological basis and implications for psychoneuroimmunology. *Brain Behav Immun.* 2003 Feb;17 Suppl 1:S27-S36.

Berenson JR. New advances in the biology and treatment of myeloma bone disease. *Semin Hematol.* 2001 Apr;38(2 Suppl 3):15-

- Berger M, Habs M, Schmahl D. [Effect of thioctic acid (alpha-limpoic acid) on the chemotherapeutic efficacy of cyclophosphamide and vincristine sulfate]. *Arzneimittelforschung*. 1983;33(9):1286-8.
- Berger W, Elbling L, Hauptmann E, et al. Expression of the multidrug resistance-associated protein (MRP) and chemoresistance of human non-small-cell lung cancer cells. *Int J Cancer*. 1997 Sep 26;73(1):84-93.
- Bernhard D, Tinhofer I, Tonko M, et al. Resveratrol causes arrest in the S-phase prior to Fas-independent apoptosis in CEM-C7H2 acute leukemia cells. *Cell Death Differ*. 2000 Sep;7(9):834-42.
- Bertazzoli C, Ghione M. Adriamycin associated cardiotoxicity: research on prevention with coenzyme Q. *Pharmacol Res Commun*. 1977 Mar;9(3):235-50.
- Bertolini F, Fusetto L, Rabascio C, et al. Inhibition of angiogenesis and induction of endothelial and tumor cell apoptosis by green tea in animal models of human high-grade non-Hodgkin's lymphoma. *Leukemia*. 2000 Aug;14(8):1477-82.
- Blanchard JA, Barve S, Joshi-Barve S, et al. Antioxidants inhibit cytokine production and suppress NF-kappaB activation in CAPAN-1 and CAPAN-2 cell lines. *Dig Dis Sci*. 2001 Dec;46(12):2768-72.
- Bliznakov E, Casey A, Premuzic E. Coenzymes Q: stimulants of the phagocytic activity in rats and immune response in mice. *Experientia*. 1970 Sep 26;26(9):953-4.
- Blobe GC, Schiemann WP, Lodish HF. Role of transforming growth factor beta in human disease. *N Engl J Med*. 2000 May 4;342(18):1350-8.
- Bokemeyer C, Fels LM, Dunn T, et al. Silibinin protects against cisplatin-induced nephrotoxicity without compromising cisplatin or ifosfamide anti-tumour activity. *Br J Cancer*. 1996 Dec;74(12):2036-41.
- Bonanomi L, Gazzaniga A. Toxicological, pharmacokinetic and metabolic studies on acetylcysteine. *Eur J Respir Dis Suppl*. 1980;111:45-51.
- Bongers V, de Jong J, Steen I, et al. Antioxidant-related parameters in patients treated for cancer chemoprevention with N-acetylcysteine. *Eur J Cancer*. 1995 Jun;31A(6):921-3.
- Booth C, Hargreaves DF, Hadfield JA, et al. Isoflavones inhibit intestinal epithelial cell proliferation and induce apoptosis in vitro. *Br J Cancer*. 1999 Jul;80(10):1550-7.
- Borgstrom L, Kagedal B, Paulsen O. Pharmacokinetics of N-acetylcysteine in man. *Eur J Clin Pharmacol*. 1986;31(2):217-22.
- Bosanquet AG, Sturm I, Wieder T, et al. Bax expression correlates with cellular drug sensitivity to doxorubicin, cyclophosphamide and chlorambucil but not fludarabine, cladribine or corticosteroids in B cell chronic lymphocytic leukemia. *Leukemia*. 2002 Jun;16(6):1035-44.
- Bowie AG, O'Neill LA. Vitamin C inhibits NF-kappa B activation by TNF via the activation of p38 mitogen-activated protein kinase. *J Immunol*. 2000 Dec 15;165(12):7180-8.
- Breinholt V, Lauridsen ST, Dragsted LO. Differential effects of dietary flavonoids on drug metabolizing and antioxidant enzymes in female rat. *Xenobiotica*. 1999 Dec;29(12):1227-40.
- Bretherton-Watt D, Given-Wilson R, Mansi JL, et al. Vitamin D receptor gene polymorphisms are associated with breast cancer risk in a UK Caucasian population. *Br J Cancer*. 2001 Jul 20;85(2):171-5.
- Brittenden J, Heys SD, Ross J, et al. Natural cytotoxicity in breast cancer patients receiving neoadjuvant chemotherapy: effects of L-arginine supplementation. *Eur J Surg Oncol*. 1994 Aug;20(4):467-72.
- Brooks JD, Metter EJ, Chan DW, et al. Plasma selenium level before diagnosis and the risk of prostate cancer development. *J Urol*. 2001 Dec;166(6):2034-8.
- Brotzman M. Antioxidants may limit key mutations. *ScienceNewsOnline*. 1999;155(17).

Brown LM, Gridley G, Pottern LM, et al. Diet and nutrition as risk factors for multiple myeloma among blacks and whites in the United States. *Cancer Causes Control*. 2001 Feb;12(2):117-25.

Brueggemeier RW, Gu X, Mobley JA, et al. Effects of phytoestrogens and synthetic combinatorial libraries on aromatase, estrogen biosynthesis, and metabolism. *Ann N Y Acad Sci*. 2001 Dec;948:51-66.

Bruera ED. Eicosapentaenoic Acid As a Targeted Therapy for Cancer Cachexia. *J Clin Oncol*. 2003; 21(24):4657-58.

Burney PG, Comstock GW, Morris JS. Serologic precursors of cancer: serum micronutrients and the subsequent risk of pancreatic cancer. *Am J Clin Nutr*. 1989 May;49(5):895-900.

Busse E, Zimmer G, Schopohl B, et al. Influence of alpha-lipoic acid on intracellular glutathione in vitro and in vivo. *Arzneimittelforschung*. 1992 Jun;42(6):829-31.

Buyru N, Tezol A, Yosunkaya-Fenerci E, et al. Vitamin D receptor gene polymorphisms in breast cancer. *Exp Mol Med*. 2003 Dec 31;35(6):550-5.

Cameron E. Divergent effects of omega-6 and omega-3 fatty acids on mammary tumor development in C3H/Heston mice treated with DMBA. *Nutr Res*. 1989;(9):383-93.

Cameron EPL. *Cancer and Vitamin C* 1993.1993.

Carducci R, Armellino MF, Volpe C, et al. [Silibinin and acute poisoning with Amanita phalloides]. *Minerva Anesthesiol*. 1996 May;62(5):187-93.

Cesano A, Visonneau S, Scimeca JA, et al. Opposite effects of linoleic acid and conjugated linoleic acid on human prostatic cancer in SCID mice. *Anticancer Res*. 1998 May;18(3A):1429-34.

Chen K, Vita JA, Berk BC, et al. c-Jun N-terminal kinase activation by hydrogen peroxide in endothelial cells involves SRC-dependent epidermal growth factor receptor transactivation. *J Biol Chem*. 2001 May 11;276(19):16045-50.

Chew BP, Wong TS, Shultz TD, et al. Effects of conjugated dienoic derivatives of linoleic acid and beta-carotene in modulating lymphocyte and macrophage function. *Anticancer Res*. 1997 Mar;17(2A):1099-106.

Chiao JW, Chung F, Krzeminski J, et al. Modulation of growth of human prostate cancer cells by the N-acetylcysteine conjugate of phenethyl isothiocyanate. *Int J Oncol*. 2000 Jun;16(6):1215-9.

Chinni SR, Li Y, Upadhyay S, et al. Indole-3-carbinol (I3C) induced cell growth inhibition, G1 cell cycle arrest and apoptosis in prostate cancer cells. *Oncogene*. 2001 May 24;20(23):2927-36.

Chretien PB, Lipson SD, Makuch RW, et al. Effects of thymosin in vitro in cancer patients and correlation with clinical course after thymosin immunotherapy. *Ann N Y Acad Sci*. 1979;332:135-47.

Chung JG, Wu LT, Chu CB, et al. Effects of berberine on arylamine N-acetyltransferase activity in human bladder tumour cells. *Food Chem Toxicol*. 1999 Apr;37(4):319-26.

Ciesielski MJ, Fenstermaker RA. Synergistic cytotoxicity, apoptosis and protein-linked DNA breakage by etoposide and camptothecin in human U87 glioma cells: dependence on tyrosine phosphorylation. *J Neurooncol*. 1999 Feb;41(3):223-34.

Ciolino HP, Daschner PJ, Wang TT, et al. Effect of curcumin on the aryl hydrocarbon receptor and cytochrome P450 1A1 in MCF-7 human breast carcinoma cells. *Biochem Pharmacol*. 1998 Jul 15;56(2):197-206.

Clark LC, Combs GF, Jr., Turnbull BW, et al. Effects of selenium supplementation for cancer prevention in patients with carcinoma of the skin. A randomized controlled trial. Nutritional Prevention of Cancer Study Group. *JAMA*. 1996 Dec 25;276(24):1957-63.

Clement MV, Hirpara JL, Chawdhury SH, et al. Chemopreventive agent resveratrol, a natural product derived from grapes, triggers CD95 signaling-dependent apoptosis in human tumor cells. *Blood*. 1998 Aug 1;92(3):996-1002.

Cline JM, Gostovqvist G, Register TC, et al. Assessment of hormonally active agents in the reproductive tract of female nonhuman primates. *Toxicol Pathol.* 2001 Jan;29(1):84-90.

Colic M, Savic M. Garlic extracts stimulate proliferation of rat lymphocytes in vitro by increasing IL-2 and IL-4 production. *Immunopharmacol Immunotoxicol.* 2000 Feb;22(1):163-81.

Corbin WL, Shapiro H. Physicians want education about complementary and alternative medicine to enhance communication with their patients. *Arch Intern Med.* 2002 May 27;162(10):1176-81.

Cornell News. Butter Enhanced with Natural Fatty Acids Reduces Breast Cancer Risk in Animals. *Cornell News.* 1999

Cortes EP, Gupta M, Chou C, et al. Adriamycin cardiotoxicity: early detection by systolic time interval and possible prevention by coenzyme Q10. *Cancer Treat Rep.* 1978 Jun;62(6):887-91.

Cover CM, Hsieh SJ, Cram EJ, et al. Indole-3-carbinol and tamoxifen cooperate to arrest the cell cycle of MCF-7 human breast cancer cells. *Cancer Res.* 1999 Mar 15;59(6):1244-51.

D'Avanzo B, Ron E, La Vecchia C, et al. Selected micronutrient intake and thyroid carcinoma risk. *Cancer.* 1997 Jun 1;79(11):2186-92.

Dahiya R, Park HD, Cusick J, et al. Inhibition of tumorigenic potential and prostate-specific antigen expression in LNCaP human prostate cancer cell line by 13-cis-retinoic acid. *Int J Cancer.* 1994 Oct 1;59(1):126-32.

Dai Q, Shu XO, Jin F, et al. Population-based case-control study of soyfood intake and breast cancer risk in Shanghai. *Br J Cancer.* 2001 Aug 3;85(3):372-8.

Dalu A, Haskell JF, Coward L, et al. Genistein, a component of soy, inhibits the expression of the EGF and ErbB2/Neu receptors in the rat dorsolateral prostate. *Prostate.* 1998 Sep 15;37(1):36-43.

Darbon JM, Penary M, Escalas N, et al. Distinct Chk2 activation pathways are triggered by genistein and DNA-damaging agents in human melanoma cells. *J Biol Chem.* 2000 May 19;275(20):15363-9.

Darmon P. [From cancers of the uterus and breast to cancers of the spirit (XVIII-XIX centuries)]. *Contracept Fertil Sex.* 1993 Feb;21(2):185-6.

Davies MJ, Bowey EA, Adlercreutz H, et al. Effects of soy or rye supplementation of high-fat diets on colon tumour development in azoxymethane-treated rats. *Carcinogenesis.* 1999 Jun;20(6):927-31.

Davis CD, Zeng H, Finley JW. Selenium-enriched broccoli decreases intestinal tumorigenesis in multiple intestinal neoplasia mice. *J Nutr.* 2002 Feb;132(2):307-9.

Davis JN, Kucuk O, Djuric Z, et al. Soy isoflavone supplementation in healthy men prevents NF-kappa B activation by TNF-alpha in blood lymphocytes. *Free Radic Biol Med.* 2001 Jun 1;30(11):1293-302.

De Flora S, Rossi GA, De Flora A. Metabolic, desmutagenic and anticarcinogenic effects of N-acetylcysteine. *Respiration.* 1986;50 Suppl 1:43-9.

De Flora S. N-Acetylcysteine as antimutagen and anticarcinogen. *Toxicol Lett.* 1992;53.

De Flora S, D'Agostini F, Masiello L, et al. Synergism between N-acetylcysteine and doxorubicin in the prevention of tumorigenicity and metastasis in murine models. *Int J Cancer.* 1996 Sep 17;67(6):842-8.

De Stefani E, Boffetta P, Brennan P, et al. Dietary carotenoids and risk of gastric cancer: a case-control study in Uruguay. *Eur J Cancer Prev.* 2000 Oct;9(5):329-34.

Delanian S. Striking regression of radiation-induced fibrosis by a combination of pentoxifylline and tocopherol. *Br J Radiol.* 1998 Aug;71(848):892-4.

Di Domenico M, Castoria G, Bilancio A, et al. Estradiol activation of human colon carcinoma-derived Caco-2 cell growth. *Cancer Res.* 1996 Oct 1;56(19):4516-21.

- Dial EJ, Lichtenberger LM. Effect of lactoferrin on Helicobacter felis induced gastritis. *Biochem Cell Biol.* 2002;80(1):113-7.
- Diel IJ, Solomayer EF, Costa SD, et al. Reduction in new metastases in breast cancer with adjuvant clodronate treatment. *N Engl J Med.* 1998 Aug 6;339(6):357-63.
- Dimitroulakos J, Ye LY, Benzaquen M, et al. Differential sensitivity of various pediatric cancers and squamous cell carcinomas to lovastatin-induced apoptosis: therapeutic implications. *Clin Cancer Res.* 2001 Jan;7(1):158-67.
- Ding XZ, Iversen P, Cluck MW, et al. Lipoxygenase inhibitors abolish proliferation of human pancreatic cancer cells. *Biochem Biophys Res Commun.* 1999 Jul 22;261(1):218-23.
- Djulgovic B, Wheatley K, Ross J, et al. Bisphosphonates in multiple myeloma. *Cochrane Database Syst Rev.* 2001; (4):CD003188.
- Dodd F, Limoges M, Boudreau RT, et al. L-arginine inhibits apoptosis via a NO-dependent mechanism in Nb2 lymphoma cells. *J Cell Biochem.* 2000 Apr;77(4):624-34.
- Doerge DR, Sheehan DM. Goitrogenic and estrogenic activity of soy isoflavones. *Environ Health Perspect.* 2002 Jun;110 Suppl 3:349-53.
- Dorai T, Cao YC, Dorai B, et al. Therapeutic potential of curcumin in human prostate cancer. III. Curcumin inhibits proliferation, induces apoptosis, and inhibits angiogenesis of LNCaP prostate cancer cells in vivo. *Prostate.* 2001 Jun 1;47(4):293-303.
- Dovinova I, Novotny L, Rauko P, et al. Combined effect of lipoic acid and doxorubicin in murine leukemia. *Neoplasma.* 1999;46 (4):237-41.
- Dunst J, Hansgen G, Krause U, et al. A 2-week pretreatment with 13-cis-retinoic acid + interferon-alpha-2a prior to definitive radiation improves tumor tissue oxygenation in cervical cancers. *Strahlenther Onkol.* 1998 Nov;174(11):571-4.
- Dunst J, Hansgen G, Lautenschlager C, et al. Oxygenation of cervical cancers during radiotherapy and radiotherapy + cis-retinoic acid/interferon. *Int J Radiat Oncol Biol Phys.* 1999 Jan 15;43(2):367-73.
- Dunst J, Hansgen G, Lautenschlager C, et al. Oxygenation of cervical cancers during radiotherapy and radiotherapy + cis-retinoic acid/interferon. *Int J Radiat Oncol Biol Phys.* 1999 Jan 15;43(2):367-73.
- Elattar TM, Virji AS. The inhibitory effect of curcumin, genistein, quercetin and cisplatin on the growth of oral cancer cells in vitro. *Anticancer Res.* 2000 May;20(3A):1733-8.
- Enan E, Matsumura F. Activation of c-Neu tyrosine kinase by o,p'-DDT and beta-HCH in cell-free and intact cell preparations from MCF-7 human breast cancer cells. *J Biochem Mol Toxicol.* 1998;12(2):83-92.
- Ernster L, Forsmark-Andree P. Ubiquinol: an endogenous antioxidant in aerobic organisms. *Clin Investig.* 1993;71(8 Suppl):S60-S65.
- Espinoza P. Treatment of 32 cervico-uterine cancer patients with 13-cis-retinoic acid and interferon alpha. *Rev Invest Clin.* 1994;46 (2):105-11.
- Exner R, Wessner B, Manhart N, et al. Therapeutic potential of glutathione. *Wien Klin Wochenschr.* 2000 Jul 28;112(14):610-6.
- Fahey JW, Zhang Y, Talalay P. Broccoli sprouts: an exceptionally rich source of inducers of enzymes that protect against chemical carcinogens. *Proc Natl Acad Sci U S A.* 1997 Sep 16;94(19):10367-72.
- Falconer JS, Ross JA, Fearon KC, et al. Effect of eicosapentaenoic acid and other fatty acids on the growth in vitro of human pancreatic cancer cell lines. *Br J Cancer.* 1994 May;69(5):826-32.
- Farhan H, Wahala K, Adlercreutz H, et al. Isoflavonoids inhibit catabolism of vitamin D in prostate cancer cells. *J Chromatogr B Analyt Technol Biomed Life Sci.* 2002 Sep 25;777(1-2):261-8.
- Feng Z. Effect of Gutamine on the Initiation and Promotion Phases of DMBA-Induced Mammary Tumor Development 1997.2004

Ferencik M, Ebringer L. Modulatory effects of selenium and zinc on the immune system. *Folia Microbiol (Praha)*. 2003;48(3):417-26.

Filipski E, King VM, Li X, et al. Host circadian clock as a control point in tumor progression. *J Natl Cancer Inst*. 2002 May 1;94(9):690-7.

Fimognari C, Nusse M, Cesari R, et al. Growth inhibition, cell-cycle arrest and apoptosis in human T-cell leukemia by the isothiocyanate sulforaphane. *Carcinogenesis*. 2002 Apr;23(4):581-6.

Finn PE, Purnell P, Pilkington GJ. Effect of histamine and the H2 antagonist cimetidine on the growth and migration of human neoplastic glia. *Neuropathol Appl Neurobiol*. 1996 Aug;22(4):317-24.

Flora K, Hahn M, Rosen H, et al. Milk thistle (*Silybum marianum*) for the therapy of liver disease. *Am J Gastroenterol*. 1998 Feb;93(2):139-43.

Folkers K. Lovastatin decreases coenzyme Q levels in quantitative review of primary prevention trials. *Br J Med*. 1990;301:309-14.

Folkers K, Hanioka T, Xia LJ, et al. Coenzyme Q10 increases T4/T8 ratios of lymphocytes in ordinary subjects and relevance to patients having the AIDS related complex. *Biochem Biophys Res Commun*. 1991 Apr 30;176(2):786-91.

Folkers K, Brown R, Judy WV, et al. Survival of cancer patients on therapy with coenzyme Q10. *Biochem Biophys Res Commun*. 1993 Apr 15;192(1):241-5.

Folkers K, Osterborg A, Nylander M, et al. Activities of vitamin Q10 in animal models and a serious deficiency in patients with cancer. *Biochem Biophys Res Commun*. 1997 May 19;234(2):296-9.

Fritz WA, Wang J, Eltoum IE, et al. Dietary genistein down-regulates androgen and estrogen receptor expression in the rat prostate. *Mol Cell Endocrinol*. 2002 Jan 15;186(1):89-99.

Fromigue O, Lagneaux L, Body JJ. Bisphosphonates induce breast cancer cell death in vitro. *J Bone Miner Res*. 2000 Nov;15(11):2211-21.

Fujimoto N, Sueoka N, Sueoka E, et al. Lung cancer prevention with (-)-epigallocatechin gallate using monitoring by heterogeneous nuclear ribonucleoprotein B1. *Int J Oncol*. 2002 Jun;20(6):1233-9.

Fukuda K, Hibiya Y, Mutoh M, et al. Inhibition by berberine of cyclooxygenase-2 transcriptional activity in human colon cancer cells. *J Ethnopharmacol*. 1999 Aug;66(2):227-33.

Galland L. Detoxification. Presented at Comprehensive Cancer Care 2000, Arlington, VA, June 7-11, 2000. 2000;June 7-11, 2000

Gao X, Xu YX, Janakiraman N, et al. Immunomodulatory activity of resveratrol: suppression of lymphocyte proliferation, development of cell-mediated cytotoxicity, and cytokine production. *Biochem Pharmacol*. 2001 Nov 1;62(9):1299-308.

Geller J, Sionit L, Partido C, et al. Genistein inhibits the growth of human-patient BPH and prostate cancer in histoculture. *Prostate*. 1998 Feb 1;34(2):75-9.

Ghoneum M. Enhancement of human natural killer cell activity by modified arabinoxylan from rice brain (MGN-3). *Int J Immunother*. 1998;14(2):89-99.

Ghoneum M, Jewett A. Synergistic Effect of Modified Arabinoxylan (MGN-3) and Low Dose of Recombinant IL-2 on Human NK cell Activity and TNF-A Production 1998 Aug. East Rutherford, NJ: American Academy of Anti-Aging Medicine; (Abstract)

see also - Production of tumor necrosis factor-alpha and interferon-gamma from human peripheral blood lymphocytes by MGN-3, a modified arabinoxylan from rice bran, and its synergy with interleukin-2 in vitro. *Cancer Detect Prev*. 1998; 24(4):314-24.

Ghoneum M. Effect of MGN-3 on human natural killer cell activity and interferon- γ synthesis in vitro. *FASEB*. 1996;10(6):26-32.

Ghosh J, Myers CE. Inhibition of arachidonate 5-lipoxygenase triggers massive apoptosis in human prostate cancer cells. *Proc Natl Acad Sci U S A*. 1998 Oct 27;95(22):13182-7.

Giri A, Khyriam D, Prasad SB. Vitamin C mediated protection on cisplatin induced mutagenicity in mice. *Mutat Res.* 1998 Nov 3;421(2):139-48.

Glinsky VV, Huflejt ME, Glinsky GV, et al. Effects of Thomsen-Friedenreich antigen-specific peptide P-30 on beta-galactoside-mediated homotypic aggregation and adhesion to the endothelium of MDA-MB-435 human breast carcinoma cells. *Cancer Res.* 2000 May 15;60(10):2584-8.

Goodkin K, Antoni MH, Blaney PH. Stress and hopelessness in the promotion of cervical intraepithelial neoplasia to invasive squamous cell carcinoma of the cervix. *J Psychosom Res.* 1986;30(1):67-76.

Goodman S. Germanium-The Health and Life Enhancer.2004

Gottlober P, Krahn G, Korting HC, et al. [The treatment of cutaneous radiation-induced fibrosis with pentoxifylline and vitamin E. An empirical report]. *Strahlenther Onkol.* 1996 Jan;172(1):34-8.

Grases F, Simonet BM, Vucenik I, et al. Effects of exogenous inositol hexakisphosphate (InsP(6)) on the levels of InsP(6) and of inositol trisphosphate (InsP(3)) in malignant cells, tissues and biological fluids. *Life Sci.* 2002 Aug 16;71(13):1535-46.

Guess BW, Scholz MC, Strum SB, et al. Modified citrus pectin (MCP) increases the prostate-specific antigen doubling time in men with prostate cancer: a phase II pilot study. *Prostate Cancer Prostatic Dis.* 2003;6(4):301-4.

Gupta K, Krishnaswamy G, Karnad A, et al. Insulin: a novel factor in carcinogenesis. *Am J Med Sci.* 2002 Mar;323(3):140-5.

Guthrie N, Gapor A, Chambers AF, et al. Inhibition of proliferation of estrogen receptor-negative MDA-MB-435 and -positive MCF-7 human breast cancer cells by palm oil tocotrienols and tamoxifen, alone and in combination. *J Nutr.* 1997 Mar;127(3):544S-8S.

Guyton KZ, Kensler TW, Posner GH. Vitamin D and vitamin D analogs as cancer chemopreventive agents. *Nutr Rev.* 2003 Jul;61(7):227-38.

Hardman WE, Avula CP, Fernandes G, et al. Three percent dietary fish oil concentrate increased efficacy of doxorubicin against MDA-MB 231 breast cancer xenografts. *Clin Cancer Res.* 2001 Jul;7(7):2041-9.

Hattersley JG. Lowering cholesterol with Lovastatin. The wrong approach. A survey of usually overlooked literature. *J Orthomolecular Med.* 2004;9(1):54-7.

Hattersley JG. Coenzyme Q10 and cancer. *J Orthomolecular Med.* 1996;11(1).

Hattori A, Migitaka H, Iigo M, et al. Identification of melatonin in plants and its effects on plasma melatonin levels and binding to melatonin receptors in vertebrates. *Biochem Mol Biol Int.* 1995 Mar;35(3):627-34.

Hayes MA, Rushmore TH, Goldberg MT. Inhibition of hepatocarcinogenic responses to 1,2-dimethylhydrazine by diallyl sulfide, a component of garlic oil. *Carcinogenesis.* 1987 Aug;8(8):1155-7.

Hehr T, Hoffmann W, Bamberg M. [Role of sodium selenite as an adjuvant in radiotherapy of rectal carcinoma]. *Med Klin (Munich).* 1997 Sep 15;92 Suppl 3:48-9.

Helzlsouer KJ. Association between alpha-tocopherol, gamma tocopherol, selenium, and subsequent prostate cancer. *J Natl Cancer Inst.* 2000;92(24):2018-23.

Heys SD, Segar A, Payne S, et al. Dietary supplementation with L-arginine: modulation of tumour-infiltrating lymphocytes in patients with colorectal cancer. *Br J Surg.* 1997 Feb;84(2):238-41.

Hirota A, Taki S, Kawaii S, et al. 1,1-Diphenyl-2-picrylhydrazyl radical-scavenging compounds from soybean miso and antiproliferative activity of isoflavones from soybean miso toward the cancer cell lines. *Biosci Biotechnol Biochem.* 2000 May;64(5):1038-40.

Holzman D. Lycopene lowers PSA in prostate cancer patients. *Life Extension Magazine* 2002 Jan. 20048(1):25.

Hong SJ, Kim SI, Kwon SM, et al. Comparative study of concentration of isoflavones and lignans in plasma and prostatic tissues of normal control and benign prostatic hyperplasia. *Yonsei Med J.* 2002 Apr;43(2):236-41.

Hong YS, Ham YA, Choi JH, et al. Effects of allyl sulfur compounds and garlic extract on the expression of Bcl-2, Bax, and p53 in non small cell lung cancer cell lines. *Exp Mol Med*. 2000 Sep 30;32(3):127-34.

Horn-Ross PL, Hoggatt KJ, Lee MM. Phytoestrogens and thyroid cancer risk: the San Francisco Bay Area thyroid cancer study. *Cancer Epidemiol Biomarkers Prev*. 2002 Jan;11(1):43-9.

Hortemo GS, Maartmann-Moe H, Rokke O, et al. Effect of cimetidine on development of gastric cancer in rats after gastrojejunostomy. *Eur J Surg*. 1999 Mar;165(3):259-61.

Hsing AW, Chua S Jr, Gao YT, et al. Prostate cancer risk and serum levels of insulin and leptin: a population-based study. *J Natl Cancer Inst*. 2001 May 16;93(10):783-9.

Huang MT, Ma W, Yen P, et al. Inhibitory effects of topical application of low doses of curcumin on 12-O-tetradecanoylphorbol-13-acetate-induced tumor promotion and oxidized DNA bases in mouse epidermis. *Carcinogenesis*. 1997 Jan;18(1):83-8.

Hughes SV, Robinson E, Bland R, et al. 1,25-dihydroxyvitamin D3 regulates estrogen metabolism in cultured keratinocytes. *Endocrinology*. 1997 Sep;138(9):3711-8.

Hulten K, Van Kappel AL, Winkvist A, et al. Carotenoids, alpha-tocopherols, and retinol in plasma and breast cancer risk in northern Sweden. *Cancer Causes Control*. 2001 Aug;12(6):529-37.

Huncharek M, Klassen H, Kupelnick B. Dietary beta-carotene intake and the risk of epithelial ovarian cancer: a meta-analysis of 3,782 subjects from five observational studies. *In Vivo*. 2001 Jul;15(4):339-43.

Hwang D, Fischer NH, Jang BC, et al. Inhibition of the expression of inducible cyclooxygenase and proinflammatory cytokines by sesquiterpene lactones in macrophages correlates with the inhibition of MAP kinases. *Biochem Biophys Res Commun*. 1996 Sep 24;226(3):810-8.

Inano H, Onoda M, Inafuku N, et al. Chemoprevention by curcumin during the promotion stage of tumorigenesis of mammary gland in rats irradiated with gamma-rays. *Carcinogenesis*. 1999 Jun;20(6):1011-8.

Inoue M, Tajima K, Hirose K, et al. Tea and coffee consumption and the risk of digestive tract cancers: data from a comparative case-referent study in Japan. *Cancer Causes Control*. 1998 Mar;9(2):209-16.

Ip C, Ip MM, Loftus T, et al. Induction of apoptosis by conjugated linoleic acid in cultured mammary tumor cells and premalignant lesions of the rat mammary gland. *Cancer Epidemiol Biomarkers Prev*. 2000 Jul;9(7):689-96.

Ip MM, Masso-Welch PA, Shoemaker SF, et al. Conjugated linoleic acid inhibits proliferation and induces apoptosis of normal rat mammary epithelial cells in primary culture. *Exp Cell Res*. 1999 Jul 10;250(1):22-34.

Iwao K, Miyoshi Y, Egawa C, et al. Quantitative analysis of estrogen receptor-alpha and -beta messenger RNA expression in breast carcinoma by real-time polymerase chain reaction. *Cancer*. 2000 Oct 15;89(8):1732-8.

Izzotti A, Bagnasco M, Camoirano A, et al. DNA fragmentation, DNA-protein crosslinks, postlabeled nucleotidic modifications, and 8-hydroxy-2'-deoxyguanosine in the lung but not in the liver of rats receiving intratracheal instillations of chromium(VI). Chemoprevention by oral N-acetylcysteine. *Mutat Res*. 1998 May 25;400(1-2):233-44.

Jacobs BP, Dennehy C, Ramirez G, et al. Milk thistle for the treatment of liver disease: a systematic review and meta-analysis. *Am J Med*. 2002 Oct 15;113(6):506-15.

Jacobsen BK, Knutsen SF, Fraser GE. Does high soy milk intake reduce prostate cancer incidence? The Adventist Health Study (United States). *Cancer Causes Control*. 1998 Dec;9(6):553-7.

Jacoby H. The Effect of MGN-3 on Cisplatin and Adriamycin Induced Toxicity in the Rat 2000.2004

Jaga K, Duvvi H. Risk reduction for DDT toxicity and carcinogenesis through dietary modification. *J R Soc Health*. 2001 Jun;121(2):107-13.

James MJ, Gibson RA, Cleland LG. Dietary polyunsaturated fatty acids and inflammatory mediator production. *Am J Clin Nutr*.

Jang M, Pezzuto JM. Cancer chemopreventive activity of resveratrol. *Drugs Exp Clin Res.* 1999;25(2-3):65-77.

Jatoi A, RKLK. An eicosapentaenoic acid (EPA)-enriched supplement versus megestrol acetate (MA) versus both for patients with cancer-associated wasting. *Proc Am Soc Clin Oncol.* 2003;(22):743.

Jee SH, Shen SC, Tseng CR, et al. Curcumin induces a p53-dependent apoptosis in human basal cell carcinoma cells. *J Invest Dermatol.* 1998 Oct;111(4):656-61.

Jenkins DJ, Kendall CW, Garsetti M, et al. Effect of soy protein foods on low-density lipoprotein oxidation and ex vivo sex hormone receptor activity--a controlled crossover trial. *Metabolism.* 2000 Apr;49(4):537-43.

Jiang C, Agarwal R, Lu J. Anti-angiogenic potential of a cancer chemopreventive flavonoid antioxidant, silymarin: inhibition of key attributes of vascular endothelial cells and angiogenic cytokine secretion by cancer epithelial cells. *Biochem Biophys Res Commun.* 2000 Sep 16;276(1):371-8.

Jiang Q, Christen S, Shigenaga MK, et al. gamma-tocopherol, the major form of vitamin E in the US diet, deserves more attention. *Am J Clin Nutr.* 2001 Dec;74(6):714-22.

Jiang WG. Regulation of cell adhesion, a central mechanism in the anticancer action of essential fatty acids (review). *Int J Mol Med.* 1998 Mar;1(3):621-5.

Jin L, Qi M, Chen DZ, et al. Indole-3-carbinol prevents cervical cancer in human papilloma virus type 16 (HPV16) transgenic mice. *Cancer Res.* 1999 Aug 15;59(16):3991-7.

Jin Z, MacDonald RS. Soy isoflavones increase latency of spontaneous mammary tumors in mice. *J Nutr.* 2002 Oct;132(10):3186-90.

Joliet P, Simon N, Barre J, et al. Plasma coenzyme Q10 concentrations in breast cancer: prognosis and therapeutic consequences. *Int J Clin Pharmacol Ther.* 1998 Sep;36(9):506-9.

Ju YH, Allred CD, Allred KF, et al. Physiological concentrations of dietary genistein dose-dependently stimulate growth of estrogen-dependent human breast cancer (MCF-7) tumors implanted in athymic nude mice. *J Nutr.* 2001 Nov;131(11):2957-62.

Kall MA, Vang O, Clausen J. Effects of dietary broccoli on human drug metabolising activity. *Cancer Lett.* 1997 Mar 19;114(1-2):169-70.

Kampa M, Hatzoglou A, Notas G, et al. Wine antioxidant polyphenols inhibit the proliferation of human prostate cancer cell lines. *Nutr Cancer.* 2000;37(2):223-33.

Kang JH, Park YH, Choi SW, et al. Resveratrol derivatives potently induce apoptosis in human promyelocytic leukemia cells. *Exp Mol Med.* 2003 Dec 31;35(6):467-74.

Kao YC, Zhou C, Sherman M, et al. Molecular basis of the inhibition of human aromatase (estrogen synthetase) by flavone and isoflavone phytoestrogens: A site-directed mutagenesis study. *Environ Health Perspect.* 1998 Feb;106(2):85-92.

Karpov LM, Dvuzhil'naia ED, Savvov VI, et al. [S35 lipoic acid distribution and its effect on pyruvate dehydrogenase activity in rats with Walker carcinoma]. *Vopr Onkol.* 1977;23(10):87-90.

Kasuga S, Uda N, Kyo E, et al. Pharmacologic activities of aged garlic extract in comparison with other garlic preparations. *J Nutr.* 2001 Mar;131(3s):1080S-4S.

Katchamart S, Williams DE. Indole-3-carbinol modulation of hepatic monooxygenases CYP1A1, CYP1A2 and FMO1 in guinea pig, mouse and rabbit. *Comp Biochem Physiol C Toxicol Pharmacol.* 2001 Aug;129(4):377-84.

Kawamori T, Lubet R, Steele VE, et al. Chemopreventive effect of curcumin, a naturally occurring anti-inflammatory agent, during the promotion/progression stages of colon cancer. *Cancer Res.* 1999 Feb 1;59(3):597-601.

Kensler TW, Dolan PM, Gange SJ, et al. Conceptually new diltanoids (vitamin D analogs) inhibit multistage skin tumorigenesis.

Carcinogenesis. 2000 Jul;21(7):1341-5.

Khan JA, Kumar P, Srinivasan A, et al. Protein intermediate trapped by the simultaneous crystallization process. Crystal structure of an iron-saturated intermediate in the Fe³⁺ binding pathway of camel lactoferrin at 2.7 Å resolution. *J Biol Chem*. 2001 Sep 28;276(39):36817-23.

Khoshyomn S, Nathan D, Manske GC, et al. Synergistic effect of genistein and BCNU on growth inhibition and cytotoxicity of glioblastoma cells. *J Neurooncol*. 2002 May;57(3):193-200.

Kidd P. A new approach to metastatic cancer prevention: modified citrus pectin (MCP), a unique pectin that blocks cell surface lectins. *Altern Med Rev*. 1996;(1):4-10.

Kim SJ. Melatonin as Antioxidant 2000.2000

Kimura Y, Okuda H. Resveratrol isolated from *Polygonum cuspidatum* root prevents tumor growth and metastasis to lung and tumor-induced neovascularization in Lewis lung carcinoma-bearing mice. *J Nutr*. 2001 Jun;131(6):1844-9.

Klein V, Chajes V, Germain E, et al. Low alpha-linolenic acid content of adipose breast tissue is associated with an increased risk of breast cancer. *Eur J Cancer*. 2000 Feb;36(3):335-40.

Klimberg VS, Nwokedi E, Hutchins LF, et al. Glutamine facilitates chemotherapy while reducing toxicity. *JPEN J Parenter Enteral Nutr*. 1992 Nov;16(6 Suppl):83S-7S.

Klimberg VS, Kornbluth J, Cao Y, et al. Glutamine suppresses PGE₂ synthesis and breast cancer growth. *J Surg Res*. 1996 Jun;63(1):293-7.

Klimberg VS, McClellan JL, Claude H, Organ, Jr. Honorary Lectureship. Glutamine, cancer, and its therapy. *Am J Surg*. 1996 Nov;172(5):418-24.

Kliukiene J, Tynes T, Andersen A. Risk of breast cancer among Norwegian women with visual impairment. *Br J Cancer*. 2001 Feb 2;84(3):397-9.

Kolonel LN, Hankin JH, Whittemore AS, et al. Vegetables, fruits, legumes and prostate cancer: a multiethnic case-control study. *Cancer Epidemiol Biomarkers Prev*. 2000 Aug;9(8):795-804.

Konig H, Hermanek P, Rosch W. Clinical conference: Unusual course of chronic colitis. *Acta Hepatogastroenterol (Stuttg)*. 1976 Jun;23(3):227-31.

Kopp P. Resveratrol, a phytoestrogen found in red wine. A possible explanation for the conundrum of the 'French paradox'? *Eur J Endocrinol*. 1998 Jun;138(6):619-20.

Korutla L, Cheung JY, Mendelsohn J, et al. Inhibition of ligand-induced activation of epidermal growth factor receptor tyrosine phosphorylation by curcumin. *Carcinogenesis*. 1995 Aug;16(8):1741-5.

Kozuki Y, Miura Y, Yagasaki K. Inhibitory effects of carotenoids on the invasion of rat ascites hepatoma cells in culture. *Cancer Lett*. 2000 Apr 3;151(1):111-5.

Kozuki Y, Miura Y, Yagasaki K. Resveratrol suppresses hepatoma cell invasion independently of its anti-proliferative action. *Cancer Lett*. 2001 Jun 26;167(2):151-6.

Kubota T, Fujiwara H, Ueda Y, et al. Cimetidine modulates the antigen presenting capacity of dendritic cells from colorectal cancer patients. *Br J Cancer*. 2002 Apr 22;86(8):1257-61.

Kucuk O, Sarkar FH, Sakr W, et al. Phase II randomized clinical trial of lycopene supplementation before radical prostatectomy. *Cancer Epidemiol Biomarkers Prev*. 2001 Aug;10(8):861-8.

Kuo CL, Chou CC, Yung BY. Berberine complexes with DNA in the berberine-induced apoptosis in human leukemic HL-60 cells. *Cancer Lett*. 1995 Jul 13;93(2):193-200.

Kuo ML, Huang TS, Lin JK. Curcumin, an antioxidant and anti-tumor promoter, induces apoptosis in human leukemia cells.

Biochim Biophys Acta. 1996 Nov 15;1317(2):95-100.

Lamartiniere CA, Zhang JX, Cotroneo MS. Genistein studies in rats: potential for breast cancer prevention and reproductive and developmental toxicity. *Am J Clin Nutr.* 1998 Dec;68(6 Suppl):1400S-5S.

Langer S. Garlic: the new cancer-fighting candidate. *Better Nutrition for Today's Living* 1991 Jun. 1991;Jun.

Lau B. Garlic Research Update.1991;1991a.

Lau BH, Woolley JL, Marsh CL, et al. Superiority of intralesional immunotherapy with *Corynebacterium parvum* and *Allium sativum* in control of murine transitional cell carcinoma. *J Urol.* 1986 Sep;136(3):701-5.

Lau BH, Yamasaki T, Gridley DS. Garlic compounds modulate macrophage and T-lymphocyte functions. *Mol Biother.* 1991 Jun;3(2):103-7.

Lau KM, LaSpina M, Long J, et al. Expression of estrogen receptor (ER)-alpha and ER-beta in normal and malignant prostatic epithelial cells: regulation by methylation and involvement in growth regulation. *Cancer Res.* 2000 Jun 15;60(12):3175-82.

Leigh E. Garlic *Allium sativum*.7777

Levy S, Herberman R, Lippman M, et al. Correlation of stress factors with sustained depression of natural killer cell activity and predicted prognosis in patients with breast cancer. *J Clin Oncol.* 1987 Mar;5(3):348-53.

Leyton J, Garcia-Marin LJ, Tapia JA, et al. Bombesin and gastrin releasing peptide increase tyrosine phosphorylation of focal adhesion kinase and paxillin in non-small cell lung cancer cells. *Cancer Lett.* 2001 Jan 10;162(1):87-95.

Li JK, Lin-Shia SY. Mechanisms of cancer chemoprevention by curcumin. *Proc Natl Sci Counc Repub China B.* 2001 Apr;25(2):59-66.

Li Y, Sarkar FH. Gene expression profiles of genistein-treated PC3 prostate cancer cells. *J Nutr.* 2002 Dec;132(12):3623-31.

Li Y, Sarkar FH. Down-regulation of invasion and angiogenesis-related genes identified by cDNA microarray analysis of PC3 prostate cancer cells treated with genistein. *Cancer Lett.* 2002 Dec 5;186(2):157-64.

Lian F, Li Y, Bhuiyan M, et al. p53-independent apoptosis induced by genistein in lung cancer cells. *Nutr Cancer.* 1999;33(2):125-31.

Liburdy RP, Sloma TR, Sokolic R, et al. ELF magnetic fields, breast cancer, and melatonin: 60 Hz fields block melatonin's oncostatic action on ER+ breast cancer cell proliferation. *J Pineal Res.* 1993 Mar;14(2):89-97.

Life Extension Foundation Report. How Selenium Fights Disease 1995 Jan 1.1995;Jan 1.

Life Extension Magazine 2000 Apr. Life Extension Magazine. CLA and cancer. Life Extension Magazine 2000 Apr. 2000;2000 Apr6(4):69-70.

Life Extension Magazine October 2002. Life Extension Magazine. Newly discovered benefits of gamma tocopherol. Life Extension Magazine October 2002. 2002;OCT 2002.

Lin JG, Chung JG, Wu LT, et al. Effects of berberine on arylamine N-acetyltransferase activity in human colon tumor cells. *Am J Chin Med.* 1999;27(2):265-75.

Lin JK, Chen YC, Huang YT, et al. Suppression of protein kinase C and nuclear oncogene expression as possible molecular mechanisms of cancer chemoprevention by apigenin and curcumin. *J Cell Biochem Suppl.* 1997;28-29:39-48.

Lin R. Garlic in Nutrition and Medicine.1989.

Lissoni P, Barni S, Rovelli F, et al. Neuroimmunotherapy of advanced solid neoplasms with single evening subcutaneous injection of low-dose interleukin-2 and melatonin: preliminary results. *Eur J Cancer.* 1993;29A(2):185-9.

Lissoni P, Barni S, Tancini G, et al. A randomised study with subcutaneous low-dose interleukin 2 alone vs interleukin 2 plus the

pineal neurohormone melatonin in advanced neoplasms other than renal cancer and melanoma. *Br J Cancer*. 1994 Jan;69(1):196-9.

Lissoni P, Barni S, Ardizzoia A, et al. A randomized study with the pineal hormone melatonin versus supportive care alone in patients with brain metastases due to solid neoplasms. *Cancer*. 1994 Feb 1;73(3):699-701.

Lissoni P, Meregalli S, Nosetto L, et al. Increased survival time in brain glioblastomas by a radioneuroendocrine strategy with radiotherapy plus melatonin compared to radiotherapy alone. *Oncology*. 1996 Jan;53(1):43-6.

Lissoni P, Bolis S, Brivio F, et al. A phase II study of neuroimmunotherapy with subcutaneous low-dose IL-2 plus the pineal hormone melatonin in untreatable advanced hematologic malignancies. *Anticancer Res*. 2000 May;20(3B):2103-5.

Literat A, Su F, Norwicki M, et al. Regulation of pro-inflammatory cytokine expression by curcumin in hyaline membrane disease (HMD). *Life Sci*. 2001 Dec 7;70(3):253-67.

Lockwood K, Moesgaard S, Hanioka T, et al. Apparent partial remission of breast cancer in 'high risk' patients supplemented with nutritional antioxidants, essential fatty acids and coenzyme Q10. *Mol Aspects Med*. 1994;15 Suppl:s231-s240.

Lockwood K, Moesgaard S, Yamamoto T, et al. Progress on therapy of breast cancer with vitamin Q10 and the regression of metastases. *Biochem Biophys Res Commun*. 1995 Jul 6;212(1):172-7.

Lord RS, Bongiovanni B, Bralley JA. Estrogen metabolism and the diet-cancer connection: rationale for assessing the ratio of urinary hydroxylated estrogen metabolites. *Altern Med Rev*. 2002 Apr;7(2):112-29.

Lukaczer D. The Yam Cream Conundrum 2001 Feb.2001;2001 Feb

Lund EL, Quistorff B, Spang-Thomsen M, et al. Effect of radiation therapy on small-cell lung cancer is reduced by ubiquinone intake. *Folia Microbiol (Praha)*. 1998;43(5):505-6.

MacBurney M, Young LS, Ziegler TR, et al. A cost-evaluation of glutamine-supplemented parenteral nutrition in adult bone marrow transplant patients. *J Am Diet Assoc*. 1994 Nov;94(11):1263-6.

Maes M, Christophe A, Bosmans E, et al. In humans, serum polyunsaturated fatty acid levels predict the response of proinflammatory cytokines to psychologic stress. *Biol Psychiatry*. 2000 May 15;47(10):910-20.

Maestroni GJ. Therapeutic potential of melatonin in immunodeficiency states, viral diseases, and cancer. *Adv Exp Med Biol*. 1999;467:217-26.

Maillard V, Bougnoux P, Ferrari P, et al. N-3 and N-6 fatty acids in breast adipose tissue and relative risk of breast cancer in a case-control study in Tours, France. *Int J Cancer*. 2002 Mar 1;98(1):78-83.

Malafa MP, Fokum FD, Smith L, et al. Inhibition of angiogenesis and promotion of melanoma dormancy by vitamin E succinate. *Ann Surg Oncol*. 2002 Dec;9(10):1023-32.

Malafa MP, Fokum FD, Mowlavi A, et al. Vitamin E inhibits melanoma growth in mice. *Surgery*. 2002 Jan;131(1):85-91.

Mark SD, Qiao YL, Dawsey SM, et al. Prospective study of serum selenium levels and incident esophageal and gastric cancers. *J Natl Cancer Inst*. 2000 Nov 1;92(21):1753-63.

Marley SB, Davidson RJ, Goldman JM, et al. Effects of combinations of therapeutic agents on the proliferation of progenitor cells in chronic myeloid leukaemia. *Br J Haematol*. 2002 Jan;116(1):162-5.

Maruyama S, Fujimoto N, Asano K, et al. Suppression by estrogen receptor beta of AP-1 mediated transactivation through estrogen receptor alpha. *J Steroid Biochem Mol Biol*. 2001 Aug;78(2):177-84.

Maskarinec G, Lyu LC, Meng L, et al. Determinants of mammographic densities among women of Asian, Native Hawaiian, and Caucasian ancestry. *Ethn Dis*. 2001;11(1):44-50.

Masuda C, Wanibuchi H, Sekine K, et al. Chemopreventive effects of bovine lactoferrin on N-butyl-N-(4-hydroxybutyl)nitrosamine-induced rat bladder carcinogenesis. *Jpn J Cancer Res*. 2000 Jun;91(6):582-8.

Mathew B, Sankaranarayanan R, Nair PP, et al. Evaluation of chemoprevention of oral cancer with *Spirulina fusiformis*. *Nutr Cancer*. 1995;24(2):197-202.

Matsumoto S. Cimetidine and survival with colorectal cancer. *Lancet*. 1995 Jul 8;346(8967):115.

Mazur W. Phytoestrogen content in foods. *Baillieres Clin Endocrinol Metab*. 1998 Dec;12(4):729-42.

McAllister E. MGN-3: cure or curiosity? The question persists! *Well Being Journal*. 2001;(Special Edition).

McPherson SJ, Wang H, Jones ME, et al. Elevated androgens and prolactin in aromatase-deficient mice cause enlargement, but not malignancy, of the prostate gland. *Endocrinology*. 2001 Jun;142(6):2458-67.

Mei X. Garlic and gastric cancer. *Acta Nutr Sinica*. 1982;(4):53-8.

Mercola J. How You Can Beat Prostate and Breast Cancer Nutritionally 2000b.2000;2000b

Mercola J. Omega-3 Fats Prevent Breast Cancer.2002;2002a

Miller A, Stanton C, Devery R. Modulation of arachidonic acid distribution by conjugated linoleic acid isomers and linoleic acid in MCF-7 and SW480 cancer cells. *Lipids*. 2001 Oct;36(10):1161-8.

Miyoshi Y, Ando A, Shiba E, et al. Involvement of up-regulation of 17beta-hydroxysteroid dehydrogenase type 1 in maintenance of intratumoral high estradiol levels in postmenopausal breast cancers. *Int J Cancer*. 2001 Dec 1;94(5):685-9.

Morioka N, Sze LL, Morton DL, et al. A protein fraction from aged garlic extract enhances cytotoxicity and proliferation of human lymphocytes mediated by interleukin-2 and concanavalin A. *Cancer Immunol Immunother*. 1993 Oct;37(5):316-22.

Moss R. Melatonin vs. cancer. *Cancer Chronicles #27*.1995; 1995 May

Moss R. Antioxidants Against Cancer 2000.2000.

Mostafa MG, Mima T, Ohnishi ST, et al. S-allylcysteine ameliorates doxorubicin toxicity in the heart and liver in mice. *Planta Med*. 2000 Mar;66(2):148-51.

Motoo Y, Taga K, Su SB, et al. Arginine induces apoptosis and gene expression of pancreatitis-associated protein (PAP) in rat pancreatic acinar AR4-2J cells. *Pancreas*. 2000 Jan;20(1):61-6.

Moyad MA, Brumfield SK, Pienta KJ. Vitamin E, alpha- and gamma-tocopherol, and prostate cancer. *Semin Urol Oncol*. 1999 May;17(2):85-90.

Muhling J, Fuchs M, Fleck C, et al. Effects of arginine, L-alanyl-L-glutamine or taurine on neutrophil (PMN) free amino acid profiles and immune functions in vitro. *Amino Acids*. 2002;22(1):39-53.

Munoz C, Pascual-Salcedo D, Castellanos MC, et al. Pyrrolidine dithiocarbamate inhibits the production of interleukin-6, interleukin-8, and granulocyte-macrophage colony-stimulating factor by human endothelial cells in response to inflammatory mediators: modulation of NF-kappa B and AP-1 transcription factors activity. *Blood*. 1996 Nov 1;88(9):3482-90.

Munzenmaier A, Lange C, Glocker E, et al. A secreted/shed product of *Helicobacter pylori* activates transcription factor nuclear factor-kappa B. *J Immunol*. 1997 Dec 15;159(12):6140-7.

Murch SJ, Simmons CB, Saxena PK. Melatonin in feverfew and other medicinal plants. *Lancet*. 1997 Nov 29;350(9091):1598-9.

Murray M. *Encyclopedia of Nutritional Supplements* 1996.1996.

Naasani I, Seimiya H, Tsuruo T. Telomerase inhibition, telomere shortening, and senescence of cancer cells by tea catechins. *Biochem Biophys Res Commun*. 1998 Aug 19;249(2):391-6.

Nagasawa K, Natazuka T, Chihara K, et al. Transport mechanism of anthracycline derivatives in human leukemia cell lines: uptake and efflux of pirarubicin in HL60 and pirarubicin-resistant HL60 cells. *Cancer Chemother Pharmacol*. 1996;37(4):297-304.

- Nagata C, Takatsuka N, Inaba S, et al. Effect of soymilk consumption on serum estrogen concentrations in premenopausal Japanese women. *J Natl Cancer Inst.* 1998 Dec 2;90(23):1830-5.
- Naik H. Inhibition of in vitro tumor cell-endothelial adhesion by modified citrus pectin: a pH modified natural complex carbohydrate. *Proc Am Assoc Cancer Res.* 1995;36.
- Nair S, Norkus EP, Hertan H, et al. Serum and colon mucosa micronutrient antioxidants: differences between adenomatous polyp patients and controls. *Am J Gastroenterol.* 2001 Dec;96(12):3400-5.
- Nakagawa H, Kiyozuka Y, Uemura Y, et al. Resveratrol inhibits human breast cancer cell growth and may mitigate the effect of linoleic acid, a potent breast cancer cell stimulator. *J Cancer Res Clin Oncol.* 2001 Apr;127(4):258-64.
- Nangia-Makker P, Hogan V, Honjo Y, et al. Inhibition of human cancer cell growth and metastasis in nude mice by oral intake of modified citrus pectin. *J Natl Cancer Inst.* 2002 Dec 18;94(24):1854-62.
- Narisawa T, Fukaura Y, Yazawa K, et al. Colon cancer prevention with a small amount of dietary perilla oil high in alpha-linolenic acid in an animal model. *Cancer.* 1994 Apr 15;73(8):2069-75.
- Nesaretnam K, Stephen R, Dils R, et al. Tocotrienols inhibit the growth of human breast cancer cells irrespective of estrogen receptor status. *Lipids.* 1998 May;33(5):461-9.
- Newmark T. *Beyond Aspirin.* 2000.
- Ni R, Nishikawa Y, Carr BI. Cell growth inhibition by a novel vitamin K is associated with induction of protein tyrosine phosphorylation. *J Biol Chem.* 1998 Apr 17;273(16):9906-11.
- Nie D, Lamberti M, Zacharek A, et al. Thromboxane A(2) regulation of endothelial cell migration, angiogenesis, and tumor metastasis. *Biochem Biophys Res Commun.* 2000 Jan 7;267(1):245-51.
- Nishino H. Antitumor-promoting activity of allixin, a stress compound produced by garlic. *Cancer J.* 1990;(3):20-1.
- Nishino H, Kitagawa K, Fujiki H, et al. Berberine sulfate inhibits tumor-promoting activity of teleocidin in two-stage carcinogenesis on mouse skin. *Oncology.* 1986;43(2):131-4.
- Noreen Y, Ringbom T, Perera P, et al. Development of a radiochemical cyclooxygenase-1 and -2 in vitro assay for identification of natural products as inhibitors of prostaglandin biosynthesis. *J Nat Prod.* 1998 Jan;61(1):2-7.
- NSN. *Nutrition Science News.* Vitamin D Is for Cancer Defense 2000 Mar. 2000;2000 Mar
- Ogilvie GK, Fettman MJ, Mallinckrodt CH, et al. Effect of fish oil, arginine, and doxorubicin chemotherapy on remission and survival time for dogs with lymphoma: a double-blind, randomized placebo-controlled study. *Cancer.* 2000 Apr 15;88(8):1916-28.
- Orucevic A, Bechberger J, Green AM, et al. Nitric-oxide production by murine mammary adenocarcinoma cells promotes tumor-cell invasiveness. *Int J Cancer.* 1999 Jun 11;81(6):889-96.
- Pack RA, Hardy K, Madigan MC, et al. Differential effects of the antioxidant alpha-lipoic acid on the proliferation of mitogen-stimulated peripheral blood lymphocytes and leukaemic T cells. *Mol Immunol.* 2002 Feb;38(10):733-45.
- Packer LCC. *The Antioxidant Miracle* 1999. 1999.
- Palozza P, Maggiano N, Calviello G, et al. Canthaxanthin induces apoptosis in human cancer cell lines. *Carcinogenesis.* 1998 Feb;19(2):373-6.
- Paschka AG, Butler R, Young CY. Induction of apoptosis in prostate cancer cell lines by the green tea component, (-)-epigallocatechin-3-gallate. *Cancer Lett.* 1998 Aug 14;130(1-2):1-7.
- Pepping J. Coenzyme Q10. *Am J Health Syst Pharm.* 1999 Mar 15;56(6):519-21.
- Pettersson K, Delaunay F, Gustafsson JA. Estrogen receptor beta acts as a dominant regulator of estrogen signaling. *Oncogene.*

2000 Oct 12;19(43):4970-8.

Pezzuto J. Functional Foods for Health. Resveratrol in Grapes Fights Cancer 1997.1997.

Pienta KJ, Naik H, Akhtar A, et al. Inhibition of spontaneous metastasis in a rat prostate cancer model by oral administration of modified citrus pectin. *J Natl Cancer Inst.* 1995 Mar 1;87(5):348-53.

Pili R, Kruszewski MP, Hager BW, et al. Combination of phenylbutyrate and 13-cis retinoic acid inhibits prostate tumor growth and angiogenesis. *Cancer Res.* 2001 Feb 15;61(4):1477-85.

Pizzorno J. Omega 3-fatty acids: a key nutrient in cancer care. Presented at Comprehensive Cancer Care 2001, Arlington, VA, October 17-21, 2001.2001;October 17-21, 2001.

Platt D, Raz A. Modulation of the lung colonization of B16-F1 melanoma cells by citrus pectin. *J Natl Cancer Inst.* 1992 Mar 18;84(6):438-42.

Plummer SM, Holloway KA, Manson MM, et al. Inhibition of cyclo-oxygenase 2 expression in colon cells by the chemopreventive agent curcumin involves inhibition of NF-kappaB activation via the NIK/IKK signalling complex. *Oncogene.* 1999 Oct 28;18(44):6013-20.

Posner G. Molecular Architects Create New Cancer Preventives 2000.2000

Prasad KN. Doses of multiple antioxidant vitamins: essential ingredients in proving the efficacy of standard cancer therapy. *J Am Coll Nutr.* 1999;18(1):13-25.

Rabindran SK. Genistein modulates drug resistance in non P-glycoprotein multidrug resistant human colon carcinoma cells (meeting abstract). *Proc Annu Meet Am Assoc Cancer Res.* 1995;36(A1928).

Raz A, Lotan R. Endogenous galactoside-binding lectins: a new class of functional tumor cell surface molecules related to metastasis. *Cancer Metastasis Rev.* 1987;6(3):433-52.

Record IR, Broadbent JL, King RA, et al. Genistein inhibits growth of B16 melanoma cells in vivo and in vitro and promotes differentiation in vitro. *Int J Cancer.* 1997 Sep 4;72(5):860-4.

Reddi K, Henderson B, Meghji S, et al. Interleukin 6 production by lipopolysaccharide-stimulated human fibroblasts is potently inhibited by naphthoquinone (vitamin K) compounds. *Cytokine.* 1995 Apr;7(3):287-90.

Redlich CA, Rockwell S, Chung JS, et al. Vitamin A inhibits radiation-induced pneumonitis in rats. *J Nutr.* 1998 Oct;128(10):1661-4.

Reiter RJ, Tan DX, Burkhardt S, et al. Melatonin in plants. *Nutr Rev.* 2001 Sep;59(9):286-90.

Reverter JC, Sierra J, Marti-Tutusa JM, et al. Hypcholesterolemia in acute myelogenous leukemia. *Eur J Haematol.* 1988 Oct;41(4):317-20.

Richardson MA, Sanders T, Palmer JL, et al. Complementary/alternative medicine use in a comprehensive cancer center and the implications for oncology. *J Clin Oncol.* 2000 Jul;18(13):2505-14.

Richter R. Stress hormone may contribute to breast cancer deaths. *Stanford Online Report* 2000 Jun 28.2000;2000 Jun 28 .

Ringbom T, Huss U, Stenholm A, et al. Cox-2 inhibitory effects of naturally occurring and modified fatty acids. *J Nat Prod.* 2001 Jun;64(6):745-9.

Riordan HD, Hunninghake RB, Riordan NH, et al. Intravenous ascorbic acid: protocol for its application and use. *P R Health Sci J.* 2003 Sep;22(3):287-90.

Riordan N. Clinical and experimental experiences with intravenous vitamin C: potentiation of preferential toxicity of vitamin C. *Proceedings from Vitamin C as Cancer Therapy Workshop, Montreal.* *J Orthomol Med.* 2000;15(4):201-13.

Roman-Gomez J, Castillejo JA, Jimenez A, et al. 5' CpG island hypermethylation is associated with transcriptional silencing of

the p21(CIP1/WAF1/SDI1) gene and confers poor prognosis in acute lymphoblastic leukemia. *Blood*. 2002 Apr 1;99(7):2291-6.

Ross JS, Fletcher JA. The HER-2/neu Oncogene in Breast Cancer: Prognostic Factor, Predictive Factor, and Target for Therapy. *Oncologist*. 1998;3(4):237-52.

Rossing MA, Scholes D, Cushing-Haugen KL, et al. Cimetidine use and risk of prostate and breast cancer. *Cancer Epidemiol Biomarkers Prev*. 2000 Mar;9(3):319-23.

Ruby AJ, Kuttan G, Babu KD, et al. Anti-tumour and antioxidant activity of natural curcuminoids. *Cancer Lett*. 1995 Jul 20;94(1):79-83.

Rybak LP, Husain K, Whitworth C, et al. Dose dependent protection by lipoic acid against cisplatin-induced ototoxicity in rats: antioxidant defense system. *Toxicol Sci*. 1999 Feb;47(2):195-202.

Sadzuka Y, Sugiyama T, Miyagishima A, et al. The effects of theanine, as a novel biochemical modulator, on the antitumor activity of adriamycin. *Cancer Lett*. 1996 Aug 2;105(2):203-9.

Sadzuka Y, Sugiyama T, Sonobe T. Improvement of idarubicin induced antitumor activity and bone marrow suppression by theanine, a component of tea. *Cancer Lett*. 2000 Oct 1;158(2):119-24.

Sadzuka Y, Sugiyama T, Sonobe T. Efficacies of tea components on doxorubicin induced antitumor activity and reversal of multidrug resistance. *Toxicol Lett*. 2000 Apr 3;114(1-3):155-62.

Sadzuka Y, Sugiyama T, Suzuki T, et al. Enhancement of the activity of doxorubicin by inhibition of glutamate transporter. *Toxicol Lett*. 2001 Sep 15;123(2-3):159-67.

Saied IT, Shamsuddin AM. Up-regulation of the tumor suppressor gene p53 and WAF1 gene expression by IP6 in HT-29 human colon carcinoma cell line. *Anticancer Res*. 1998 May;18(3A):1479-84.

Saji S, Omoto Y, Shimizu C, et al. Expression of estrogen receptor (ER) (beta)cx protein in ER(alpha)-positive breast cancer: specific correlation with progesterone receptor. *Cancer Res*. 2002 Sep 1;62(17):4849-53.

Sakamoto K, Venkatraman G, Shamsuddin AM. Growth inhibition and differentiation of HT-29 cells in vitro by inositol hexaphosphate (phytic acid). *Carcinogenesis*. 1993 Sep;14(9):1815-9.

Sakamoto K. Synergistic effects of thearubigin and genistein on human prostate tumor cell (PC-3) growth via cell cycle arrest. *Cancer Lett*. 2000 Apr 3;151(1):103-9.

Saliou C, Rihn B, Cillard J, et al. Selective inhibition of NF-kappaB activation by the flavonoid hepatoprotector silymarin in HepG2. Evidence for different activating pathways. *FEBS Lett*. 1998 Nov 27;440(1-2):8-12.

Sampath D, Winneker RC, Zhang Z. Cyr61, a member of the CCN family, is required for MCF-7 cell proliferation: regulation by 17beta-estradiol and overexpression in human breast cancer. *Endocrinology*. 2001 Jun;142(6):2540-8.

Santell RC, Kieu N, Helferich WG. Genistein inhibits growth of estrogen-independent human breast cancer cells in culture but not in athymic mice. *J Nutr*. 2000 Jul;130(7):1665-9.

Sardi B. Vitamin D is for cancer defense. *Nutrition Science News* 2000 Mar.2000;2000 Mar.

Scambia G, De Vincenzo R, Ranelletti FO, et al. Antiproliferative effect of silybin on gynaecological malignancies: synergism with cisplatin and doxorubicin. *Eur J Cancer*. 1996 May;32A(5):877-82.

Scanlan JM, Vitaliano PP, Zhang J, et al. Lymphocyte proliferation is associated with gender, caregiving, and psychosocial variables in older adults. *J Behav Med*. 2001 Dec;24(6):537-59.

Schatz I. Cholesterol and all-cause mortality in elderly people from the Honolulu Heart Study. *Lancet*. 2001;358(9279):351.

Schatz IJ, Masaki K, Yano K, et al. Cholesterol and all-cause mortality in elderly people from the Honolulu Heart Program: a cohort study. *Lancet*. 2001 Aug 4;358(9279):351-5.

Schleicher RL, Lamartiniere CA, Zheng M, et al. The inhibitory effect of genistein on the growth and metastasis of a transplantable rat accessory sex gland carcinoma. *Cancer Lett.* 1999 Mar 1;136(2):195-201.

Science News. Breast Cancer 1993 Jul 3. *Science News.* 1993;1993 Jul 3.

Science News. How EMFs may cause cancer. *Spectrum Magazine.* 1998;1998 Feb 21.

Servitja JM, Masgrau R, Pardo R, et al. Effects of oxidative stress on phospholipid signaling in rat cultured astrocytes and brain slices. *J Neurochem.* 2000 Aug;75(2):788-94.

Setchell KD, Cassidy A. Dietary isoflavones: biological effects and relevance to human health. *J Nutr.* 1999 Mar;129(3):758S-67S.

Setiawan VW, Zhang ZF, Yu GP, et al. Protective effect of green tea on the risks of chronic gastritis and stomach cancer. *Int J Cancer.* 2001 May 15;92(4):600-4.

Shah BH, Nawaz Z, Pertani SA, et al. Inhibitory effect of curcumin, a food spice from turmeric, on platelet-activating factor- and arachidonic acid-mediated platelet aggregation through inhibition of thromboxane formation and Ca²⁺ signaling. *Biochem Pharmacol.* 1999 Oct 1;58(7):1167-72.

Shah BH, Nawaz Z, Pertani SA, et al. Inhibitory effect of curcumin, a food spice from turmeric, on platelet-activating factor- and arachidonic acid-mediated platelet aggregation through inhibition of thromboxane formation and Ca²⁺ signaling. *Biochem Pharmacol.* 1999 Oct 1;58(7):1167-72.

Shamsuddin AM, Ullah A, Chakravarthy AK. Inositol and inositol hexaphosphate suppress cell proliferation and tumor formation in CD-1 mice. *Carcinogenesis.* 1989 Aug;10(8):1461-3.

Shamsuddin AM, Ullah A, Chakravarthy AK. Inositol and inositol hexaphosphate suppress cell proliferation and tumor formation in CD-1 mice. *Carcinogenesis.* 1989 Aug;10(8):1461-3.

Shamsuddin AM, Ullah A. Inositol hexaphosphate inhibits large intestinal cancer in F344 rats 5 months after induction by azoxymethane. *Carcinogenesis.* 1989 Mar;10(3):625-6.

Shamsuddin AM, Yang GY. Inositol hexaphosphate inhibits growth and induces differentiation of PC-3 human prostate cancer cells. *Carcinogenesis.* 1995 Aug;16(8):1975-9.

Shamsuddin AM, Vucenik I, Cole KE. IP6: a novel anti-cancer agent. *Life Sci.* 1997;61(4):343-54.

Shao ZM, Wu J, Shen ZZ, et al. Genistein exerts multiple suppressive effects on human breast carcinoma cells. *Cancer Res.* 1998 Nov 1;58(21):4851-7.

Shao ZM, Shen ZZ, Fontana JA, et al. Genistein's "ER-dependent and independent" actions are mediated through ER pathways in ER-positive breast carcinoma cell lines. *Anticancer Res.* 2000 Jul;20(4):2409-16.

Sheehan M, Wong HR, Hake PW, et al. Parthenolide, an inhibitor of the nuclear factor-kappaB pathway, ameliorates cardiovascular derangement and outcome in endotoxic shock in rodents. *Mol Pharmacol.* 2002 May;61(5):953-63.

Shen JC, Klein RD, Wei Q, et al. Low-dose genistein induces cyclin-dependent kinase inhibitors and G(1) cell-cycle arrest in human prostate cancer cells. *Mol Carcinog.* 2000 Oct;29(2):92-102.

Shoba G, Joy D, Joseph T, et al. Influence of piperine on the pharmacokinetics of curcumin in animals and human volunteers. *Planta Med.* 1998 May;64(4):353-6.

Siegers CP, Andresen S, Keogh JP. Does cimetidine improve prospects for cancer patients?. A reappraisal of the evidence to date. *Digestion.* 1999 Sep;60(5):415-21.

Siemianowicz K, Gminski J, Stajszczyk M, et al. Serum HDL cholesterol concentration in patients with squamous cell and small cell lung cancer. *Int J Mol Med.* 2000 Sep;6(3):307-11.

Siwinska A, Opolski A, Chrobak A, et al. Potentiation of the antiproliferative effect in vitro of doxorubicin, cisplatin and genistein by new analogues of vitamin D. *Anticancer Res.* 2001 May;21(3B):1925-9.

Sjodin K, Nilsson E, Hallberg A, et al. Metabolism of N-acetyl-L-cysteine. Some structural requirements for the deacetylation and consequences for the oral bioavailability. *Biochem Pharmacol.* 1989 Nov 15;38(22):3981-5.

Slattery ML, Benson J, Curtin K, et al. Carotenoids and colon cancer. *Am J Clin Nutr.* 2000 Feb;71(2):575-82.

Sokoloski JA, Hodnick WF, Mayne ST, et al. Induction of the differentiation of HL-60 promyelocytic leukemia cells by vitamin E and other antioxidants in combination with low levels of vitamin D3: possible relationship to NF-kappaB. *Leukemia.* 1997 Sep;11(9):1546-53.

Somasundaram S, Edmund NA, Moore DT, et al. Dietary curcumin inhibits chemotherapy-induced apoptosis in models of human breast cancer. *Cancer Res.* 2002 Jul 1;62(13):3868-75.

Sorensen IK, Kristiansen E, Mortensen A, et al. The effect of soy isoflavones on the development of intestinal neoplasia in ApcMin mouse. *Cancer Lett.* 1998 Aug 14;130(1-2):217-25.

Speirs V, Skliris GP, Burdall SE, et al. Distinct expression patterns of ER alpha and ER beta in normal human mammary gland. *J Clin Pathol.* 2002 May;55(5):371-4.

Pravani SA, Kulkarni S, Kulkarni S, et al. Cytotoxic action of alpha-linolenic and eicosapentaenoic acids on myeloma cells in vitro. *Prostaglandins Leukot Essential Fatty Acids* 1997 Apr. 1997;56(4):285-93.

Stoica A, Saceda M, Fakhro A, et al. Regulation of estrogen receptor-alpha gene expression by 1, 25-dihydroxyvitamin D in MCF-7 cells. *J Cell Biochem.* 1999 Dec 15;75(4):640-51.

Stolzenberg-Solomon RZ, Pietinen P, Barrett MJ, et al. Dietary and other methyl-group availability factors and pancreatic cancer risk in a cohort of male smokers. *Am J Epidemiol.* 2001 Apr 1;153(7):680-7.

Strum S. Modified citrus pectin slows PSA doubling time: a pilot clinical trial. Presented at the International Conference on Diet and Prevention of Cancer, Tampere, Finland, May 28-June 2, 1999. 1999; May 28-June 2, 1999.

Studzinski GP, Moore DC. Sunlight--can it prevent as well as cause cancer? *Cancer Res.* 1995 Sep 15;55(18):4014-22.

Su SJ, Yeh TM, Lei HY, et al. The potential of soybean foods as a chemoprevention approach for human urinary tract cancer. *Clin Cancer Res.* 2000 Jan;6(1):230-6.

Subbaramaiah K, Michaluart P, Chung WJ, et al. Resveratrol inhibits cyclooxygenase-2 transcription in human mammary epithelial cells. *Ann N Y Acad Sci.* 1999;889:214-23.

Suekawa M, Yuasa K, Isono M, et al. [Pharmacological studies on ginger. IV. Effect of (6)-shogaol on the arachidonic cascade]. *Nippon Yakurigaku Zasshi.* 1986 Oct;88(4):263-9.

Sugiyama T, Sadzuka Y. Enhancing effects of green tea components on the antitumor activity of adriamycin against M5076 ovarian sarcoma. *Cancer Lett.* 1998 Nov 13;133(1):19-26.

Sugiyama T, Sadzuka Y, Nagasawa K, et al. Membrane transport and antitumor activity of pirarubicin, and comparison with those of doxorubicin. *Jpn J Cancer Res.* 1999 Jul;90(7):775-80.

Sugiyama T, Sadzuka Y, Tanaka K, et al. Inhibition of glutamate transporter by theanine enhances the therapeutic efficacy of doxorubicin. *Toxicol Lett.* 2001 Apr 30;121(2):89-96.

Sumiyoshi H, Wargovich MJ. Chemoprevention of 1,2-dimethylhydrazine-induced colon cancer in mice by naturally occurring organosulfur compounds. *Cancer Res.* 1990 Aug 15;50(16):5084-7.

Sun SY, Lotan R. Retinoids and their receptors in cancer development and chemoprevention. *Crit Rev Oncol Hematol.* 2002 Jan;41(1):41-55.

Sun XY, Plouzek CA, Henry JP, et al. Increased UDP-glucuronosyltransferase activity and decreased prostate specific antigen production by biochanin A in prostate cancer cells. *Cancer Res.* 1998 Jun 1;58(11):2379-84.

Suthar AC, Banavalikar MM, Biyani MK. Pharmacological activities of Genistein, an isoflavone from soy (Glycine max): part I--anti-cancer activity. *Indian J Exp Biol.* 2001 Jun;39(6):511-9.

Sviland L, Robinson A, Proctor SJ, et al. Interaction of cimetidine with oral melphalan. A pharmacokinetic study. *Cancer Chemother Pharmacol.* 1987;20(2):173-5.

Szende B, Tyihak E, Kiraly-Veghely Z. Dose-dependent effect of resveratrol on proliferation and apoptosis in endothelial and tumor cell cultures. *Exp Mol Med.* 2000 Jun 30;32(2):88-92.

Takeyama H, Hoon DS, Saxton RE, et al. Growth inhibition and modulation of cell markers of melanoma by S-allyl cysteine. *Oncology.* 1993;50(1):63-9.

Talalay P. Cancer protection from broccoli spouts. *Health Newsfeed #597* 1997.1997

Tallett A, Chilvers ER, Hannah S, et al. Inhibition of neuropeptide-stimulated tyrosine phosphorylation and tyrosine kinase activity stimulates apoptosis in small cell lung cancer cells. *Cancer Res.* 1996 Sep 15;56(18):4255-63.

Tesoriere L, Ciaccio M, Valenza M, et al. Effect of vitamin A administration on resistance of rat heart against doxorubicin-induced cardiotoxicity and lethality. *J Pharmacol Exp Ther.* 1994 Apr;269(1):430-6.

Tessitore L, Davit A, Sarotto I, et al. Resveratrol depresses the growth of colorectal aberrant crypt foci by affecting bax and p21 (CIP) expression. *Carcinogenesis.* 2000 Aug;21(8):1619-22.

Tessitore L, Davit A, Sarotto I, et al. Resveratrol depresses the growth of colorectal aberrant crypt foci by affecting bax and p21 (CIP) expression. *Carcinogenesis.* 2000 Aug;21(8):1619-22.

Theodorescu D, Laderoute KR, Calaoagan JM, et al. Inhibition of human bladder cancer cell motility by genistein is dependent on epidermal growth factor receptor but not p21ras gene expression. *Int J Cancer.* 1998 Dec 9;78(6):775-82.

Todesco A, Carli M, Iacona I, et al. All-trans retinoic acid and interferon-alpha in the treatment of a patient with resistant metastatic osteosarcoma. *Cancer.* 2000 Dec 15;89(12):2661-6.

Toniolo P, Van Kappel AL, Akhmedkhanov A, et al. Serum carotenoids and breast cancer. *Am J Epidemiol.* 2001 Jun 15;153(12):1142-7.

Tonnesen H, Knigge U, Bulow S, et al. Effect of cimetidine on survival after gastric cancer. *Lancet.* 1988 Oct 29;2(8618):990-2.

Tsan MF, White JE, Maheshwari JG, et al. Resveratrol induces Fas signalling-independent apoptosis in THP-1 human monocytic leukaemia cells. *Br J Haematol.* 2000 May;109(2):405-12.

Tsan MF, White JE, Maheshwari JG, et al. Anti-leukemia effect of resveratrol. *Leuk Lymphoma.* 2002 May;43(5):983-7.

Tsan MF, White JE, Maheshwari JG, et al. Anti-leukemia effect of resveratrol. *Leuk Lymphoma.* 2002 May;43(5):983-7.

Tseng M, Murray SC, Kupper LL, et al. Micronutrients and the risk of colorectal adenomas. *Am J Epidemiol.* 1996 Dec 1;144(11):1005-14.

Tsuda H, Sekine K, Takasuka N, et al. Prevention of colon carcinogenesis and carcinoma metastasis by orally administered bovine lactoferrin in animals. *Biofactors.* 2000;12(1-4):83-8.

Tsuda H, Sekine K, Ushida Y, et al. Milk and dairy products in cancer prevention: focus on bovine lactoferrin. *Mutat Res.* 2000 Apr;462(2-3):227-33.

Tsuda H, Sekine K, Fujita K, et al. Cancer prevention by bovine lactoferrin and underlying mechanisms--a review of experimental and clinical studies. *Biochem Cell Biol.* 2002;80(1):131-6.

Tu MT, Luo SF, Wang CC, et al. P2Y(2) receptor-mediated proliferation of C(6) glioma cells via activation of Ras/Raf/MEK/MAPK pathway. *Br J Pharmacol.* 2000 Apr;129(7):1481-9.

Tuohy PG. Soy infant formula and phytoestrogens. *J Paediatr Child Health.* 2003 Aug;39(6):401-5.

Uemura N, Okamoto S, Yamamoto S, et al. Helicobacter pylori infection and the development of gastric cancer. *N Engl J Med*. 2001 Sep 13;345(11):784-9.

Uhlenbruck GGR. Characteristics of green tea: a review. *Z Onkol*. 1998;30(3):57-63.

Urquhart P, Parkin SM, Rogers JS, et al. The effect of conjugated linoleic acid on arachidonic acid metabolism and eicosanoid production in human saphenous vein endothelial cells. *Biochim Biophys Acta*. 2002 Feb 28;1580(2-3):150-60.

Ushida Y, Sekine K, Kuhara T, et al. Possible chemopreventive effects of bovine lactoferrin on esophagus and lung carcinogenesis in the rat. *Jpn J Cancer Res*. 1999 Mar;90(3):262-7.

Vadgama JV, Wu Y, Shen D, et al. Effect of selenium in combination with Adriamycin or Taxol on several different cancer cells. *Anticancer Res*. 2000 May;20(3A):1391-414.

van den Bemd GJ, Chang GT. Vitamin D and vitamin D analogs in cancer treatment. *Curr Drug Targets*. 2002 Feb;3(1):85-94.

van Zandwijk N. N-acetylcysteine (NAC) and glutathione (GSH): antioxidant and chemopreventive properties, with special reference to lung cancer. *J Cell Biochem Suppl*. 1995;22:24-32.

van Zandwijk N. N-acetylcysteine (NAC) and glutathione (GSH): antioxidant and chemopreventive properties, with special reference to lung cancer. *J Cell Biochem Suppl*. 1995;22:24-32.

Verma SP, Goldin BR, Lin PS. The inhibition of the estrogenic effects of pesticides and environmental chemicals by curcumin and isoflavonoids. *Environ Health Perspect*. 1998 Dec;106(12):807-12.

Versantvoort CH, Broxterman HJ, Lankelma J, et al. Competitive inhibition by genistein and ATP dependence of daunorubicin transport in intact MRP overexpressing human small cell lung cancer cells. *Biochem Pharmacol*. 1994 Sep 15;48(6):1129-36.

Vieth R. Vitamin D supplementation, 25-hydroxyvitamin D concentrations, and safety. *Am J Clin Nutr*. 1999 May;69(5):842-56.

Visonneau S, Cesano A, Tepper SA, et al. Conjugated linoleic acid suppresses the growth of human breast adenocarcinoma cells in SCID mice. *Anticancer Res*. 1997 Mar;17(2A):969-73.

Vlahopoulos S, Boldogh I, Casola A, et al. Nuclear factor-kappaB-dependent induction of interleukin-8 gene expression by tumor necrosis factor alpha: evidence for an antioxidant sensitive activating pathway distinct from nuclear translocation. *Blood*. 1999 Sep 15;94(6):1878-89.

Vlahopoulos S, Boldogh I, Casola A, et al. Nuclear factor-kappaB-dependent induction of interleukin-8 gene expression by tumor necrosis factor alpha: evidence for an antioxidant sensitive activating pathway distinct from nuclear translocation. *Blood*. 1999 Sep 15;94(6):1878-89.

Wakai K, Ohno Y, Genka K, et al. Risk modification in lung cancer by a dietary intake of preserved foods and soyfoods: findings from a case-control study in Okinawa, Japan. *Lung Cancer*. 1999 Sep;25(3):147-59.

Wang C, Kurzer MS. Phytoestrogen concentration determines effects on DNA synthesis in human breast cancer cells. *Nutr Cancer*. 1997;28(3):236-47.

Wang IK, Lin-Shiau SY, Lin JK. Suppression of invasion and MMP-9 expression in NIH 3T3 and v-H-Ras 3T3 fibroblasts by lovastatin through inhibition of ras isoprenylation. *Oncology*. 2000 Sep;59(3):245-54.

Wang X, Ponzio NM, Studzinski GP. Long-term exposure of HL60 cells to 1,25-dihydroxyvitamin D3 reduces their tumorigenicity: a model for cancer chemoprevention. *Proc Soc Exp Biol Med*. 1997 Sep;215(4):399-404.

Wargovich MJ, Imada O, Stephens LC. Initiation and post-initiation chemopreventive effects of diallyl sulfide in esophageal carcinogenesis. *Cancer Lett*. 1992 May 30;64(1):39-42.

Webel DM, Mahan DC, Johnson RW, et al. Pretreatment of young pigs with vitamin E attenuates the elevation in plasma interleukin-6 and cortisol caused by a challenge dose of lipopolysaccharide. *J Nutr*. 1998 Oct;128(10):1657-60.

Weinberg ED. Human lactoferrin: a novel therapeutic with broad spectrum potential. *J Pharm Pharmacol*. 2001 Oct;53(10):1303-10.

Welch C, Wuarin L, Sidell N. Antiproliferative effect of the garlic compound S-allyl cysteine on human neuroblastoma cells in vitro. *Cancer Lett*. 1992 Apr 30;63(3):211-9.

Weverling-Rijnsburger AW, Blauw GJ, Lagaay AM, et al. Total cholesterol and risk of mortality in the oldest old. *Lancet*. 1997 Oct 18;350(9085):1119-23.

Whanger PD. *Selenium and Cancer: New Views*. New Views 1998.2004

Whitaker J. My experience with DMSO and cancer. *Health & Healing: Tomorrow's Medicine Today*. 1995;5(8):3.

Wietrzyk J, Opolski A, Madej J, et al. The antitumor effect of postoperative treatment with genistein alone or combined with cyclophosphamide in mice bearing transplantable tumors. *Acta Pol Pharm*. 2000 Nov;57 Suppl:5-8.

Wietrzyk J, Boratynski J, Gryniewicz G, et al. Antiangiogenic and antitumor effects in vivo of genistein applied alone or combined with cyclophosphamide. *Anticancer Res*. 2001 Nov;21(6A):3893-6.

Woodson K, Tangrea JA, Barrett MJ, et al. Serum alpha-tocopherol and subsequent risk of lung cancer among male smokers. *J Natl Cancer Inst*. 1999 Oct 20;91(20):1738-43.

Wu AH, Ziegler RG, Horn-Ross PL, et al. Tofu and risk of breast cancer in Asian-Americans. *Cancer Epidemiol Biomarkers Prev*. 1996 Nov;5(11):901-6.

Xu YX, Pindolia KR, Janakiraman N, et al. Curcumin inhibits IL1 alpha and TNF-alpha induction of AP-1 and NF-kB DNA-binding activity in bone marrow stromal cells. *Hematopathol Mol Hematol*. 1997;11(1):49-62.

Yagyu T, Wackermann J, Kinoshita T, et al. Chewing-gum flavor affects measures of global complexity of multichannel EEG. *Neuropsychobiology*. 1997;35(1):46-50.

Yanagihara K, Ito A, Toge T, et al. Antiproliferative effects of isoflavones on human cancer cell lines established from the gastrointestinal tract. *Cancer Res*. 1993 Dec 1;53(23):5815-21.

Yang G, Lu G, Jin F, et al. Population-based, case-control study of blood C-peptide level and breast cancer risk. *Cancer Epidemiol Biomarkers Prev*. 2001 Nov;10(11):1207-11.

Yoo YC, Watanabe S, Watanabe R, et al. Bovine lactoferrin and lactoferricin, a peptide derived from bovine lactoferrin, inhibit tumor metastasis in mice. *Jpn J Cancer Res*. 1997 Feb;88(2):184-90.

Yoshida S, Matsui M, Shirouzu Y, et al. Effects of glutamine supplements and radiochemotherapy on systemic immune and gut barrier function in patients with advanced esophageal cancer. *Ann Surg*. 1998 Apr;227(4):485-91.

Yoshimatsu K, Ishibashi K, Hashimoto M, et al. [Effect of cimetidine with chemotherapy on stage IV colorectal cancer]. *Gan To Kagaku Ryoho*. 2003 Oct;30(11):1794-7.

Zand RSR. Flavonoids can block PSA production by breast and prostate cancer cell lines. *Clin Chim Acta*. 2002;(317):17-26.

Zhang F. Curcumin inhibits cyclooxygenase-2 transcription in bile acid- and phorbol ester-treated human gastrointestinal epithelial cells. *Carcinogenesis* 1999 Mar. 1999;20(3):445-51.

Zhang HM, Wakisaka N, Maeda O, et al. Vitamin C inhibits the growth of a bacterial risk factor for gastric carcinoma: *Helicobacter pylori*. *Cancer*. 1997 Nov 15;80(10):1897-903.

Zhang RX, Dougherty DV, Rosenblum ML. Laboratory studies of berberine used alone and in combination with 1,3-bis(2-chloroethyl)-1-nitrosourea to treat malignant brain tumors. *Chin Med J (Engl)*. 1990 Aug;103(8):658-65.

Zhang WJ, Frei B. Alpha-lipoic acid inhibits TNF-alpha-induced NF-kappaB activation and adhesion molecule expression in human aortic endothelial cells. *FASEB J*. 2001 Nov;15(13):2423-32.

Zhang WJ, Frei B. Alpha-lipoic acid inhibits TNF-alpha-induced NF-kappaB activation and adhesion molecule expression in human aortic endothelial cells. *FASEB J.* 2001 Nov;15(13):2423-32.

Zhao J, Sharma Y, Agarwal R. Significant inhibition by the flavonoid antioxidant silymarin against 12-O-tetradecanoylphorbol 13-acetate-caused modulation of antioxidant and inflammatory enzymes, and cyclooxygenase 2 and interleukin-1alpha expression in SENCAR mouse epidermis: implications in the prevention of stage I tumor promotion. *Mol Carcinog.* 1999 Dec;26(4):321-33.

Zheng W, Gustafson DR, Sinha R, et al. Well-done meat intake and the risk of breast cancer. *J Natl Cancer Inst.* 1998 Nov 18;90(22):1724-9.

Zheng W, Gustafson DR, Sinha R, et al. Well-done meat intake and the risk of breast cancer. *J Natl Cancer Inst.* 1998 Nov 18;90(22):1724-9.

Zhou JR, Mukherjee P, Gugger ET, et al. Inhibition of murine bladder tumorigenesis by soy isoflavones via alterations in the cell cycle, apoptosis, and angiogenesis. *Cancer Res.* 1998 Nov 15;58(22):5231-8.

Zhou JR, Gugger ET, Tanaka T, et al. Soybean phytochemicals inhibit the growth of transplantable human prostate carcinoma and tumor angiogenesis in mice. *J Nutr.* 1999 Sep;129(9):1628-35.

Zhou JR, Yu L, Zhong Y, et al. Inhibition of orthotopic growth and metastasis of androgen-sensitive human prostate tumors in mice by bioactive soybean components. *Prostate.* 2002 Oct 1;53(2):143-53.

Zhou JR, Yu L, Mai Z, et al. Combined inhibition of estrogen-dependent human breast carcinoma by soy and tea bioactive components in mice. *Int J Cancer.* 2004 Jan 1;108(1):8-14.

Zhu Q, Meisinger J, Van Thiel DH, et al. Effects of soybean extract on morphology and survival of Caco-2, SW620, and HT-29 cells. *Nutr Cancer.* 2002;42(1):131-40.

Zi X, Agarwal R. Silibinin decreases prostate-specific antigen with cell growth inhibition via G1 arrest, leading to differentiation of prostate carcinoma cells: implications for prostate cancer intervention. *Proc Natl Acad Sci U S A.* 1999 Jun 22;96(13):7490-5.

Zi X, Agarwal R. Silibinin decreases prostate-specific antigen with cell growth inhibition via G1 arrest, leading to differentiation of prostate carcinoma cells: implications for prostate cancer intervention. *Proc Natl Acad Sci U S A.* 1999 Jun 22;96(13):7490-5.

Zyada LE, Hassan HT, Rees JK, et al. The relation between hypocholesterolemia and degree of maturation in acute myeloid leukemia. *Hematol Oncol.* 1990 Jan;8(1):65-9.

All Contents Copyright © 1995-2009 Life Extension Foundation All rights reserved.

LifeExtension®

These statements have not been evaluated by the FDA. These products are not intended to diagnose, treat, cure or prevent any disease. The information provided on this site is for informational purposes only and is not intended as a substitute for advice from your physician or other health care professional or any information contained on or in any product label or packaging. You should not use the information on this site for diagnosis or treatment of any health problem or for prescription of any medication or other treatment. You should consult with a healthcare professional before starting any diet, exercise or supplementation program, before taking any medication, or if you have or suspect you might have a health problem. You should not stop taking any medication without first consulting your physician.